SPECIAL VOLUME

Cumulative Author, Subject, Compound and Special Issue Indexes Volumes 651–700 (1993–1995)

CONTENTS

Cumulative Author Index, Volumes 651–700 1
Cumulative Subject Index, Volumes 651–700 113
Cumulative Compound Index, Volumes 651–700 315
Special Issue Index, Volumes 651–700 474

AUTHOR INDEX

J. CHROMATOGR. A. VOLS. 651–700

A

Abbas, A.A. and Shelly, D.C.
Optical properties of axial-illumination flow cells for simultaneous absorbance–fluorescence detection in micro liquid chromatography 691(1995)37

Abbas, N.M., see Iob, A. 661(1994)245

Abdullah, M.P., Daud, J., Hong, K.S. and Yew, C.H.
Improved method for the determination of glyphosate in water 697(1995)363

Abdullah, S., see Wainer, I.W. 694(1995)169

Abe, I., Fujimoto, N. and Nakahara, T.
Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469

Abe, I., Nishiyama, T., Nakahara, T. and Frank, H.
Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Abe, K., see Yarita, T. 679(1994)329

Abidi, S.L.
Advances in Lipid Methodology (edited by W.W. Christie) (Book Review) 683(1994)411

Abidi, S.L. and Mounts, T.L.
Separations of tocopherols and methylated tocols on cyclodextrin-bonded silica 670(1994)67

Abidi, S.L. and Mounts, T.L.
Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Abraham, M.H., Andonian-Haftven, J., Du, C.M., Osei-Owusu, J.P., Sakellariou, P., Shuely, W.J., Poole, C.F. and Poole, S.K.
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Abraham, M.H., Chadha, H.S. and Leo, A.J.
Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Abrigo, C., see Gennaro, M.C. 674(1994)281

Abu-Lafi, S., see Levin, S. 654(1993)53

Abu-Lafi, S., see Levin, S. 679(1994)213

Abu-Lafi, S., Sterin, M. and Levin, S.
Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47

Abu-Lafi, S., Sterin, M., Levin, S. and Mechoulam, R.
Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Abushoffa, A.M. and Clark, B.J.
Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Aceves, M. and Grimalt, J.O.
Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133

Achilli, G., Cellerino, G.P., d'Eril, G.M. and Bird, S.
Simultaneous determination of 27 phenols and herbicides in water by high-performance liquid chromatography with multi-electrode electrochemical detection 697(1995)357

Achilli, G., Cellerino, G.P. and Melzi d'Eril, G.
Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Açil, Y. and Müller, P.K.
Rapid method for the isolation of the mature collagen cross-links, hydroxylysylpyridinoline and lysylpyridinoline 664(1994)183

Adachi, S.
Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271

Adamcová, E., see Kříž, J. 663(1994)151

Adamcová, J., see Proksa, B. 665(1994)185

Adamczyk, M., Chen, Y.-Y., Fishpaugh, J.R. and Gebler, J.C.
Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345
Adams, A.G., see Ponder, G.W. 692(1995)173
Adams, E., see Roets, E. 696(1995)131
Adams, F.C., see Dirkx, W.M.R. 683(1994)51
Adams, M.W.W., see Giometti, C.S. 698(1995)341
Adams, R.E., see Evangelisto, M.F. 695(1995)128
Adlof, R.O.
Separation of *cis* and *trans* unsaturated fatty acid methyl esters by silver ion high-performance liquid chromatography 659(1994)95
Adlof, R.O. and Emken, E.A.
Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178
Afeyan, N.B., see Gerstner, J.A. 695(1995)195
Afrane, B., see El-Yazigi, A. 690(1995)71
Afzal, D., see Ma, Y. 652(1993)535
Agapova, N.N. and Vasileva, E.
High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299
Agena, E.A., see Ma, Y. 652(1993)535
Aginsky, V.N.
Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119
Agnellini, D., see Pace, M. 691(1995)331
Agnus, B., Gosselet, N.-M. and Sebille, B.
Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27
Agraz, A., Duarte, C.A., Costa, L., Pérez, L., Páez, R., Pujol, V. and Fontirrochi, G.
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25
Agüera, A., Contreras, M. and Fernandez-Alba, A.R.
Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293
Agüera, A., see Fernandez-Alba, A.R. 686(1994)263
Aguilar, M., see Baraj, B. 695(1995)103
Aguilar, M., see Martínez, M. 676(1994)443
Aguilar, M.I., see Richards, K.L. 676(1994)17
Aguilar, M.I., see Richards, K.L. 676(1994)33
Aguilar, M.I., see Round, A.J. 661(1994)61
Aguilar, M.-I., see Xie, J. 691(1995)263
Aguilar, M.-I., see Yarovsky, I. 660(1994)75
Ahmad, F. and Roberts, D.J.
Use of narrow-bore high-performance liquid chromatography–diode array detection for the analysis of intermediates of the biological degradation of 2,4,6-trinitrotoluene 693(1995)167
Ahnoff, M., see Hansson, G. 666(1994)505
Ahuja, E.S. and Foley, J.P.
Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73
Aigotti, R., see Zerbinati, O. 671(1994)281
Aihara, Y., see Ogino, K. 699(1995)67
Aires-Barros, M.R., see Sarmento, M.J. 668(1994)117
Aires-Barros, M.R., see Sebastião, M.J. 668(1994)139
Aires-Barros, M.R., see Videira, M. 668(1994)237
Aizawa, M., see Suzuki, S. 680(1994)541
Aizpun, B., see Sanz-Medel, A. 683(1994)233
Akabori, S., see Tamaki, M. 685(1994)237
Akai, J., see Hiraoka, A. 680(1994)243
Akashi, M., see Baba, Y. 652(1993)93
Akashi, M., see Yashima, E. 654(1993)151
Akashi, M., see Yashima, E. 654(1993)159
Akhlaq, M.S. and Götze, P.
Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265
Akins, D.L. and Kumar, V.T.
High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269
Akira, K., see Baba, S. 663(1994)35
Akiyama, A., see Straub, J.A. 679(1994)85
Akiyama, A., see Wu, C. 684(1994)243
Akiyama, T., see Satow, T. 652(1993)23
Akiyama, Y., see Mizukami, F. 697(1995)279
Alattyani, E., see Rippel, G. 668(1994)301
Alava, M.A., see Lampreave, F. 698(1995)107
Albaiges, J., see Amaral, O.C. 675(1994)177
Albaigés, J., see Chalaux, N. 686(1994)275
Albaiges, J., see Simo, R. 655(1993)301
Al-Bajjari, T.I., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367
Al-Bajjari, T.I., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377
Albert, K., see Baumeister, E. 694(1995)321
Albert, K., Brindle, R., Martin, P. and Wilson, I.D.
Characterisation of C_{18}-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253
Albert, K., see Schmid, J. 694(1995)333
Albert, K., see Tallarek, U. 696(1995)1
Albertioni, F., see Reichelová, V. 667(1994)37
Albertsson, A.-C., Barenstedt, C. and Karlsson, S.
Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207
Albertsson, A.-C., see Karlsson, S. 669(1994)97
Albertsson, A.-C., see Karlsson, S. 688(1994)251
Albertsson, P.-A., see Lu, M. 668(1994)215
Albertsson, P.-A., see Stefánsson, H. 668(1994)191
Alcalde, P., see Ventura, R. 655(1993)233
Alderton, W.K., Lowe, C.R. and Thatcher, D.R.
Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Aldrich-Wright, J.R., Newman, P.D., Rao, K.R.N., Vagg, R.S. and Williams, P.A.
Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366
Alebić-Kolbah, T. and Wainer, I.W.
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122
Alexander, P.W., see Glod, B.K. 699(1995)31
Algaier, J., see Potter, K.J. 652(1993)427
Alishoev, V.R., see Berezkin, V.G. 699(1995)155
Allen, D.W., Clench, M.R., Crowson, A., Leathard, D.A. and Saklatvala, R.
Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285
Allen, H.E., see Kingery, A.F. 671(1994)231
Allen, J.K., see van der Schans, M.J. 680(1994)511
Allen, L.B. and Koropchak, J.A.
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192
Allenmark, S.G. and Andersson, S.
Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167
Allington, R.J.B., see Potter, K.J. 652(1993)427
Almehdi, M., see El-Shahawi, M.S. 697(1995)185
Almquist, S.R., Petersson, P., Walther, W. and Markides, K.E.
Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139
Almudaris, A., Ashton, D.S., Ray, A. and Valko, K.
Trace analysis of impurities in 3′-azido-3′-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31
Alpert, A.J., Shukla, M., Shukla, A.K., Zieske, L.R., Yuen, S.W., Ferguson, M.A.J., Mehlert, A., Pauly, M. and Orlando, R.
Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191
Alred, P.A., Kozlowski, A., Harris, J.M. and Tjerneld, F.
Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289
Alred, P.A., see Modlin, R.F. 668(1994)229
Al-Shawi, A.W. and Dahl, R.
Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173
Althaus, F.R., see Panzeter, P.L. 678(1994)35
Altieri, I., see Pichini, S. 697(1995)383
Altria, K.D. and Chanter, Y.L.
Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459
Altria, K.D. and Howells, J.S.
Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341
Alvarez, C., Bertorello, H., Strumia, M. and Sanchez, E.I.
Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333
Alvi, S.N., see Husain, S. 662(1994)71
Al-Yousef, F., see Iob, A. 661(1994)245
Alzaga, R. and Bayona, J.M.
Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid–solid phase extraction 655(1993)51
Amade, P., see Valls, R. 663(1994)114
Amadò, R., see Klockow, A. 680(1994)187
Amaral, O.C., Olivella, L., Grimalt, J.O. and Albaiges, J.
Combined solvent extraction–purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177
Amić, D., Davidović-Amić, D. and Trinajstić, N.
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115
Amicucci, A., see Piccoli, G. 676(1994)239
Amijee, M. and Wells, R.J.
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123
Amirav, A., see Kalontarov, L. 696(1995)245
Ammerdorffer, J.L., see Eleveld, J.T. 677(1994)211
Anazawa, T.A., Carraro, F., Collins, K.E. and Jardim, I.C.S.F.
Stability of high-performance liquid chromatography columns packed with C_1 and C_8 polysiloxanes sorbed into porous silica particles 697(1995)159
Anderson, Jr., J.M., see Nair, L.M. 671(1994)43
Anderson, Jr., J.M., see Nair, L.M. 671(1994)309
Anderson, Jr., J.M., see Saari-Nordhaus, R. 671(1994)159
Anderson, R.C., see Lamb, J.D. 671(1994)55
Anderson, S., see Shao, X. 680(1994)463
Andersson, B., see Sunesson, A.-L. 699(1995)203
Andersson, E., see Buscher, B.A.P. 678(1994)145
Andersson, J.T. and Schmid, B.
Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325
Andersson, J.T. and Weis, U.
Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151
Andersson, P.E., Pfeffer, W.D. and Blomberg, L.G.
Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323
Andersson, R., see Liang, Y.-z. 662(1994)113
Andersson, S., see Allenmark, S.G. 666(1994)167

Ando, M., see Toyo'oka, T. 675(1994)79
Andonian-Haftven, J., see Abraham, M.H. 688(1994)125
Andreasen, P.A.
Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99
Andrews, B.A., see Asenjo, J.A. 668(1994)47
Andrews, B.A. and Haywood, K.
Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55
Andrews, G.C., see Rosnack, K.J. 675(1994)219
Andrews, R.W. and Richardson, H.
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3
Andrzejewski, D., see Weisz, A. 658(1994)505
Andrzejewski, D., see Weisz, A. 678(1994)77
Anegayama, M., see Moriyama, H. 691(1995)81
Angelo, H.R., see Kristensen, K. 666(1994)283
Anghel, D.F., Balcan, M., Voicu, A. and Elian, M.
Analysis of alkylphenol-based non-ionic surfactants by high-performance liquid chromatography 668(1994)375
Angulo-Tatis, D., see Oscarsson, S. 689(1995)3
Anhalt, K., see Reinhardt, R. 697(1995)475
Annino, R.
Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279
Ansorgová, A., see Vejrosta, J. 659(1994)209
Ansorgová, A., see Vejrosta, J. 683(1994)407
Ansorgová, A., see Vejrosta, J. 685(1994)113
Anspach, F.B.
Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35
Anspach, F.B.
Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249
Anton, K., Eppinger, J., Frederiksen, L., Francotte, E., Berger, T.A. and Wilson, W.H.
Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395
Antón-Fos, G.M., García-March, F.J., Pérez-Giménez, F., Salabert-Salvador, M.T. and Cercós-del-Pozo, R.A.
Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203
Antoniadou-Vyza, E., see Loukas, Y.L. 677(1994)53
Antonic, M., see Onuska, F.I. 665(1994)125
Antonioli, C., see Tagliaro, F. 674(1994)207
Aoki, F., see Ôi, N. 666(1994)457
Aoki, F., see Ôi, N. 689(1995)195
Aoki, F., see Ôi, N. 694(1995)129
Aomura, Y., see Ogino, H. 659(1994)381
Aparicio, R., see Morales, M.T. 668(1994)455
Apone, S., see Sacchero, G. 668(1994)365
Arakawa, H., Uetanaka, K., Maeda, M. and Tsuji, A.
Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89
Arakawa, H., Uetanaka, K., Maeda, M., Tsuji, A., Matsubara, Y. and Narisawa, K.
Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517
Araki, T., see Hosoya, K. 662(1994)37
Araki, T., see Hosoya, K. 666(1994)449
Araki, T., see Hosoya, K. 690(1995)21
Araki, T., see Tanaka, N. 656(1993)265
Araki, T., see Tanaka, N. 699(1995)331
Arato, T., see Hiraoka, A. 680(1994)243
Araujo, M.F., see De Simon, S.G. 688(1994)357
Archer, J., see Jinno, K. 691(1995)91
Arentoft, A.M., Frøkiær, H., Michaelsen, S., Sørensen, H. and Sørensen, S.
High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189
Arentoft, A.M., Michaelsen, S. and Sørensen, H.
Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517
Arezzini, L., see Terzuoli, L. 684(1994)350
Armstrong, D.W., Gasper, M.P. and Rundlett, K.L.
Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285
Armstrong, D.W., Le, K., Reid, III, G.L., Lee, S.C., Beutelmann, K.K., Horak, M. and Tran, P.
Gas–solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201
Armstrong, D.W., see Pawlowska, M. 666(1994)485
Armstrong, D.W., see Tang, Y. 666(1994)147
Armstrong, D.W. and Zukowski, J.
Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α-cyclodextrin bonded stationary phase 666(1994)445
Armstrong, F., see Cohen, H. 694(1995)407
Arnold, F.H., see Todd, R.J. 662(1994)13
Arnold, K., see Wiegel, D. 668(1994)107
Arriaga, E., Chen, D.Y., Cheng, X.L. and Dovichi, N.J.
High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347
Arriaga, E., see Figeys, D. 669(1994)205
Arriaga, E., see Lu, H. 680(1994)497
Arriaga, E., see Lu, H. 680(1994)503
Artaud, J., see Valls, R. 663(1994)114
Arvidsson, T., see Stålberg, O. 684(1994)213
Asada, M., see Ihara, T. 694(1995)49
Asakawa, N., see Ishihama, Y. 666(1994)193
Asakawa, N., see Mano, N. 687(1994)223
Asakawa, N., see Matsui, K. 694(1995)209
Ascalone, V., see Flaminio, L. 668(1994)403
Aschman, A.J., see Lochmüller, C.H. 656(1993)3

Asenjo, J.A., Schmidt, A.S., Hachem, F. and Andrews, B.A.
Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47
Asenjo, J.A., Turner, R.E., Mistry, S.L. and Kaul, A.
Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129
Ash, G.H., see Richardson, D.E. 688(1994)47
Ashton, D,S., see Almudaris, A. 689(1995)31
Asplund, L., see Järnberg, U. 683(1994)385
Assadi, Y., see Djozan, D. 697(1995)525
Asselin, A., see Michaud, D. 698(1994)263
Asukabe, H., Murata, H., Harada, K.-I., Suzuki, M., Oka, H. and Ikai, Y.
Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349
Asztemborska, M., see Sybilska, D. 659(1994)389
Asztemborska, M., see Sybilska, D. 665(1994)67
Atamas, S.P.
Isotachophoresis of polyols in borate buffer solutions —a reply 659(1994)224
Atassi, G., see Soentjens-Werts, V. 662(1994)255
Atienza, J., Jiménez, J.J., Bernal, J.L. and Martín, M.T.
Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95
Atkinson, D., see Cheng, J. 677(1994)169
Aturki, Z. and Fanali, S.
Use of β-cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137
Aturki, Z., see Fanali, S. 694(1995)297
Au, T., see Woolf, E. 692(1995)45
Au, T., see Woolf, E.J. 660(1994)307
Aubry, A.-F., Markoglou, N., Descorps, V., Wainer, I.W. and Félix, G.
Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1
Aue, W.A., Eisener, C.G., Gebhardt, J.A. and Lowery, N.B.
Holophotal flame photometric detection 688(1994)153
Aue, W.A., Eisener, C.G., Gebhardt, J.A. and Lowery, N.B.
Second-channel designs for a single-channel flame photometric detector 699(1995)195
Aue, W.A., see Millier, B. 675(1994)155
Aue, W.A., see Singh, H. 687(1994)291
Aue, W.A., see Singh, H. 689(1995)45
Aue, W.A., see Singh, H. 690(1995)103
Aue, W.A., see Singh, H. 696(1995)153
Aue, W.A., Singh, H. and Sun, X.-Y.
Fundamental noise in three chromatographic detectors 687(1994)283
Aue, W.A., see Sun, X.-Y. 667(1994)191
Aue, W.A., see Sun, X.-Y. 687(1994)259
Aue, W.A., see Thurbide, K.B. 684(1994)259
Aue, W.A., see Thurbide, K.B. 694(1995)433
Aue, W.A. and Thurbide, K.B.
Reactive-flow luminescence with flame ionization detection 699(1995)183
Auger, J. and Ferary, S.
First results in trace identification of allelochemicals and pheromones by combining gas chromatography–mass spectrometry and direct deposition gas chromatography–Fourier transform infrared spectrometry 683(1994)87
Aumatell, A. and Wells, R.J.
Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329
Aumatell, A., Wells, R.J. and Wong, D.K.Y.
Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β-cyclodextrins 686(1994)293
Ausili, A., see Di Muccio, A. 697(1995)145
Awadé, A.C., Moreau, S., Mollé, D., Brulé, G. and Maubois, J.-L.
Two-step chromatographic procedure for the purification of hen egg white ovomucin, lysozyme, ovotransferrin and ovalbumin and characterization of purified proteins 677(1994)279
Awaka, I., see Saitoh, K. 653(1993)247
Awaka, I., see Saitoh, K. 693(1995)176
Axelsson, S., see Karamanos, N.K. 696(1995)295
Aymard, P., see Moussa, F. 664(1994)189
Azema, J., see Madelaine-Dupuich, C. 653(1993)178

B

Baba, S., Terazawa, Y., Kimata, H., Shinohara, Y., Akira, K. and Hasegawa, H.
Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35
Baba, Y., Ishimaru, N., Samata, K. and Tsuhako, M.
High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329
Baba, Y., see Sumita, C. 661(1994)297
Baba, Y., Tsuhako, M., Sawa, T. and Akashi, M.
Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93
Bachas, L.G., see Przyjazny, A. 654(1993)79
Bächmann, K., see Boden, J. 696(1995)321

Bächmann, K., Ehmann, Th. and Haumann, I.
pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434
Bächmann, K., Göttlicher, B., Haag, I., Han, K.-Y., Hensel, W. and Mainka, A.
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283
Bächmann, K., see Hillmann, R. 695(1995)149
Bächmann, K., see Polzer, J. 653(1993)283
Bächmann, K., see Röder, A. 689(1995)305
Bächmann, K., see Wiesiollek, R. 676(1994)277
Bada, J.L., see Zhao, M. 690(1995)55
Baddoo, P.A., see Sen, N.P. 673(1994)77
Badger, S.E., see Levison, P.R. 658(1994)419
Bae, Y.C. and Soane, D.
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17
Baeyens, W., see Croubels, S. 673(1994)267
Bagchi, D., see Cordis, G.A. 661(1994)181
Bahadir, M., see Kolb, M. 685(1994)189
Bahowick, T.J., Dunphy, D.R. and Synovec, R.E.
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135
Bahr, U., see Reif, O.-W. 664(1994)13
Bailey, R.G., Nursten, H.E. and McDowell, I.
Isolation and high-performance liquid chromatographic analysis of theaflavins from black tea 662(1994)101
Baillet, A., see Chaminade, P. 672(1994)67
Baillet, A., see Laugel, C. 686(1994)344
Bailly, M., see Charton, F. 687(1994)13
Baker, T.R., see Hayes, F.J. 692(1995)73
Balansard, G., see Calmes, M. 663(1994)119
Balcan, M., see Anghel, D.F. 668(1994)375
Bald, E., see Sypniewski, S. 676(1994)321
Baldwin, R.P., see Ye, J. 687(1994)141
Balke, S.T., see Schunk, T.C. 661(1994)227
Ball, H.L., Bertolini, G., Levi, S. and Mascagni, P.
Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73
Balmér, K., Persson, B.-A. and Lagerström, P.-O.
Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269
Baltas, M., Benbakkar, M., Gorrichon, L. and Zedde, C.
Chromatographic analysis of G_1–G_3 natural cyclic peroxides and compounds obtained from Ru(II)-catalysed reaction of G_3 123(1994)123
Baltes, W., see Bohnenstengel, F. 655(1993)249
Baltes, W., see Brinkmann, E. 693(1995)271
Banks, Jr., J.F.
Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325
Banks, P.R. and Paquette, D.M.
Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145
Bannier, A., see Deruaz, D. 677(1994)345
Baraj, B., Martínez, M., Sastre, A. and Aguilar, M.
Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103
Bárány, K., Bárány, M. and Giometti, C.S.
Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301
Bárány, M., see Bárány, K. 698(1995)301
Barbaro, A.M., see Biagi, G.L. 662(1994)341
Barbaro, A.M., see Biagi, G.L. 669(1994)246
Barbaro, A.M., see Biagi, G.L. 678(1994)127
Barbini, D.A., see Di Muccio, A. 697(1995)145
Barceló, D., see Chiron, S. 665(1994)283
Barceló, D., see Chiron, S. 665(1994)295
Barceló, D., see Galceran, M.T. 655(1993)275
Barceló, D., see Lacorte, S. 697(1995)345
Barceló, D., see Marko-Varga, G. 665(1994)317
Barceló, D., see Puig, D. 673(1994)55
Barceló, J., see Montero, E. 658(1994)83
Barenstedt, C., see Albertsson, A.-C. 690(1995)207
Barger, W.R., Mowery, R.L. and Wyatt, J.R.
Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659
Bargmann-Leyder, N., Truffert, J.-C., Tambuté, A. and Caude, M.
Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27
Barker, G.E., see Sun, P. 652(1993)247
Barker, G.E., see Sun, P. 685(1994)303
Barker, G.E., see Wu, N. 659(1994)435
Barkley, R.M., see Ryerson, T.B. 670(1994)117
Barna, E. and Dworschák, E.
Determination of thiamine (vitamin B_1) and riboflavin (vitamin B_2) in meat and liver by high-performance liquid chromatography 668(1994)359
Barnabas, I.J., Dean, J.R., Hitchen, S.M. and Owen, S.P.
Supercritical fluid extraction of organochlorine pesticides from an aqueous matrix 665(1994)307
Barnaby, R.J. and Iavarone, L.
Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319
Barnes, J.A., see Janini, G.M. 653(1993)321
Barnikol, W.K.R. and Pötzschke, H.
Calibration of gel-permeation columns in the high-molecular-mass range:. Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221
Barrett, D.A., see Chan, W.C. 697(1995)213
Barrett, D.A., see Wan, Q.H. 697(1995)219

Barron, A.E., Soane, D.S. and Blanch, H.W.
Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3
Barron, D., see Lübke, M. 690(1995)41
Barroso, C.G., see Guillén, D.A. 655(1993)227
Barry, C., see Humayoun Akhtar, M. 696(1995)123
Barry, E.F., see Ombaba, J.M. 678(1994)319
Bartels, R. and Bock, L.
Determination of pteroic acid by high-performance thin-layer chromatography. Contribution to the investigation of 7,8-dihydropteroate synthase 659(1994)185
Barth, D., see Chouchi, D. 672(1994)177
Bartha, Á. and Ståhlberg, J.
Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255
Bartle, K.D., Bevan, C.D., Clifford, A.A., Jafar, S.A., Malak, N. and Verrall, M.S.
Preparative-scale supercritical fluid chromatography 697(1995)579
Bartle, K.D., see Janda, *V.* 669(1994)241
Bartle, K.D., see Vejrosta, J. 659(1994)209
Bartle, K.D., see Vejrosta, J. 683(1994)407
Bartolomé, B., Bengoechea, M.L., Gálvez, M.C., Pérez-Ilzarbe, F.J., Hernández, T., Estrella, I. and Gómez-Cordovés, C.
Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119
Bartolomé, B., Bengoechea, M.L., Pérez-Ilzarbe, F.J., Hernández, T., Estrella, I. and Gómez-Cordovés, C.
Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39
Bartoń, H., see Bojarsky, J. 668(1994)481
Baru, M.B. and Kozlovsky-Vagenina, I.V.
Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199
Bashe, W., see Hodgeson, J. 659(1994)395
Basileo, G., see Fontana, E. 660(1994)293
Baškevičiūtė, B., see Pesliakas, H. 678(1994)25
Batt, M., see Srivatsa, G.S. 680(1994)469
Bauer, K., see Wheatley, J.B. 676(1994)81
Baumann, K. and Wätzig, H.
Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9
Baumeister, E., Klose, U., Albert, K., Bayer, E. and Guiochon, G.
Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321
Baumeister, E., see Tallarek, U. 696(1995)1
Baumeister, K., see Weinmann, W. 664(1994)271
Baumes, R.L., see Chassagne, D. 694(1995)441
Bayer, E., see Baumeister, E. 694(1995)321
Bayer, E., see Behnke, B. 680(1994)93
Bayer, E., see Schmeer, K. 691(1995)285
Bayer, E., see Schmid, J. 694(1995)333
Bayer, E., see Tallarek, U. 696(1995)1
Bayona, J.M., see Alzaga, R. 655(1993)51
Bayona, J.M., see Cai, Y. 696(1995)113
Bayona, J.M., see Chalaux, N. 686(1994)275
Bayonove, C.L., see Chassagne, D. 694(1995)441
Bazile, D., see Huve, P. 675(1994)129
Bazylak, G.
Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75
Bazylak, G.
Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519
Beattie, J.H. and Richards, M.P.
Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129
Beattie, J.H. and Richards, M.P.
Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95
Beboulene, J.-J., see Robert, E. 683(1994)215
Beck, T.L., see Wheeler, J.F. 656(1993)317
Beckers, J.L.
System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)152
Beckers, J.L.
UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153
Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347
Beckers, J.L.
Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285
Bede, A., see Rippel, G. 697(1995)17
Bedford, C.T., Hickman, A.D. and Logan, C.J.
Mixed ion-pair high-performance liquid chromatography of uridine 5′-diphospho-α-D-glucuronic acid and its hydrolysis products 695(1995)123
Begum, B., see Hardcastle, J.E. 691(1995)225
Behnke, B. and Bayer, E.
Pressurized gradient electro-high-performance liquid chromatography 680(1994)93
Beinert, W.-D., see Kirschbaum, J. 661(1994)193
Belder, D. and Schomburg, G.
Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351
Belenguer, A.M., see Grieb, S.J. 697(1995)271
Belenky, A., Smisek, D.L. and Cohen, A.S.
Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137
Belenky, A., see Vilenchik, M. 663(1994)105

Belew, M., Zhou, Y., Wang, S., Nyström, L.-E. and Janson, J.-C.
Purification of recombinant human granulocyte–macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67
Belgaied, J.E., Hoyos, M. and Martin, M.
Velocity profiles in thermal field-flow fractionation 678(1994)85
Belinga, H.F., Steghens, J.P. and Collombel, C.
Firefly luciferase purification using polyethylene glycol and Dyematrex Orange A 695(1995)33
Bell, C., Tsai, E.W., Ip, D.P. and Mathre, D.J.
Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248
Belleville, F., see Wasels, R. 674(1994)225
Bello, M.S., Capelli, L. and Righetti, P.G.
Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311
Bello, M.S., De Besi, P. and Righetti, P.G.
Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317
Bello, M.S., see Ermakov, S.V. 661(1994)265
Bello, M.S., Levin, E.I. and Righetti, P.G.
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329
Bello, M.S., Rezzonico, R. and Righetti, P.G.
Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199
Bello, M.S., Zhukov, M.Yu. and Righetti, P.G.
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113
Bellot, J.C. and Condoret, J.S.
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305
Below, E., see Thede, R. 660(1994)25
Beltran, P., see Bounine, J.P. 677(1994)87
Benbakkar, M., see Baltas, M. 123(1994)123
Benedek, K. and Guttman, A.
Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375
Benedek, K. and Thiede, S.
High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209
Benfenati, E., see Terreni, M. 688(1994)243
Bengoechea, M.L., see Bartolomé, B. 655(1993)119
Bengoechea, M.L., see Bartolomé, B. 664(1994)39
Benická, E., see Hrouzek, J. 665(1994)3
Benická, E., see Krupčík, J. 665(1994)175
Benická, E., see Škrabáková, S. 665(1994)27
Benko, M.H., see Cleveland, Jr., J.A. 652(1993)301
Benmoussa, A., Mikou, M., Lacout, J.L. and Siouffi, A.M.
Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486
Benoit, F.M., see Thomas, D. 695(1995)1
Benson, L.M., see Tomlinson, A.J. 652(1993)417
Benson, L.M., Veverka, K.A., Mays, D.C., Nelson, A.N., Shriver, Z.H., Lipsky, J.J. and Naylor, S.
Simultaneous structure–activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162
Benz, N.J. and Fritz, J.S.
Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437
Berdie, L., see Fernandez, P. 688(1994)363
Berek, D., see Novák, I. 665(1994)33
Berek, D., see Petro, M. 665(1994)37
Berek, D., see Škrabáková, S. 665(1994)27
Berenguer, M.J., see Rosell, M.G. 655(1993)151
Bereuter, T., see Kuhn, R. 666(1994)367
Bereuter, T.L. and Lorbeer, E.
Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469
Berezkin, V.G., Malyukova, I.V. and Alishoev, V.R.
Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155
Berger, H., see Brudel, M. 661(1994)55
Berger, T.A., see Anton, K. 666(1994)395
Bergeron, R., see Miller, L. 658(1994)489
Bergman, M., Dohmen, R., Claessens, H.A. and Cramers, C.A.
Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33
Bergström, E.T., see Penn, S.G. 680(1994)147
Berhow, M., see Nogata, Y. 667(1994)59
Berka, J., see Pariat, Y.F. 652(1993)57
Bernal, J.L., see Atienza, J. 655(1993)95
Bernart, M.W., see Richheimer, S.L. 677(1994)75
Berry, C.O.A., see Wheatley, J.B. 663(1994)53
Berthelot, P., see Vaccher, C. 657(1993)213
Bertolini, G., see Ball, H.L. 686(1994)73
Bertorello, H., see Alvarez, C. 686(1994)333
Bertrand, M., see Schoefs, B. 692(1995)239
Bertrand, O., see Cochet, S. 663(1994)175
Bertsch, W.
Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329
Bertucci, C., Salvadori, P. and Lopes Guimaraes, L.F.
Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535
Bettmer, J., Cammann, K. and Robecke, M.
Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177
Betts, T.J.
Potential of three different α-cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Betts, T.J.
Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295
Betts, T.J.
Use of esterified and unesterified dipentylated γ-, β- and α-cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254
Betts, T.J.
Comparison of two esterified γ-cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370
Betzel, C., see Weber, W. 679(1994)181
Beutelmann, K.K., see Armstrong, D.W. 688(1994)201
Bevan, C.D., see Bartle, K.D. 697(1995)579
Bevan, C.D. and Mutton, I.M.
Freeze–thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541
Beyermann, M., see Rothemund, S. 689(1995)219
Bhatt, G.R., see Dwivedi, A.K. 663(1994)187
Biagi, G.L., Barbaro, A.M. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127
Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341
Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246
Biagiarelli, B., see Piccoli, G. 676(1994)239
Bian, H., see Gao, J. 657(1993)95
Bianchi, A.P.
Environmental analysis —Techniques, applications and quality assurance (edited by D. Barceló) (Book Review) 670(1994)243
Bicchi, C., D'Amato, A., Manzin, V., Galli, A. and Galli, M.
Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl-β-cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137
Bienert, M., see Rothemund, S. 661(1994)77
Bienert, M., see Rothemund, S. 689(1995)219
Biggin, M.E., Williams, R.L. and Vigh, G.
Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319
Billedeau, S.M., Heinze, T.M., Wilkes, J.G. and Thompson, Jr., H.C.
Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55
Billiet, H.A.H., see Janák, J. 677(1994)192
Billiet, H.A.H., see Tijssen, R. 656(1993)135
Billiet, H.A.H., see Valkó, I.E. 678(1994)139
Bioque, G., see Hotter, G. 655(1993)85
Bird, S., see Achilli, G. 697(1995)357
Birkenmeier, G., see Kopperschläger, G. 668(1994)1
Bischoff, R., see Cordier, Y. 680(1994)479
Bismuto, E. and Irace, G.
High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263
Biswas, S.S., see Tambe, A.S. 683(1994)397
Biswas, S.S., see Wakharkar, R.D. 662(1994)420
Bjergegaard, C., Ingvardsen, L. and Sørensen, H.
Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99
Bjergegaard, C., Michaelsen, S., Mortensen, K. and Sørensen, H.
Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477
Bjergegaard, C., Simonsen, H. and Sørensen, H.
Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561
Black, R.M., Clarke, R.J., Read, R.W. and Reid, M.T.J.
Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301
Blackwell, J.A., see Whitman, D.A. 691(1995)205
Blake, E., Raynor, M.W. and Cornell, D.
Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223
Blanch, G.P., Herraiz, M., Reglero, G. and Tabera, J.
Preconcentration of samples by steam distillation–solvent extraction at low temperature 655(1993)141
Blanch, G.P., see Ramos, L. 690(1995)243
Blanch, H.W., see Barron, A.E. 652(1993)3
Blanchard, R.D., see Oehrle, S.A. 680(1994)645
Blanchin, M.D., see Fabre, H. 697(1995)81
Blanco, E., see Sanz-Medel, A. 683(1994)233
Blanco Tirado, C., Stashenko, E.E., Combariza, M.Y. and Martinez, J.R.
Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501
Blaschke, E., see Egginger, G. 666(1994)275
Blaschke, G., see Chankvetadze, B. 700(1995)43
Blaschke, G., see Knoche, B. 666(1994)235
Blaschke, G., see Terhechte, A. 694(1995)219

Blatný, P. and Kvasnička, F.
Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223
Blatný, P., Kvasnička, F. and Kenndler, E.
Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachophoresis 679(1994)345
Blázquez, M.A., see Ferreres, F. 669(1994)268
Blazsó, M.
Pyrolysis–gas chromatography–mass spectrometry of poly(dialkylsilylenes) 683(1994)115
Blein, J.-P., see Milat, M.-L. 699(1995)277
Blemmer, T., see Kristensen, K. 666(1994)283
Block, F., see Kreling, J.R. 671(1994)295
Bloemhoff, W., see Lasonder, E. 676(1994)91
Blom, Y. and Heldin, E.
Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138
Blomberg, L.G., see Andersson, P.E. 699(1995)323
Blomberg, L.G., see Hägglund, I. 673(1994)93
Boček, P.
Electrophoresis in Practice—A Guide to Theory and Practice (by R. Westermeier) (Book Review) 679(1994)402
Boček, P.
Directory of Capillary Electrophoresis (edited by D. Coleman) (Book Review) 699(1995)408
Boček, P., see Klepárník, K. 698(1995)375
Bock, L., see Bartels, R. 659(1994)185
Bode-Böger, S.M., see Tsikas, D. 699(1995)363
Boden, J., Bächmann, K., Kotz, L., Fabry, L. and Pahlke, S.
Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321
Bogár, F., see Török, B. 668(1994)353
Böger, R.H., see Tsikas, D. 699(1995)363
Bogusz, M. and Erkens, M.
Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97
Böhmer, M.R., see Tijssen, R. 656(1993)135
Bohnenstengel, F., Soltani, N. and Baltes, W.
Headspace analysis with large sample volumes. Influence of sampling device volume, analyte concentration and sample matrix 655(1993)249
Böhs, B., see Lindner, W. 697(1995)549
Böhs, B., see Veigl, E. 694(1995)135
Böhs, B., see Veigl, E. 694(1995)151
Bojarski, J., Kubaszek, M., Bartoń, H. and Chmiel, E.
Chromatography of methyl derivatives of 5-ethyl-5-phenyl-2-thiobarbituric acid 668(1994)481
Bojti, E., see Erdélyi-Tóth, V. 668(1994)419
Bokel, M., see Macka, M. 675(1994)267
Bokesch, H.R., see Hallock, Y.F. 688(1994)83
Boluda, R., see Redondo, M.J. 678(1994)375
Bona, C., see Brumeanu, T.-D. 696(1995)219
Bonetti, A., see Dinelli, G. 700(1995)195
Bonetti, A., see Galletti, G.C. 692(1995)27
Bonfichi, R.
Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213
Bonn, G.K., see Corradini, C. 685(1994)213
Bonn, G.K., see Semenova, O.P. 667(1994)327
Bonn, G.K., see Timerbaev, A.R. 671(1994)419
Bonora, C., see Vitali, P. 660(1994)219
Bontempelli, G., see Toniolo, R. 662(1994)185
Boonkerd, S., Detaevernier, M.R. and Michotte, Y.
Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209
Boonkerd, S., Lauwers, M., Detaevernier, M.R. and Michotte, Y.
Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97
Bopp, R.J., see Rickard, E.C. 680(1994)609
Boppana, V.K.
Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195
Boppana, V.K. and Miller-Stein, C.
Determination of a novel hematoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialde–thiol post-column reaction with fluorescence detection 676(1994)161
Borate, H.B., see Wakharkar, R.D. 662(1994)420
Boria, P., see Draisci, R. 697(1995)407
Born, J., see Grize, Y.-L. 686(1994)1
Bornhop, D.J., see Hackett, M. 695(1995)243
Boronat, M., see Comellas, L. 655(1993)57
Borrull, F., see Crespo, C. 670(1994)135
Borrull, F., see Marcé, R.M. 696(1995)63
Borrull, F., see Pocurull, E. 696(1995)31
Borrull, F., see Ruana, J. 655(1993)217
Bortolomeazzi, R., Pizzale, L., Conte, L.S. and Lercker, G.
Identification of thermal oxidation products of cholesteryl acetate 683(1994)75
Bos, R.P., see Scheepers, P.T.J. 677(1994)107
Boschetti, E.
Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207
Boschetti, E., see Horvath, J. 679(1994)11
Bossi, A., Gelfi, C., Orsi, A. and Righetti, P.G.
Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121
Bossi, R., see Tilio, R. 662(1994)191
Bossle, P.C., see Oehrle, S.A. 692(1995)247
Bossù, E., see Quaglia, M.G. 666(1994)289

Bősze, S., Mák, M., Medzihradszky-Schweiger, H. and Hudecz, F.
Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345
Botton, B., see Devêvre, O. 679(1994)349
Bounine, J.P., Tardif, B., Beltran, P. and Mazzo, D.J.
High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87
Bourguignon, B., see Hubert, Ph. 665(1994)87
Bøwadt, S., Johansson, B., Fruekilde, P., Hansen, M., Zilli, D., Larsen, B. and De Boer, J.
Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189
Bøwadt, S., Johansson, B., Pelusio, F., Larsen, B.R. and Rovida, C.
Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424
Bowen, W.E., see Pirkle, W.H. 676(1994)297
Bowers, L.D.
Foreword 691(1995)1
Bowlin, D.W., Hott, C. and Davis, J.M.
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307
Boyd, M.R., see Hallock, Y.F. 688(1994)83
Boyd, T.J.
Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and gas chromatographic–mass spectrometric analysis 662(1994)281
Boyes, B.E., see Chloupek, R.C. 686(1994)45
Boyes, B.E. and Walker, D.G.
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337
Božeková, L., see Brandšteterová, E. 665(1994)101
Bradshaw, J.S., see Petersson, P. 684(1994)297
Bradshaw, J.S., see Yi, G. 673(1994)219
Bramich, C.J., see Weber, P.L. 680(1994)225
Brandolini, V., see Dinelli, G. 700(1995)201
Brandšteterová, E., Romanová, D., Králiková, D., Božeková, L. and Kriška, M.
Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101
Brazier, J.L., see Deruaz, D. 677(1994)345
Breen, D.G., see Vejrosta, J. 683(1994)407
Breier, J., see Freitag, R. 691(1995)101
Breiner, S.J., see Lochmüller, C.H. 656(1993)3
Brekke, S., see Krogh, M. 674(1994)235
Brenna, J.T., see Goodman, K.J. 689(1995)63
Brennan, J.J., see Pullen, R.H. 691(1995)187
Bretnall, A.E. and Clarke, G.S.
Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173
Brewster, J.D. and Fishman, M.L.
Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382
Briggs, D.A., see Smith, R.M. 670(1994)161
Briggs, D.A., see Smith, R.M. 688(1994)261
Brindle, R., see Albert, K. 665(1994)253
Bringmann, G., Gassen, M. and Schneider, S.
Toxic aldehydes formed by lipid peroxidation. I. Sensitive, gas chromatography-based stereoanalysis of 4-hydroxyalkenals, toxic products of lipid peroxidation 670(1994)153
Brinkman, U.A.Th.
On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217
Brinkman, U.A.Th., see Brouwer, E.R. 669(1994)45
Brinkman, U.A.Th., see Brouwer, E.R. 678(1994)223
Brinkman, U.A.Th., see Mank, A.J.G. 695(1995)165
Brinkman, U.A.Th., see Mank, A.J.G. 695(1995)175
Brinkman, U.A.Th., see Marcé, R.M. 696(1995)63
Brinkman, U.A.Th., see Minnaard, W.A. 696(1995)333
Brinkman, U.A.Th., see Rinkema, F.D. 678(1994)289
Brinkman, U.A.Th., see Sänger-van de Griend, C.E. 673(1994)299
Brinkman, U.A.Th., see Vreeken, R.J. 654(1993)65
Brinkman, U.A.Th., see Zegers, B.N. 677(1994)141
Brinkmann, E., Dehne, L., Oei, H.B., Tiebach, R. and Baltes, W.
Separation of geometrical retinol isomers in food samples by using narrow-bore high-performance liquid chromatography 693(1995)271
Brittain, R.D., see Schachterle, S. 683(1994)185
Brooks, C.A. and Cramer, S.M.
Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1994)187
Brosa, J., see Rosell, M.G. 655(1993)151
Broto-Puig, F., see Codina, G. 673(1994)21
Broul, M., see Janoš, P. 676(1994)451
Brouwer, E.R. and Brinkman, U.A.Th.
Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223
Brouwer, E.R., Hermans, A.N.J., Lingeman, H. and Brinkman, U.A.Th.
Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45
Brown, P.R., see De Antonis, K.M. 661(1994)279
Brown, R.J., see Konecny, P. 673(1994)45
Brownrigg, C.M., see Brumley, W.C. 680(1994)635
Brownson, D.M., see Oh, C.-H. 669(1994)112
Bru, R., see Sánchez-Ferrer, A. 668(1994)75

Brückner, H., Haasmann, S., Langer, M., Westhauser, T., Wittner, R. and Godel, H.
Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to biosciences 666(1994)259

Brückner, H., Langer, M., Lüpke, M., Westhauser, T. and Godel, H.
Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to food science 697(1995)229

Brückner, H. and Lüpke, M.
Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Brudel, M., Kertscher, U., Berger, H. and Mehlis, B.
Liquid chromatographic–mass spectrometric studies on the enzymatic degradation of gonado-tropin-releasing hormone 661(1994)55

Brueggemann, E.E., see Hines, H.B. 670(1994)199

Brüggemann, O., see Sziele, D. 669(1994)254

Brulé, G., see Awadé, A.C. 677(1994)279

Brumeanu, T.-D., Zaghouani, H. and Bona, C.
Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219

Brumley, W.C., Brownrigg, C.M. and Grange, A.H.
Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Brumley, W.C. and Jones, W.J.
Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163

Brunner, G., see Tsikas, D. 699(1995)363

Bruno, A.E., see Saz, J.M. 699(1995)315

Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

Brunt, K., see Houben, R.J. 661(1994)169

Bryan, C.R., see Cancalon, P.F. 652(1993)555

Bryan, T.G., see Mourey, T.H. 657(1993)377

Bryan, T.G., see Mourey, T.H. 679(1994)201

Bryntesson, M., see Jageland, P. 658(1994)497

Bucar, F., see Hiermann, A. 675(1994)276

Buchberger, W., see Cousins, S.M. 671(1994)397

Buchberger, W. and Haddad, P.R.
Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343

Buchberger, W., see Harakuwe, A.H. 685(1994)161

Buchberger, W., Winna, K. and Turner, M.
Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Buciński, A., see Nasal, A. 692(1995)83

Buckingham, L.A., see Rawjee, Y.Y. 688(1994)273

Buckland, B., see DePhillips, P. 663(1994)43

Buda, W.M., see Jaques, K. 666(1994)131

Buffham, B.A., see Meacham, R.I. 659(1994)205

Buiarelli, F., Cartoni, G., Coccioli, F. and Levetsovitou, Z.
Determination of phenolic acids in wine by high-performance liquid chromatography with a microbore column 695(1995)229

Buijten, J.C., see Mohnke, M. 667(1994)334

Builder, S.E., see Olson, C.V. 675(1994)101

Buldini, P.L., Sharma, J.L. and Ferri, D.
Determination of total phosphorus in soaps/detergents by ion chromatography 654(1993)129

Buldini, P.L., Sharma, J.L. and Mevoli, A.
Determination of inorganic ions in carboxylic acids by ion chromatography 654(1993)123

Buldini, P.L., Sharma, J.L. and Sharma, S.
Ion-chromatographic determination of inorganic anions and cations in some reagents used in the electronics industry 654(1993)113

Bullock, J.
High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Bulmahn, J.A., see Stover, F.S. 688(1994)89

Bulusu, S., see Yinon, J. 688(1994)231

Bunrin, T., see Iwaki, K. 662(1994)87

Bunton, B.M. and Walker, T.A.
Chiral separation of MDL 73,005EF enantiomers using an α_1-acid glycoprotein column 699(1995)389

Burestedt, E., see Ortega, F. 675(1994)65

Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79

Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. II. Quantitation of petroleum hydrocarbons from environmental sample 685(1994)95

Burgess, A.W., see Nice, E. 660(1994)169

Burini, G.
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Burke, M.F., see Schunk, T.C. 656(1993)289

Burton, D.E., see Jordan, J.M. 671(1994)445

Busch, K.L.
Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275
Busch, M.H.A., Kraak, J.C. and Poppe, H.
Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287
Buscher, B.A.P., Irth, H., Andersson, E., Tjaden, U.R. and Van der Greef, J.
Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145
Bush, H., see Fronek, R. 658(1994)483
Bushey, M.M., see Harman, A.D. 652(1993)525
Busson, R., see Paesen, J. 699(1995)99
Busson, R., see Van Schepdael, A. 657(1993)208
Buszewski, B., see Czajkowska, T. 691(1995)217
Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293
Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11
Buszewski, B., see Kasturi, P. 659(1994)261
Butler, E.C.V., see Weir, S.I. 671(1994)197
Butram, S.L., see Ponder, G.W. 692(1995)173
Buttlera, T., see Marko-Varga, G. 665(1994)317
Buttrill, Jr., S.E., see Salomon, K. 657(1993)139
Butz, S., Heberer, Th. and Stan, H.-J.
Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C_{18} material 677(1994)63
Buxaderas, S., see Puig-Deu, M. 685(1994)21
Buzanowski, W.C., Cutié, S.S., Howell, R., Papenfuss, R. and Smith, C.G.
Determination of sodium polyacrylate by pyrolysis–gas chromatography 677(1994)355
Buzy, A., Thibault, P. and Laycock, M.V.
Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301
Byrd, D.W., see Freeman, D.C. 686(1994)225
Byrd, D.W. and Freeman, D.C.
Automated static headspace sampler for gas chromatography 686(1994)235
Byrne, A.R., see Stibilj, V. 668(1994)449

C

Cabezudo Ibáñez, M.D., see García Romero, E. 655(1993)111
Caboni, M.F., Menotta, S. and Lercker, G.
High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59
Cabot, C., see Montero, E. 658(1994)83
Cabral, J.M.S., see Fonseca, L.P. 668(1994)61
Cabral, J.M.S., see Sarmento, M.J. 668(1994)117
Cabral, J.M.S., see Sebastião, M.J. 668(1994)139
Cabras, P., see Cherchi, A. 669(1994)59
Cabrera, K. and Lubda, D.
Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β-cyclodextrin as stationary phase 666(1994)433
Caccamese, S., Principato, G., Ottanà, R., Previtera, T. and Zappalà, C.
Liquid chromatographic separation of the enantiomers of antihistaminic 3,3′-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355
Cacho, J., see Ferreira, V. 655(1993)257
Cacho, J., see Ferreira, V. 695(1995)41
Cacho, J., see Nerín, C. 672(1994)159
Cacho, J., see Nerín, C. 690(1995)230
Caciari, M., see Bruno, T.J. 672(1994)149
Caciari, M., see Bruno, T.J. 679(1994)123
Caciari, M., see Bruno, T.J. 686(1994)245
Cai, C.-h., Romano, V.A. and Dubin, P.L.
Ionic strength dependence of protein retention on Superose 12 in SEC–IEC mixed mode chromatography 693(1995)251
Cai, H., see Wentworth, W.E. 688(1994)135
Cai, J., see Hsieh, F.Y.L. 679(1994)206
Cai, L.-S., see Li, L. 653(1993)354
Cai, S.-J., McAndrew, R.S., Leonard, B.P., Chapman, K.D. and Pidgeon, C.
Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49
Cai, Y. and Bayona, J.M.
Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113
Caixach, J., see Pauné, F. 684(1994)289
Caixach, J., Rivera, J., Galceran, M.T. and Santos, F.J.
Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205
Caldeira, J.C.G., see Fonseca, L.P. 668(1994)61

Caldwell, G.W., see Evangelisto, M.F. 695(1995)128
Caldwell, J.
Stereochemical determinants of the nature and consequences of drug metabolism 694(1995)39
Calmes, M., Crespin, F., Maillard, C., Ollivier, E. and Balansard, G.
High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L. 663(1994)119
Calori, R., see Vitali, P. 660(1994)219
Calpena, A.C., see Martorell, C. 655(1993)177
Calull, M., see Marcé, R.M. 696(1995)63
Camacho-Torralba, P.L. and Vigh, Gy.
High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213
Camel, V., Tambuté, A. and Caude, M.
Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101
Camilleri, P., Eggleston, D., Farina, C., Murphy, J.A., Pfeiffer, U., Pinza, M. and Senior, L.A.
Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207
Cammann, K., see Bettmer, J. 654(1993)177
Cammann, K., see Grömping, A.H.J. 653(1993)341
Camoni, I., see Di Muccio, A. 697(1995)145
Campbell, H., see Cohen, H. 694(1995)407
Campos, A., see García, R. 655(1993)3
Campos, A., see García, R. 655(1993)191
Campos, A., see García, R. 662(1994)61
Campos, A., see Porcar, I. 673(1994)65
Cancalon, P.F. and Bryan, C.R.
Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555
Cann, J.R., see Munro, P.D. 659(1994)267
Canova-Davis, E., see Olson, C.V. 675(1994)101
Cantwell, F.F., see Chen, J.-G. 656(1993)549
Cantwell, F.F., see Vermeulen, D.M. 693(1995)205
Cao, J. and Cross, R.F.
The separation of dihydrofolate reductase inhibitors and the determination of pK_{a_1} values by capillary zone electrophoresis 695(1995)297
Cao, X.-L. and Hewitt, C.N.
Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography–flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368
Cao, X.-L. and Hewitt, C.N.
Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187
Cao, X.-L., Hewitt, C.N. and Waterhouse, K.S.
Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115
Cao, Z.A., see Zhu, M. 652(1993)119
Capelli, L., see Bello, M.S. 684(1994)311
Capelli, L., see Ermakov, S.V. 699(1995)297
Capomacchia, A.C., see Green, M.D. 695(1995)237
Capparella, M., Foster III, W., Larrousse, M., Phillips, D.J., Pomfret, A. and Tuvim, Y.
Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141
Carbognani, L.
Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11
Cardellina II, J.H., see Hallock, Y.F. 688(1994)83
Cardoni, P., see Stocchi, V. 676(1994)51
Carducci, C.N., see Fernández Otero, G.C. 654(1993)87
Cardwell, T.J. and Laughton, W.R.
Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364
Carey, C.M., see Wong, T.M. 680(1994)413
Carey, J.M., Vela, N.P. and Caruso, J.A.
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 662(1994)329
Carini, M., see Pietta, P. 661(1994)121
Carlson, I.H., see Lensmeyer, G.L. 691(1995)239
Carlson, R.H., see Srivatsa, G.S. 680(1994)469
Carlsson, B., see Josefsson, M. 684(1994)23
Carneiro, M.C., Puignou, L. and Galceran, M.T.
Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217
Carnevale, J. and Jackson, P.E.
Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115
Carnevale, J., see Jackson, P.E. 671(1994)181
Caron, F., see Manni, G. 690(1995)237
Carpio, R.A., Jandik, P. and Fallon, E.
Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185
Carr, C.M., see Lord, G.A. 700(1995)27
Carr, P.W., see Li, J. 659(1994)367
Carr, P.W., see Li, J. 670(1994)105
Carr, P.W., Li, J., Dallas, A.J., Eikens, D.I. and Tan, L.C.
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113
Carr, P.W., Martire, D.E. and Snyder, L.R.
Preface 656(1993)1
Carr, P.W., see McNeff, C. 684(1994)201
Carr, P.W., see Nawrocki, J. 657(1993)229
Carr, P.W., see Park, J.H. 677(1994)1
Carr, P.W., see Snyder, L.R. 656(1993)537
Carr, P.W., see Sun, L. 658(1994)465
Carr, P.W., see Tan, L.C. 656(1993)521
Carraro, F., see Anazawa, T.A. 697(1995)159
Carrea, G., see Nesi, M. 670(1994)215
Carreira, L.A., see Hilal, S.H. 662(1994)269

Carreras, D., Imaz, C., Navajas, R., Garcia, M.A., Rodriguez, C., Rodriguez, A.F. and Cortes, R.
Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195
Carrilho, E., see Schmalzing, D. 652(1993)149
Carro-Díaz, A.M., Lorenzo-Ferreira, R.A. and Cela-Torrijos, R.
Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245
Carta, G., see Rodrigues, A.E. 653(1993)189
Carta, G. and Stringfield, W.B.
Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407
Carter, D., see Jackson, P. 685(1994)287
Cartier, P.G., see Firouztale', E. 658(1994)361
Cartoni, G., see Buiarelli, F. 695(1995)229
Cartron, J.P., see Cochet, S. 663(1994)175
Caruso, J.A., see Carey, J.M. 662(1994)329
Caruso, J.A., see Ding, H. 694(1995)425
Caruso, J.A., see Kumar, U.T. 654(1993)261
Caruso, J.A., see Kumar, U.T. 655(1993)340
Caruso, U., Fowler, B., Minniti, G. and Romano, C.
Determination of tryptophan and ten of its metabolites in a single analysis by high-performance liquid chromatography with multiple detection 661(1994)101
Carvalho, C.R.L., Carvalho, P.R.N. and Collins, C.H.
High-performance liquid chromatographic determination of the geometrical isomers of β-carotene in several foodstuffs 697(1995)289
Carvalho, P.R.N., see Carvalho, C.R.L. 697(1995)289
Casabianca, H. and Graff, J.B.
Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360
Casademont, G., see García Regueiro, J.A. 655(1993)73
Casale, J.F., see Moore, J.M. 659(1994)163
Casale, J.F., see Moore, J.M. 674(1994)165
Cases, M.R., Stortz, C.A. and Cerezo, A.S.
Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293
Cash, P.
Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203
Caslavska, J., Molteni, S., Chmelík, J., Šlais, K., Matulík, F. and Thormann, W.
Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549
Cassiano, L., see Castagnola, M. 694(1995)463
Cassidy, R.M.
Foreword 671(1994)1
Cassidy, R.M., see Stathakis, C. 659(1994)443
Cassidy, R.M., see Stathakis, C. 699(1995)353
Cassidy, R.M. and Sun, L.
Optimization of the anion-exchange separation of metal–oxalate complexes 654(1993)105
Castagnola, M., Cassiano, L., Lupi, A., Messana, I., Patamia, M., Rabino, R., Rossetti, D.V. and Giardina, B.
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463
Castello, G., see Vezzani, S. 677(1994)331
Castello, G., Vezzani, S. and Moretti, P.
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95
Castellote, A.I., see Parreño, M. 655(1993)89
Castellote-Bargallo, A.I., see Rodríguez-Palmero, M. 672(1994)267
Castello, G., see Gerbino, T.C. 699(1995)161
Castle, L., Jickells, S.M., Nichol, J., Johns, S.M. and Gramshaw, J.W.
Determination of high- and low-molecular-mass plasticisers in stretch-type packaging films 675(1994)261
Castle, M. and Neuteboom, E.
High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93
Castro Romero, J.M., see González Rodríguez, V. 673(1994)291
Caude, M.
Fractionation by Packed-Column SFE and SFC, Principles and Applications (edited by M. Saito, Y. Yamauchi and T. Okuyama) (Book Review) 696(1995)353
Caude, M., see Bargmann-Leyder, N. 666(1994)27
Caude, M., see Camel, V. 693(1995)101
Cebrián-Pérez, J.A., see Ollero, M. 668(1994)173
Ceccaroli, P., see Stocchi, V. 676(1994)51
Cela, R., see Lores, M. 683(1994)31
Cela, R., see Turnes, M.I. 683(1994)21
Cela-Torrijos, R., see Carro-Díaz, A.M. 683(1994)245
Cellerino, G.P., see Achilli, G. 661(1994)201
Cellerino, G.P., see Achilli, G. 697(1995)357
Cercós-del-Pozo, R.A., see Antón-Fos, G.M. 672(1994)203
Cerezo, A.S., see Cases, M.R. 662(1994)293
Čertík, M., see Šajbidor, J. 665(1994)191
Ceulemans, M., see Dirkx, W.M.R. 683(1994)51
Cha, G.S., see Kwon, K.-H. 688(1994)350
Chadha, H.S., see Abraham, M.H. 685(1994)203
Chadwick, R.R., Hsieh, J.C., Resham, K.S. and Nelson, R.B.
Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403
Chae, J.J., see Park, J.H. 656(1993)69
Chae, J.J., see Park, J.H. 664(1994)149
Chaga, G., see Oscarsson, S. 689(1995)3
Chakma, A., see Shahi, P. 687(1994)121
Chalányová, M., see Hutta, M. 689(1995)123

Chalaux, N., Bayona, J.M. and Albaigés, J.
Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275
Chalmers, J.M., see Jackson, P. 685(1994)287
Chambers, J.Q., see Farkas, T. 679(1994)231
Chaminade, P., Baillet, A. and Ferrier, D.
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67
Chaminade, P., see Laugel, C. 686(1994)344
Chan, K.C., see Janini, G.M. 653(1993)321
Chan, K.C., Janini, G.M., Muschik, G.M. and Issaq, H.J.
Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93
Chan, K.C., Muschik, G.M., Issaq, H.J. and Siiteri, P.K.
Separation of estrogens by micellar electrokinetic chromatography 690(1995)149
Chan, W.C., Micklewright, R. and Barrett, D.A.
Porous graphitic carbon for the chromatographic separation of O-tetraacetyl-β-D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213
Chandrasekher, G., see Shi, H. 680(1994)653
Chang, J.P., Tucker, R.C., Ghrist, B.F. and Coleman, M.R.
Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113
Chang, L.W., see Reddy, T.V. 655(1993)331
Chang, M.-Y., see Ling, Y.-C. 669(1994)119
Chankvetadze, B., Endresz, G. and Blaschke, G.
Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43
Chankvetadze, B., Yashima, E. and Okamoto, Y.
Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39
Chankvetadze, B., Yashima, E. and Okamoto, Y.
Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101
Chanter, Y.L., see Altria, K.D. 652(1993)459
Chao, Y.-C. and Whang, C.-W.
Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229
Chao, Y.-Z., see Pang, G.-F. 667(1994)348
Chapman, K.D., see Cai, S.-J. 696(1995)49
Charton, F., Bailly, M. and Guiochon, G.
Recycling in preparative liquid chromatography 687(1994)13
Chase, H.A., see McCreath, G.E. 659(1994)275
Chassagne, D., Crouzet, J., Baumes, R.L., Lepoutre, J.-P. and Bayonove, C.L.
Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441
Chau, P., see Park, J.H. 677(1994)1
Chaudhary, R.S., see Jindal, K.C. 685(1994)195
Chauhan, V., see Demkowicz, M.P. 671(1994)351
Chauvaux, N., Van Dongen, W., Esmans, E.L. and Van Onckelen, H.A.
Liquid chromatographic–mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337
Cheh, C.H.
Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283
Chen, A. and Lunte, C.E.
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29
Chen, B.H. and Chen, Y.C.
Evaluation of the analysis of cholesterol oxides by liquid chromatography 661(1994)127
Chen, C.J., see Tsai, F.Y. 697(1995)309
Chen, D.Y., see Arriaga, E. 652(1993)347
Chen, D.Y., see Lu, H. 680(1994)497
Chen, D.Y., see Lu, H. 680(1994)503
Chen, D.-Z., see Ma, Y.-P. 695(1995)259
Chen, F.-T.A.
Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419
Chen, F.-T.A., see Evangelista, R.A. 680(1994)587
Chen, F.-T.A. and Pentoney, Jr., S.L.
Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425
Chen, F.-T.A. and Tusak, A.
Characterization of food proteins by capillary electrophoresis 685(1994)331
Chen, F.-T.A., Tusak, A., Pentoney, Jr., S., Konrad, K., Lew, C., Koh, E. and Sternberg, J.
Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355
Chen, G.J., Lee, N.M., Hu, C.C. and Liu, C.Y.
Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343
Chen, H.-R. and Sheu, S.-J.
Determination of glycyrrhizin and glycyrrhetinic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184
Chen, J.-G., Weber, S.G., Glavina, L.L. and Cantwell, F.F.
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Chen, J.-G., Woltman, S.J. and Weber, S.G.
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301
Chen, L., see Singh, H. 696(1995)153
Chen, N., Zhang, Y., Terabe, S. and Nakagawa, T.
Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327
Chen, S. and Pietrzyk, D.J.
Reversed-phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73
Chen, S.-H., see Liu, K.-R. 676(1994)455
Chen, T.K. and Mills, R.J.
Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321
Chen, X.-G., see Zhang, H.-W. 677(1994)159
Chen, Y., Höltje, J.-V. and Schwarz, U.
Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63
Chen, Y., Höltje, J.-V. and Schwarz, U.
Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121
Chen, Y., Höltje, J.-V. and Schwarz, U.
Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35
Chen, Y., see Zhou, W. 659(1994)477
Chen, Y.C., see Chen, B.H. 661(1994)127
Chen, Y.-C., see Lin, T.-I. 654(1993)167
Chen, Y.-H., see Chu, C.-C. 694(1995)492
Chen, Y.-L., see Jinno, K. 691(1995)91
Chen, Y.-P., Hsu, M.-C. and Chien, C.S.
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135
Chen, Y.-Y., see Adamczyk, M. 657(1993)345
Chen, Y.-Y., see Zhou, X.-C. 662(1994)203
Chen, Z.L., see Glod, B.K. 699(1995)31
Cheng, J., Kasuga, T., Mitchelson, K.R., Lightly, E.R.T., Watson, N.D., Martin, W.J. and Atkinson, D.
Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169
Cheng, Q., see Du, Q. 687(1994)174
Cheng, X.L., see Arriaga, E. 652(1993)347
Cheng, Y.-F., see De Antonis, K.M. 661(1994)279
Cherchi, A., Spanedda, L., Tuberoso, C. and Cabras, P.
Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59
Cheskis, S., see Kalontarov, L. 696(1995)245
Cheung, P., see Schunk, T.C. 661(1994)227
Cheynier, V., see Rigaud, J. 654(1993)255
Chi, H., Hsieh, A.K., Ng, C.L., Lee, H.K. and Li, S.F.Y.
Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593
Chiap, P., see Hubert, Ph. 665(1994)87
Chiari, M., see Nesi, M. 670(1994)215
Chiari, M., Nesi, M. and Righetti, P.G.
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31
Chiari, M., Nesi, M., Ottolina, G. and Righetti, P.G.
Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571
Chibante, L.P.F., see Heymann, D. 689(1995)157
Chicarelli-Robinson, M.I., see Cocks, S. 697(1995)115
Chiem, N., see Nicoll-Griffith, D. 653(1993)253
Chien, C.S., see Chen, Y.-P. 672(1994)135
Chien, C.S., see Tsai, F.Y. 697(1995)309
Chiron, S., Dupas, S., Scribe, P. and Barceló, D.
Application of on-line solid-phase extraction followed by liquid chromatography–thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295
Chiron, S., Martinez, E. and Barceló, D.
On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283
Chiu, R.W., see Penn, S.G. 680(1994)233
Chizzola, R.
Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427
Chloupek, R.C., see Hancock, W.S. 686(1994)31
Chloupek, R.C., Hancock, W.S., Marchylo, B.A., Kirkland, J.J., Boyes, B.E. and Snyder, L.R.
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45
Chmelík, J., see Caslavska, J. 680(1994)549
Chmelík, J., see Pazourek, J. 660(1994)113
Chmiel, E.., see Bojarski, J. 668(1994)481
Cho, Y.J., see Hyun, M.H. 692(1995)91
Cho, Y.J., see Hyun, M.H. 696(1995)173
Choi, J.B., see Ro, K.W. 688(1994)375
Chong, R.W. and Moore, B.J.
Determination of citrate, inositol and gentisic acid in a pharmaceutical diagnostic formulation by ion-moderated partition chromatography 692(1995)203
Chouchi, D. and Barth, D.
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177
Chovancová, J., see Kočan, A. 665(1994)139
Chow, K.K., see Ong, C.P. 692(1995)207
Chrétien, J.R., see Haldna, U. 670(1994)51
Christian, A.Y., see Husain, N. 699(1995)73
Christie, W.W., see Nikolova-Damyanova, B. 653(1993)15
Christie, W.W., see Nikolova-Damyanova, B. 693(1995)235
Christie, W.W., see Nikolova-Damyanova, B. 694(1995)375

Chrzanowski, A., see Wahl, H.G. 697(1995)453
Chu, A.H.T., see Ludolph, B.S. 660(1994)3
Chu, C.-C., Li, S.-H. and Chen, Y.-H.
Resolution of isotoxins in the β-bungarotoxin family 694(1995)492
Chuang, W.-C. and Sheu, S.-J.
Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243
Chung, H.-C., see Hsu, M.-C. 692(1995)67
Chung, M.C.M., see Yao, Y.J. 680(1994)431
Chung, M.C.M., see Yao, Z.J. 679(1994)190
Churchwell, M.I., see Wilkes, J.G. 695(1995)319
Cifuentes, A., De Frutos, M., Santos, J.M. and Diez-Masa, J.C.
Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63
Cifuentes, A. and Poppe, H.
Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321
Cifuentes, A., Santos, J.M., de Frutos, M. and Diez-Masa, J.C.
High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein–capillary wall interactions 652(1993)161
Cigánek, M., see Dressler, M. 679(1994)299
Cigánek, M., Dressler, M. and Lang, V.
Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441
Cîmpan, G., see Gocan, S. 675(1994)282
Ciolino, L.A. and Dorsey, J.G.
Synthesis and characterization of silica-based aliphatic ion exchangers 675(1994)29
Ciolino, L.A. and Dorsey, J.G.
Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201
Cipolla, G., see Gennaro, M.C. 674(1994)281
Cisowski, W., see Krauze-Baranowska, M. 675(1994)240
Ciucanu, I. and König, W.A.
Immobilization of peralkylated β-cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166
Claessens, H.A., see Bergman, M. 657(1993)33
Claessens, H.A., see Eleveld, J.T. 677(1994)211
Claessens, H.A., see Hendriks, P.J.M. 655(1993)325
Claessens, H.A., see Kirkland, J.J. 691(1995)3
Claessens, H.A., see Muijselaar, P.G.H.M. 696(1995)273
Claessens, H.A., see Scholten, A.B. 688(1994)25
Claessens, H.A., see Verhulst, H.A.M. 687(1994)213
Claeys, P., see Paesen, J. 699(1995)93
Clark, B.J., see Abushoffa, A.M. 700(1995)51
Clarke, G.S., see Bretnall, A.E. 700(1995)173
Clarke, R.J., see Black, R.M. 662(1994)301
Claude, S.G., see Hägglund, I. 673(1994)93
Claus, D., see Ghoos, Y. 665(1994)333
Clench, M.R., see Allen, D.W. 679(1994)285
Clerc, J.-T., see Grogg-Sulser, K. 692(1995)121
Cleroux, C., see Lawrence, J.F. 659(1994)119
Cleroux, C., see Lawrence, J.F. 662(1994)173
Cleveland, J.A., see Gluck, S.J. 680(1994)43
Cleveland, J.A., see Gluck, S.J. 680(1994)49
Cleveland, J.A., Martin, C.L. and Gluck, S.J.
Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167
Cleveland, Jr., J.A., Benko, M.H., Gluck, S.J. and Walbroehl, Y.M.
Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301
Clifford, A.A., see Bartle, K.D. 697(1995)579
Clifford, A.A., see Vejrosta, J. 683(1994)407
Closa, D., see Hotter, G. 655(1993)85
Cloux, R., see Reddy, K.S. 673(1994)181
Coari, P., see Gianazza, E. 698(1995)351
Coccioli, F., see Buiarelli, F. 695(1995)229
Cochet, S., Hasnaoui, M'H., Debbia, M., Kroviarski, Y., Lambin, P., Cartron, J.P. and Bertrand, O.
Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175
Cocks, S., Wrigley, S.K., Chicarelli-Robinson, M.I. and Smith, R.M.
High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115
Codet, G., see Robert, E. 683(1994)215
Codina, G., Vaquero, M.T., Comellas, L. and Broto-Puig, F.
Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21
Codony, R., see Parreño, M. 655(1993)89
Cohen, A.S., see Belenky, A. 700(1995)137
Cohen, A.S., see Pariat, Y.F. 652(1993)57
Cohen, A.S., see Vilenchik, M. 663(1994)105
Cohen, H., Armstrong, F. and Campbell, H.
Sensitive fluorescence detection of robenidine by derivatization with dansyl chloride and high-performance liquid chromatography 694(1995)407
Cohen, H.
Chromatography of mycotoxins —Techniques and applications (edited by V. Betina) (Book Review) 662(1994)198
Cohen, K.A., see Palladino, D.E.H. 676(1994)99
Cohen, N. and Grushka, E.
Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167
Cohen, N. and Grushka, E.
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323
Cohen, S.A. and De Antonis, K.M.
Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Cohen, S.A., see De Antonis, K.M. 661(1994)279
Cole, D.L., see Srivatsa, G.S. 680(1994)469
Cole, L.A., see Wheeler, J.F. 656(1993)317
Cole, R.B., see Varghese, J. 652(1993)369
Cole, R.B., Varghese, J., McCormick, R.M. and Kadlecek, D.
Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis–electrospray mass spectrometry 680(1994)363
Coleman, M.R., see Chang, J.P. 675(1994)113
Colin, H., see Tchapla, A. 656(1993)81
Colina de Vargas, M., see Ledo de Medina, H. 671(1994)287
Collins, C.H., see Carvalho, C.R.L. 697(1995)289
Collins, J., see Hodgeson, J. 659(1994)395
Collins, K.E., see Anazawa, T.A. 697(1995)159
Collombel, C., see Belinga, H.F. 695(1995)33
Colón, L.A., see Lin, B.L. 680(1994)263
Combariza, M.Y., see Blanco Tirado, C. 697(1995)501
Comellas, L., see Codina, G. 673(1994)21
Comellas, L., Lliberia, J.Ll., Roca, A., Vallhonrat, R. and Boronat, M.
Determination of organochlorine compounds in anion-exchange resins by UV irradiation and ion chromatography 655(1993)57
Comellas, L., see Moliner, R. 655(1993)155
Comellas, L., Portillo, J.L. and Vaquero, M.T.
Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25
Condoret, J.S., see Bellot, J.C. 657(1993)305
Cone, E.J., see Goldberger, B.A. 674(1994)73
Constanzer, M., see Woolf, E.J. 660(1994)307
Conte, L.S., see Bortolomeazzi, R. 683(1994)75
Conti, M., see Simò-Alfonso, E. 689(1995)85
Contreras, M., see Agüera, A. 655(1993)293
Contreras, M., see Fernandez-Alba, A.R. 686(1994)263
Contreras Martinez, S. and Vera-Avila, L.E.
Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119
Cook, B.W., see Jackson, P. 685(1994)287
Cooke, N., see Guttman, A. 676(1994)227
Cooke, N., see Guttman, A. 680(1994)157
Cooke, N., see Guttman, A. 685(1994)155
Cooke, N., see Horvath, J. 679(1994)11
Cooke, N., see Huang, T.-L. 685(1994)313
Cooke, N., see Shieh, P.C.H. 676(1994)219
Cooke, R.J.
Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281
Cooper, D.A., see Moore, J.M. 659(1994)163
Cooper, P.A., see Tetler, L.W. 700(1995)21
Cordier, P., see Cordier, Y. 680(1994)479
Cordier, Y., Roch, O., Cordier, P. and Bischoff, R.
Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479
Cordis, G.A., Bagchi, D., Maulik, N. and Das, D.K.
High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181
Cormier, J.F. and Plomley, J.B.
Normal-phase high-performance liquid chromatographic resolution of 5′-O-protected deoxynucleoside methylphosphonamidites 662(1994)401
Cornell, D., see Blake, E. 683(1994)223
Cornett, C., see Thomsen, U.G. 697(1995)175
Corradini, C., see Corradini, D. 661(1994)305
Corradini, C., Corradini, D., Huber, C.G. and Bonn, G.K.
Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213
Corradini, D., see Corradini, C. 685(1994)213
Corradini, D., Rhomberg, A. and Corradini, C.
Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305
Corradini, R., see Dossena, A. 653(1993)229
Corradini, R., see Galaverna, G. 657(1993)43
Corradini, R., see Galli, B. 666(1994)77
Cortes, R., see Carreras, D. 683(1994)195
Costa, L., see Agraz, A. 672(1994)25
Čoupek, J. and Vinš, I.
Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391
Cousins, S.M., Haddad, P.R. and Buchberger, W.
Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397
Couvreur, P., see Huve, P. 675(1994)129
Cowan, J.S., see Kreling, J.R. 671(1994)295
Cox, G.B.
The influence of silica structure on reversed-phase retention (Review) 656(1993)353
Cox, G.B., see Kopaciewicz, W. 690(1995)9
Cox, J.A., see Levison, P.R. 658(1994)419
Cox, S., see Palmer, S. 667(1994)316
Crabtree, H.J., Ireland, I.D. and Dovichi, N.J.
Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263
Crain, S.M., see Thomas, D. 695(1995)1
Cramer, S.M., see Brooks, C.A. 693(1994)187
Cramer, S.M., see Kim, Y.J. 686(1994)193
Cramers, C.A., see Bergman, M. 657(1993)33
Cramers, C.A., see Eleveld, J.T. 677(1994)211
Cramers, C.A., see Hendriks, P.J.M. 655(1993)325
Cramers, C.A., see Muijselaar, P.G.H.M. 696(1995)273
Cramers, C.A., see Scholten, A.B. 688(1994)25
Cramers, C.A., see Verhulst, H.A.M. 687(1994)213
Crego, A.L., Dabrio, M.V. and Díez-Masa, J.C.
Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Crespin, F., see Calmes, M. 663(1994)119
Crespo, C., see Marcé, R.M. 696(1995)63
Crespo, C., Marcé, R.M. and Borrull, F.
Determination of various pesticides using membrane extraction discs and gas chromatography–mass spectrometry 670(1994)135
Cretier, G., Neffati, J. and Rocca, J.L.
Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173
Cretier, G. and Rocca, J.L.
Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1993)195
Croes, K., McCarthy, P.T. and Flanagan, R.J.
HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289
Crommen, J., see Hubert, Ph. 665(1994)87
Cross, R.F., see Cao, J. 695(1995)297
Croubels, S., Baeyens, W., Dewaele, C. and Van Peteghem, C.
Capillary electrophoresis of some tetracycline antibiotics 673(1994)267
Crouzet, J., see Chassagne, D. 694(1995)441
Crovetto, G., see Martinez, B. 655(1993)45
Crowley, X.W., Murugaiah, V., Naim, A. and Giese, R.W.
Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395
Crowson, A., see Allen, D.W. 679(1994)285
Császár, J., see Schmeer, K. 691(1995)285
Cserháti, T., see Darwish, Y. 668(1994)485
Cserháti, T. and Forgács, E.
Retention of some monoamine oxidase inhibitory drugs on a β-cyclodextrin polymer-coated silica column 660(1994)313
Cserháti, T., see Forgács, E. 661(1994)239
Cserháti, T. and Forgács, E.
Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl-β-cyclodextrin 665(1994)17
Cserháti, T., see Forgács, E. 668(1994)395
Cserháti, T. and Forgács, E.
Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495
Cserháti, T. and Forgács, E.
Retention of 4-cyanophenyl herbicides on water-insoluble β-cyclodextrin support 685(1994)295
Cserháti, T., see Forgács, E. 696(1995)265
Cserháti, T., see Forgács, E. 697(1995)59
Cserháti, T. and Forgács, E.
Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285
Cserpán, E., see Péter, A. 660(1994)283
Csizmadia, F., see Fekete, J. 660(1994)33
Cucchiarini, L., see Stocchi, V. 676(1994)51
Cuenat, P., see Pezet, R. 663(1994)191
Cuhra, P., see Hajšlová, J. 699(1995)231
Cui, Y. and Olesik, S.V.
Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151
Curry, J., see Sundaram, K.M.S. 672(1994)117
Curtis, W.R., see Reddy, G.R. 657(1993)440
Cutié, S.S., see Buzanowski, W.C. 677(1994)355
Cutié, S.S. and Smith, C.G.
Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371
Cutlip, R.C., see Schmerr, M.J. 680(1994)447
Cvak, L., see Sinibaldi, M. 666(1994)471
Cypers, W., see Paesen, J. 699(1995)93
Cypers, W., see Paesen, J. 699(1995)99
Czajkowska, T., Hrabovsky, I., Buszewski, B., Gilpin, R.K. and Jaroniec, M.
Comparison of the retention of organic acids on alkyl and alkylamide chemically bonded phases 691(1995)217

D

Dabek-Zlotorzynska, E. and Dlouhy, J.F.
Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389
Dabek-Zlotorzynska, E. and Dlouhy, J.F.
Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145
Dabrio, M.V., see Crego, A.L. 659(1994)255
Dachà, M., see Stocchi, V. 676(1994)51
Daeseleire, E., Vanoosthuyze, K. and Van Peteghem, C.
Application of high-performance thin-layer chromatography and gas chromatography–mass spectrometry to the detection of new anabolic steroids used as growth promotors in cattle fattening 674(1994)247
D'Agostino, P.A.
Modern Methods and Applications in Analysis of Explosives (by J. Yinon and S. Zitrin) (Book Review) 685(1994)200
D'Agostino, P.A. and Provost, L.R.
Capillary column gas chromatographic–tandem mass spectrometric analysis of phosphate esters in the presence of interfering hydrocarbons 670(1994)127
D'Agostino, P.A. and Provost, L.R.
Analysis of irritants by capillary column gas chromatography–tandem mass spectrometry 695(1995)65
Dahl, R., see Al-Shawi, A.W. 671(1994)173

Dai, J., see Hallock, Y.F. 688(1994)83
Dai, R., see Zhou, W. 659(1994)477
Dalene, M., see Skarping, G. 663(1994)199
Dallas, A.J., see Carr, P.W. 656(1993)113
Dallas, A.J., see Park, J.H. 677(1994)1
Dallos, A., see Défayes, G. 699(1995)131
D'Amato, A., see Bicchi, C. 666(1994)137
Damhof, R.A., Feijlbrief, M., Welling-Wester, S. and Welling, G.W.
Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43
Damian, J., see Lopez-Avila, V. 672(1994)167
Damm, I. and Green, B.R.
Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene–divinylbenzene) column 664(1994)33
Damm, J.B.L. and Overklift, G.T.
Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151
Daniel, F.B., see Reddy, T.V. 655(1993)331
Daniele, P.G., see Zerbinati, O. 671(1994)281
Danielson, N.D., see Holeman, J.A. 679(1994)277
Danielson, N.D., see Shamsi, S.A. 653(1993)153
Danielsson, R., see Malmquist, G. 687(1994)71
Danis, C., see Humayoun Akhtar, M. 696(1995)123
Dankers, J., see Lopez-Avila, V. 672(1994)167
Darvas, F., see Fekete, J. 660(1994)33
Darwish, Y., Cserháti, T. and Forgács, E.
Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485
Das, D.K., see Cordis, G.A. 661(1994)181
Dasgupta, A. and Macaulay, R.
Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols —a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136
Dasgupta, A., Thompson, W.C. and Malik, S.
Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography–mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279
Dass, C., Mahalakshmi, P. and Grandberry, D.
Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249
Dathe, M., see Rothemund, S. 689(1995)219
Daud, J., see Abdullah, M.P. 697(1995)363
Davankov, V., see Kurganov, A. 660(1994)97
Davankov, V., see Kurganov, A. 663(1994)163
Davankov, V., see Kurganov, A. 666(1994)99
Davankov, V.A.
Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55
Davankov, V.A., see Hanson, M. 656(1993)369
David, F., see Sippola, E. 683(1994)45
Davidović-Amić, D., see Amić, D. 653(1993)115
Davidson, G., see Kaplan, M. 673(1994)231
Davies, M.C., see Wan, Q.H. 697(1995)219
Davis, B.H., see Shi, B. 654(1993)319
Davis, B.H., see Shi, B. 678(1994)97
Davis, J.M., see Bowlin, D.W. 677(1994)307
Dawson, J.R., Nichols, S.C. and Taylor, G.E.
Determination of impurities in a novel analogue of adenosine 5′-triphosphate by capillary electrophoresis 700(1995)163
Dawson, L.A., Stow, J.M., Dourish, C.T. and Routledge, C.
Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81
Deacon, M., O'Shea, T.J., Lunte, S.M. and Smyth, M.R.
Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377
Deacon, M., Smyth, M.R. and Tuinstra, L.G.M.Th.
Chromatographic separations of metal chelates present in commercial fertilizers. I. Development of a gel permeation chromatographic separation method for the identification of metal chelates in commercial fertilizers 657(1993)69
Deacon, M., Smyth, M.R. and Tuinstra, L.G.M.Th.
Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349
De Antonis, K.M., Brown, P.R., Cheng, Y.-F. and Cohen, S.A.
Analysis of derivatized peptides by capillary electrophoresis 661(1994)279
De Antonis, K.M., see Cohen, S.A. 661(1994)25
Dean, J.R., see Barnabas, I.J. 665(1994)307
De Armas, R., see Legaz, M.E. 697(1995)329
Deasy, J.B., see Smith, R.M. 657(1993)63
Debaert, M., see Vaccher, C. 657(1993)213
De Battisti, Z., see Tagliaro, F. 674(1994)207
Debbia, M., see Cochet, S. 663(1994)175
De Bellis, R., see Stocchi, V. 676(1994)51
De Besi, P., see Bello, M.S. 652(1993)317
De Biasi, V., see Eckers, C. 686(1994)213
De Boer, A.J., see Mesters, J.R. 679(1994)93
De Boer, J., see Bøwadt, S. 675(1994)189
DeDionisio, L.
Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

Défayes, G., Reddy, K.S., Dallos, A. and Kováts, E.
Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131
De Frutos, M., see Cifuentes, A. 652(1993)161
De Frutos, M., see Cifuentes, A. 655(1993)63
De Geus, H.-J., see Zegers, B.N. 677(1994)141
De Haan, J.W., see Scholten, A.B. 688(1994)25
De Haan, J.W., see Verhulst, H.A.M. 687(1994)213
Dehne, L., see Brinkmann, E. 693(1995)271
Dehnen, W., see Einig, T. 697(1995)371
Deissler, K.C., see Firouztale', E. 658(1994)361
De Jong, A.P.J.M., see Meiring, H.D. 683(1994)157
De Jong, A.P.J.M., see Visser, T. 687(1994)303
De Jong, G.J., see Vreeken, R.J. 654(1993)65
De Jong, N., Visser, S. and Olieman, C.
Determination of milk proteins by capillary electrophoresis 652(1993)207
De Kok, A., see Hiemstra, M. 667(1994)155
De la Calle, M.B., see Dirkx, W.M.R. 683(1994)51
De la Colina, C., Peña Heras, A., Dios Cancela, G. and Sánchez Rasero, F.
Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen–phosphorus detection 655(1993)127
De la Fuente, J., see Pinilla, M. 668(1994)165
DeLange, B., see Newburger, J. 684(1994)1
De la Presa-Owens, S., see Rodríguez-Palmero, M. 672(1994)267
De la Torre-Boronat, M.C., see Rodríguez-Palmero, M. 672(1994)267
De Leer, E.W.B., see Peters, R.J.B. 686(1994)253
Delgado-Zamarreño, M.M., Sanchez-Perez, A., Gomez-Perez, M.C. and Hernandez-Mendez, J.
Directly coupled sample treatment–high-performance liquid chromatography for on-line automatic determination of liposoluble vitamins in milk 694(1995)399
Del Pilar da Silva, M., Procopio, J.R. and Hernández, L.
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267
Del Río, J.C., García-Mollá, J., González-Vila, F.J. and Martín, F.
Flash pyrolysis–gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119
Del Rio, S.A., see Marino, M.A. 676(1994)185
Del Rio, S.A., see Williams, P.E. 680(1994)525
Del Rio-Tsonis, K., see Tsonis, P.A. 698(1995)361
De Medina, H.L., see Morales, J.A. 671(1994)193
De Meester, C., see Van Dyck, M.M.C. 697(1995)377
DeMilo, A.B., Warthen, Jr., J.D. and Leonhardt, B.A.
Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295
Demizu, Y., see Miyamoto, E. 653(1993)135
Demkowicz, M.P., Chauhan, V., Stern, D.A. and Vasquez, F.G.
Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351
De Munari, E., see Galaverna, G. 657(1993)43
De Nava, M.G., see Morales, J.A. 671(1994)193
Denekamp, C., Mandelbaum, A., Weisz, A. and Ito, Y.
Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253
Deng, F.-Q., see Ma, Y.-P. 695(1995)259
Deng, Z., see Thede, R. 683(1994)279
Dent, G., see Jackson, P. 685(1994)287
Depasse, F., see Moussa, F. 664(1994)189
DePauw, E., see Van Vyncht, G. 683(1994)67
DePhillips, P., Buckland, B., Gbewonyo, K., Yamazaki, S. and Sitrin, R.
Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43
d'Eril, G.M., see Achilli, G. 697(1995)357
Derksen, M.W.J., see Vervoort, R.J.M. 678(1994)1
Dermelj, M., see Stibilj, V. 668(1994)449
Deruaz, D., Soussan-Marchal, F., Joseph, I., Desage, M., Bannier, A. and Brazier, J.L.
Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345
Desage, M., see Deruaz, D. 677(1994)345
Desbène Monvernay, A.M., see Desbène, P.L. 689(1995)135
Desbène, P.L. and Desmazieres, B.
Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207
Desbene, P.L., see Jacquier, J.C. 652(1993)337
Desbène, P.L., Morin, C.J., Desbène Monvernay, A.M. and Groult, R.S.
Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135
Desbène, P.L., see Rony, C. 669(1994)195
Desbène, P.L. and Rony, C.M.
Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107
Descorps, V., see Aubry, A.-F. 685(1994)1
Desideri, N., see Quaglia, M.G. 666(1994)289
Desiderio, D.M., see Lee, H.G. 666(1994)271
Desiderio, D.M., see Lee, H.G. 686(1994)309

De Simon, S.G., Santos, R., Araujo, M.F. and Pinho, R.T.
Preparative isolation of the lectin jacalin by anion-exchange high-performance liquid chromatography 688(1994)357
Desmazieres, B., see Desbène, P.L. 661(1994)207
Destro-Bisol, G. and Santini, S.A.
Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33
Detaevernier, M.R., see Boonkerd, S. 670(1994)209
Detaevernier, M.R., see Boonkerd, S. 695(1995)97
Deterding, L.J., see Weinmann, W. 680(1994)353
Dette, C. and Wätzig, H.
Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89
Devaney, J.M., see Williams, P.E. 680(1994)525
De Vanssay, E., Zubrzycki, S., Sternberg, R., Raulin, F., Sergent, M. and Phan-Tan-Luu, R.
Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161
Devêvre, O., Putra, D.P., Botton, B. and Garbaye, J.
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349
De Vos, F. and Slegers, G.
High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97
Dewaele, C., see Croubels, S. 673(1994)267
Deyl, Z. and Mikšík, I.
Separation of collagen type I chain polymers by electrophoresis in non-cross-linked polyacrylamide-filled capillaries 698(1995)369
Deyl, Z., see Rohlíček, V. 662(1994)369
De Zeeuw, R.A., Franke, J.P., Van Halem, M., Schaapman, S., Logawa, E. and Siregar, C.J.P.
Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263
De Zeeuw, R.A., Hartstra, J. and Franke, J.P.
Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3
De Zeeuw, R.A., see Zweipfenning, P.G.M. 674(1994)87
DeZwaan, J., see Kreling, J.R. 671(1994)295
Dhillon, H.S., see Joyce, R.J. 671(1994)165
Dhingra, B.S., see Kafil, J.B. 667(1994)175
Di Muccio, A., Camoni, I., Ventriglia, M., Barbini, D.A., Mauro, M., Pelosi, P., Generali, T., Ausili, A. and Girolimetti, S.
Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145
Díaz, I., see García Regueiro, J.A. 667(1994)225
Dietrich, A., see Faber, B. 666(1994)161
Dietvorst, M., see Van der Velde, E.G. 683(1994)167
Diez, M., see Galceran, M.T. 657(1993)77
Diez, M., see Galceran, M.T. 675(1994)141
Diez-Masa, J.C., see Cifuentes, A. 652(1993)161
Diez-Masa, J.C., see Cifuentes, A. 655(1993)63
Díez-Masa, J.C., see Crego, A.L. 659(1994)255
Díez-Masa, J.C., see Saz, J.M. 699(1995)315
Dijkman, E., see Polettini, A. 695(1995)19
Dillah, K.B., see Hallock, Y.F. 688(1994)83
Dinan, L.
Phytoecdysteroids in *Kochia scoparia* (burning bush) 658(1994)69
Dinelli, G., see Galletti, G.C. 692(1995)27
Dinelli, G., Vicari, A. and Bonetti, A.
Separation of sulfonylurea metabolites in water by capillary electrophoresis 700(1995)195
Dinelli, G., Vicari, A. and Brandolini, V.
Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201
Ding, H., Wang, J., Dorsey, J.G. and Caruso, J.A.
Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425
Dingenen, J. and Kinkel, J.N.
Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627
Dios Cancela, G., see De la Colina, C. 655(1993)127
Dirkx, W.M.R., De la Calle, M.B., Ceulemans, M. and Adams, F.C.
Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51
DiRusso, C., Rogers, R.P. and Jarrett, H.W.
Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45
Dittrich, K., see Mattusch, J. 680(1994)279
Dittrich, K., see Schlegel, D. 683(1994)261
Dittrich, K., see Tutschku, S. 683(1994)269
Djozan, D. and Assadi, Y.
Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525
Dlouhy, J.F., see Dabek-Zlotorzynska, E. 671(1994)389
Dlouhy, J.F., see Dabek-Zlotorzynska, E. 685(1994)145
Do, D.D., see Hu, S. 683(1994)311
Dobarganes, M.C., see Márquez-Ruiz, G. 662(1994)363
Dobberpuhl, D.A. and Johnson, D.C.
Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391
Dobson, R.L.M., see Hayes, F.J. 692(1995)73
Dohmen, R., see Bergman, M. 657(1993)33
Doi, T., see Furuta, R. 676(1994)431
Doi, T., see Okamoto, M. 675(1994)244
Doležel, P., Krejčí, M. and Kahle, V.
Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Dolgonosov, A.M.
Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33
Dolník, V. and Skurský, L.
Monitoring enzymic peroxidation of NAD^+ by capillary electrophoresis 680(1994)455
Domb, A.J.
Quantitative analysis of mixtures of symmetric and mixed anhydrides 673(1994)31
Domínguez, E., see Ortega, F. 675(1994)65
Dona, A.-M. and Verchère, J.-F.
High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13
Dong, S., see Liu, A. 699(1995)39
Doolan, K., see Speers, S.J. 674(1994)319
Doretti, L., see Sturaro, A. 688(1994)211
Döring, M., see Sziele, D. 669(1994)254
Dorsey, J.G., see Ciolino, L.A. 675(1994)29
Dorsey, J.G., see Ciolino, L.A. 678(1994)201
Dorsey, J.G., see Ding, H. 694(1995)425
Dorsey, J.G. and Khaledi, M.G.
Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485
Dorsey, J.G., see Kumar, U.T. 654(1993)261
Dorsey, J.G., see Kumar, U.T. 655(1993)340
Dorsey, J.G., see Wheeler, J.F. 656(1993)317
Dose, E.V. and Guiochon, G.
Timescales of transient processes in capillary electrophoresis 652(1993)263
Dos Reis Coimbra, J., Thömmes, J. and Kula, M.-R.
Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85
Dossena, A., see Galaverna, G. 657(1993)43
Dossena, A., Galaverna, G., Corradini, R. and Marchelli, R.
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229
Dossena, A., see Galli, B. 666(1994)77
Dou, L., Zeng, J.-N., Gerochi, D.D., Duda, M.P. and Stuting, H.H.
Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367
Douek, M., see Sullivan, J. 671(1994)339
Dourish, C.T., see Dawson, L.A. 700(1995)81
Dovichi, N.J., see Arriaga, E. 652(1993)347
Dovichi, N.J., see Crabtree, H.J. 669(1994)263
Dovichi, N.J., see Figeys, D. 669(1994)205
Dovichi, N.J., see Lu, H. 680(1994)497
Dovichi, N.J., see Lu, H. 680(1994)503
Dowd, V. and Yon, R.J.
Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15
Dowton, M. and Kennedy, I.R.
Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280
Drabowicz, J., see Kudzin, Z.H. 678(1994)299
Draisci, R., Lucentini, L., Boria, P. and Lucarelli, C.
Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407
Drdák, M., see Karovičová, J. 665(1994)55
Dressler, M., see Cigánek, M. 668(1994)441
Dressler, M. and Cigánek, M.
Effect of detector temperature on the flame ionization detector response 679(1994)299
Drobná, B., see Kočan, A. 665(1994)139
Dross, K., Sonntag, C. and Mannhold, R.
Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113
Drott, D.W., see Meacham, R.I. 659(1994)205
Du, C.M., see Abraham, M.H. 688(1994)125
Du, Q., Li, M., Cheng, Q., Zhang, T.Y. and Ito, Y.
Purification of (−)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174
Duarte, C.A., see Agraz, A. 672(1994)25
Dubin, P.L., see Cai, C.-h. 693(1995)251
Dubin, P.L., see Shah, G. 693(1995)197
Dubin, P.L., see Xia, J. 667(1994)311
Dubois, J.G., see Soentjens-Werts, V. 662(1994)255
Ducharme, J., see Wainer, I.W. 694(1995)169
Duchateau, A.L.L., Guns, J.J., Kubben, R.G.R. and Van Tilburg, A.F.P.
High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169
Ducruet, V., see Le Sech, J. 667(1994)340
Duda, M.P., see Dou, L. 679(1994)367
Duhr, A., see Schütz, S. 683(1994)141
Dukesherer, D.R., see Hamper, B.C. 666(1994)479
Dumont, P.J. and Fritz, J.S.
Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123
Dumont, P.J., see Fritz, J.S. 691(1995)133
Dunkin, I.R., see Jackson, P. 685(1994)287
Dunlap, R.B., see Harris, S.E. 657(1993)395
Dunphy, D.R., see Bahowick, T.J. 663(1994)135
Dupas, S., see Chiron, S. 665(1994)295
Durand, G., see Marko-Varga, G. 665(1994)317
Dusbábek, F., see Šimek, P. 679(1994)195
Duval, M., see Leblanc, Y. 657(1993)111
Dwivedi, A.K., Sirkar, K.P., Bhatt, G.R., Seth, R.K., Singh, S. and Sarin, J.P.S.
Determination of *cis*- and *trans*-centchroman in its dosage forms by high-performance liquid chromatography 663(1994)187
Dworschák, E., see Barna, E. 668(1994)359
Dyas, A.M., Robinson, M.L. and Fell, A.F.
Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Dzido, T.H. and Smolarz, H.D.
Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59

E

Early, R.J., see Suzuki, E.Y. 657(1993)204
East, P.B., see Eckers, C. 686(1994)213
Echarri, I., see Nerín, C. 672(1994)159
Eckers, C., Hutton, K.A., De Biasi, V., East, P.B., Haskins, N.J. and Jacewicz, V.W.
Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography–tandem mass spectrometry 686(1994)213
Edholm, L.-E., see Pálmarsdóttir, S. 666(1994)337
Edholm, L.-E., see Pálmarsdóttir, S. 693(1995)131
Egginger, G., Blaschke, E., Lindner, W. and Olsson, A.-M.
Stereoselective high-performance liquid chromatographic assay of (±)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275
Eggleston, D., see Camilleri, P. 654(1993)207
Ehmann, Th., see Bächmann, K. 662(1994)434
Ehrlich, A., see Rothemund, S. 661(1994)77
Eikens, D.I., see Carr, P.W. 656(1993)113
Einig, T. and Dehnen, W.
Sensitive determination of the benzene metabolite S-phenylmercapturic acid in urine by high-performance liquid chromatography with fluorescence detection 697(1995)371
Eisenbeiss, F., see Kurganov, A. 660(1994)97
Eisenbeiss, F., see Kurganov, A. 663(1994)163
Eisenbeiss, F., see Kurganov, A. 666(1994)99
Eisenbeiss, F., see Verhulst, H.A.M. 687(1994)213
Eisener, C.G., see Aue, W.A. 688(1994)153
Eisener, C.G., see Aue, W.A. 699(1995)195
Eisert, R., Levsen, K. and Wünsch, G.
Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175
Eiteman, M.A.
Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13
Eiteman, M.A.
Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21
Eitzman, P.D., see Johnson, P.R. 667(1994)1
Elaseer, A. and Nickless, G.
Determination of selenium by gas chromatography–electron-capture detection using a rapid derivatization procedure 664(1994)77
Eleveld, J.T., Claessens, H.A., Ammerdorffer, J.L., Van Herk, A.M. and Cramers, C.A.
Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211
Elian, M., see Anghel, D.F. 668(1994)375
Elicone, C., Lui, M., Geromanos, S., Erdjument-Bromage, H. and Tempst, P.
Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121
Elliott, L., see Griffin, R.M.E. 674(1994)271
Ellis, C., see Levitt, M.D. 695(1995)324
El Rassi, Z., see Mechref, Y. 695(1995)83
El Rassi, Z., see Smith, J.T. 685(1994)131
Elseewi, A.A., see Sivils, L.D. 688(1994)221
Elsener, M., see Koebel, M. 689(1995)164
El-Shahawi, M.S. and Almehdi, M.
Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
El-Yazigi, A., Wahab, F.A. and Afrane, B.
Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71
Emken, E.A., see Adlof, R.O. 685(1994)178
Emmer, Å., Jansson, M. and Roeraade, J.
Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231
Emmer, Å. and Roeraade, J.
Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375
Emmrich, F., see Guse, A.H. 661(1994)13
Emnéus, J., see Ortega, F. 675(1994)65
Enache, D., see Robert, E. 683(1994)215
Endo, G., see Inoue, Y. 675(1994)149
Endo, K., see Mizukami, F. 697(1995)279
Endresz, G., see Chankvetadze, B. 700(1995)43
Engasser, J.-M., see Gaillard, I. 679(1994)261
Engel, R.R., see Levitt, M.D. 695(1995)324
Engelhardt, H.
Practical High-Performance Liquid Chromatography (by V.R. Meyer) (Book Review) 679(1994)212
Engelhardt, H., see Kohr, J. 652(1993)309
Engelhardt, H., see Rothemund, S. 689(1995)219
Engelhardt, H., see Schmitt, T. 697(1995)561
Engewald, W., see Reinhardt, R. 697(1995)475
Engewald, W., see Steinborn, A. 697(1995)485
Enomoto, Y., see Oikawa, K. 671(1994)211
Eppinger, J., see Anton, K. 666(1994)395
Erbersdobler, H.F., see Hartkopf, J. 672(1994)242
Erbersdobler, H.F., see Ruttkat, A. 678(1994)103

Erdélyi-Tóth, V., Pap, E., Kralovánszky, J., Bojti, E. and Klebovich, I.
Determination of panomifene in human plasma by high-performance liquid chromatography 668(1994)419
Erdjument-Bromage, H., see Elicone, C. 676(1994)121
Erdmann, H., see Kirchberger, J. 668(1994)153
Eriksson, B.-M., see Hedenmo, M. 661(1994)153
Eriksson, B.-M., see Hedenmo, M. 692(1995)161
Erim, F.B., Xu, X. and Kraak, J.C.
Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471
Erkens, M., see Bogusz, M. 674(1994)97
Ermakov, S.V., Bello, M.S. and Righetti, P.G.
Numerical algorithms for capillary electrophoresis 661(1994)265
Ermakov, S.V., Zhukov, M.Yu., Capelli, L. and Righetti, P.G.
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297
Ermakov, S.V. and Righetti, P.G.
Computer simulation for capillary zone electrophoresis. A quantitative approach 667(1994)257
Erni, F., see Kuhn, R. 666(1994)367
Erni, F., see Werner, A. 666(1994)375
Erni, F., see Yan, C. 670(1994)15
Esaka, Y., Yamaguchi, Y., Kano, K. and Goto, M.
Separation of amino acid–oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225
Escoula, B., see Madelaine-Dupuich, C. 653(1993)178
Escribano-Bailon, M.T., see Rigaud, J. 654(1993)255
Escribano, E., see Martorell, C. 655(1993)177
Escrivá, C., Viana, E., Moltó, J.C., Picó, Y. and Mañes, J.
Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375
Escudero, A., see Ferreira, V. 655(1993)257
Esmans, E.L., see Chauvaux, N. 657(1993)337
Espadaler, I., see Pauné, F. 684(1994)289
Essen, L.-O. and Skerra, A.
Single-step purification of a bacterially expressed antibody F_v fragment by immobilized metal affinity chromatography in the presence of betaine 657(1993)55
Esteban, J.L., Martínez-Castro, I. and Sanz, J.
Evaluation and optimization of the automatic thermal desorption method in the gas chromatographic determination of plant volatile compounds 657(1993)155
Estrella, I., see Bartolomé, B. 655(1993)119
Estrella, I., see Bartolomé, B. 664(1994)39
Etzel, M.R., see Suen, S.-Y. 686(1994)179
Etzel, M.R., see Weinbrenner, W.F. 662(1994)414
Evangelista, R.A. and Chen, F.-T.A.
Analysis of structural specificity in antibody–antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587
Evangelisto, M.F., Adams, R.E., Murray, W.V. and Caldwell, G.W.
Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128
Evans, E.H., see Kumar, U.T. 654(1993)261
Evans, M.B. and Fell, A.F.
Foreword 697(1995)1
Evans, M.B., see Smith, M.S. 683(1994)402
Evans, M.D., Wolfe, J.T., Perrett, D., Lunec, J. and Herbert, K.E.
Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151
Everaerts, F.M., see Wanders, B.J. 652(1993)291
Eyer, P., see Spöhrer, U. 693(1995)55

F

Faber, B., Dietrich, A. and Mosandl, A.
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161
Fabre, H., Le Bris, A. and Blanchin, M.D.
Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81
Fabri, L., see Nice, E. 660(1994)169
Fabry, L., see Boden, J. 696(1995)321
Facchetti, S., see Tilio, R. 662(1994)191
Facchini, G., see Terreni, M. 688(1994)243
Facino, R.M., see Pietta, P. 661(1994)121
Facklam, C. and Modler, A.
Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203
Fales, H.M., see Ma, Y. 685(1994)259
Fallon, E., see Carpio, R.A. 657(1993)185
Falter, R. and Schöler, H.F.
Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253
Fan, C.-L., see Pang, G.-F. 667(1994)348
Fanali, S., see Aturki, Z. 680(1994)137
Fanali, S. and Aturki, Z.
Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297
Fang, J., see Tomlinson, A.J. 652(1993)417
Fang, X., see Rosenfeld, J.M. 691(1995)231
Fanta, J., see Vejrosta, J. 685(1994)113

Farina, A., see Quaglia, M.G. 666(1994)289
Farina, C., see Camilleri, P. 654(1993)207
Farkas, G., see Irgens, L.H. 666(1994)603
Farkas, G., see Quintero, G. 693(1995)1
Farkas, G., see Schmeer, K. 691(1995)285
Farkas, T., Chambers, J.Q. and Guiochon, G.
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231
Farooqui, A.A., Yang, H.-C. and Horrocks, L.A.
Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149
Farroha, S.M., see Habboush, A.E. 664(1994)71
Farroha, S.M., see Habboush, A.E. 696(1995)257
Fazio, S.D., see Yowell, G.G. 652(1993)215
Feigenbaum, A., see Le Sech, J. 667(1994)340
Feijlbrief, M., see Damhof, R.A. 676(1994)43
Fekete, J., Morovján, G., Csizmadia, F. and Darvas, F.
Method development by an expert system. Advantages and limitations 660(1994)33
Felinger, A. and Guiochon, G.
Rapid simulation of chromatographic band profiles on personal computers 658(1994)511
Félix, G., see Aubry, A.-F. 685(1994)1
Fell, A.F., see Dyas, A.M. 660(1994)249
Fell, A.F., see Evans, M.B. 697(1995)1
Feltl, L., see Koutek, B. 679(1994)307
Feltl, L., see Mňuk, P. 696(1995)101
Ferary, S., see Auger, J. 683(1994)87
Ferguson, M.A.J., see Alpert, A.J. 676(1994)191
Fernández, A., see Moliner, R. 655(1993)155
Fernandez, M.L., see Sanz-Medel, A. 683(1994)233
Fernández, P., see Ferreira, V. 655(1993)257
Fernández, P., see Ferreira, V. 695(1995)41
Fernandez, P., Vilanova, R., Berdie, L. and Grimalt, J.O.
Selectivity effects in semi-polar columns. II 688(1994)363
Fernandez-Alba, A.R., see Agüera, A. 655(1993)293
Fernandez-Alba, A.R., Valverde, A., Agüera, A. and Contreras, M.
Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263
Fernández Correa, M.R., see García Sánchez, F. 655(1993)31
Fernández Otero, G.C., Lucangioli, S.E. and Carducci, C.N.
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87
Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J.A. and López de Blas, E.
Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11
Fernández Solís, J.M., see González Rodríguez, V. 673(1994)291
Fernández-Torres, A., see Fernández-Sánchez, E. 655(1993)11
Fernández-Torres, A., see Lebrón-Aguilar, R. 697(1995)441
Ferreira, F., Moyna, P., Soule, S. and Vázquez, A.
Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380
Ferreira, V., Escudero, A., Salafranca, J., Fernández, P. and Cacho, J.
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257
Ferreira, V., Fernández, P., Meléndez, J. and Cacho, J.
Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41
Ferreres, F., Blázquez, M.A., Gil, M.I. and Tomás-Barberán, F.A.
Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268
Ferri, D., see Buldini, P.L. 654(1993)129
Ferrier, D., see Chaminade, P. 672(1994)67
Ferrier, D., see Laugel, C. 686(1994)344
Fick, M., see Gaillard, I. 679(1994)261
Figeys, D., Arriaga, E., Renborg, A. and Dovichi, N.J.
Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205
Figeys, D., see Lu, H. 680(1994)503
Figueiredo, V., see Klockow, A. 680(1994)187
Figueruelo, J.E., see García, R. 655(1993)3
Figueruelo, J.E., see García, R. 655(1993)191
Figueruelo, J.E., see García, R. 662(1994)61
Filippatos, E., see Tsantili-Kakoulidou, A. 654(1993)43
Fintschenko, Y., see Harman, A.D. 652(1993)525
Fiorani, M., see Piccoli, G. 676(1994)239
Fiorini, M.
Preparative high-performance liquid chromatography for the purification of natural anthocyanins 692(1995)213
Firmin, J.L., see Price, N.P.J. 653(1993)161
Firouztale', E., Maikner, J.J., Deissler, K.C. and Cartier, P.G.
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361
Fischer, C.-H., Giersig, M. and Siebrands, T.
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89
Fischer, Ch.-H. and Giersig, M.
Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97
Fischer, G., see Küllertz, G. 684(1994)329
Fischer, J. and Jandera, P.
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77
Fisher, G.B., see Nicholson, L.W. 687(1994)241

Fishman, H.A., Scheller, R.H. and Zare, R.N.
Microcolumn sample injection by spontaneous fluid displacement 680(1994)99
Fishman, M.L., see Brewster, J.D. 693(1995)382
Fishpaugh, J.R., see Adamczyk, M. 657(1993)345
Fisichella, S., Foti, S., Maccarrone, G. and Saletti, R.
Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33
Fitchett, J., see Srivatsa, G.S. 680(1994)469
Fladung, N.C.
Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21
Flaminio, L., Ripamonti, M. and Ascalone, V.
Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403
Flanagan, J.A., see Huddleston, J.G. 668(1994)3
Flanagan, R.J., see Croes, K. 693(1995)289
Flannery, G.M., see Hill, J.C. 664(1994)63
Fleet, G.H., see Zhao, J. 673(1994)167
Flegel, T.W., see Nishida, F. 664(1994)195
Fleischer, J., see Lausch, R. 654(1993)190
Flieger, M., see Sinibaldi, M. 666(1994)471
Floersheim, Ph., see Küsters, E. 666(1994)421
Flores, H.E., see Reddy, G.R. 657(1993)440
Fluck, M., see Schurig, V. 694(1995)119
Flurer, C.L. and Wolnik, K.A.
Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259
Flurer, C.L. and Wolnik, K.A.
Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153
Fodor-Csorba, K.
Manual of Pesticide Residue Analysis (edited by M.-P. Thier and J. Kirchhoff) (Book review) 677(1994)206
Folestad, S., see Orwar, O. 696(1995)139
Foley, J.P., see Ahuja, E.S. 680(1994)73
Foley, J.P., see Nielsen, K.R. 686(1994)283
Fonseca, L.P., Caldeira, J.C.G. and Cabral, J.M.S.
Improvement in the polyethylene glycol–Cibacron Blue purification method 668(1994)61
Font, G., see Picó, Y. 693(1994)339
Font, G., see Redondo, M.J. 678(1994)375
Font, G., see Viana, E. 655(1993)285
Font, G., see Viana, E. 678(1994)109
Fontaine, J.-L., see Moussa, F. 664(1994)189
Fontana, E., Pianezzola, E., Basileo, G. and Strolin Benedetti, M.
High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma 660(1994)293
Fontirrochi, G., see Agraz, A. 672(1994)25
Forciniti, D.
Protein refolding using aqueous two-phase systems 668(1994)95
Foret, F., see Pariat, Y.F. 652(1993)57
Foret, F., see Schmalzing, D. 652(1993)149
Forgács, E., see Cserháti, T. 660(1994)313
Forgács, E. and Cserháti, T.
Retention behaviour of tributylphenol ethylene oxide oligomers on an alumina high-performance liquid chromatographic column 661(1994)239
Forgács, E., see Cserháti, T. 665(1994)17
Forgács, E. and Cserháti, T.
Retention behaviour of barbituric acid derivatives on a β-cyclodextrin polymer-coated silica column 668(1994)395
Forgács, E., see Cserháti, T. 668(1994)495
Forgács, E., see Cserháti, T. 685(1994)295
Forgács, E. and Cserháti, T.
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265
Forgács, E. and Cserháti, T.
Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59
Forgács, E., see Cserháti, T. 699(1995)285
Forgács, E., see Darwish, Y. 668(1994)485
Forssmann, W.-G., see Schepky, A.G. 691(1995)255
Foster III, W., see Capparella, M. 691(1995)141
Foti, S., see Fisichella, S. 693(1995)33
Foulkes, M., see Jones, P. 673(1994)173
Fowler, B., see Caruso, U. 661(1994)101
Francotte, E.
Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565
Francotte, E., see Anton, K. 666(1994)395
Frank, C., Karl, V., Kaunzinger, A. and Schumacher, K.
High Performance Liquid Chromatography in Food Control and Research (edited by R. Matissek and R. Wittkowski) (Book Review) 653(1993)385
Frank, H., see Abe, I. 694(1995)237
Frank, H., see Funk, M. 659(1994)57
Frank, J., see Janák, J. 677(1994)192
Frank, J., see Valkó, I.E. 678(1994)139
Franke, J.P., see De Zeeuw, R.A. 664(1994)263
Franke, J.P., see De Zeeuw, R.A. 674(1994)3
Franke, J.-P., see Zweipfenning, P.G.M. 674(1994)87
Fraser, B.A., see Hill, J.C. 664(1994)63
Fréchet, J.M.J., see Hosoya, K. 666(1994)449
Fréchet, J.M.J., see Hosoya, K. 690(1995)21
Fréchet, J.M.J., Lochman, L., Šmigol, V. and Švec, F.
Reversed-phase high-performance liquid chromatography of functionalized dendritic macromolecules 667(1994)284
Fréchet, J.M.J., see Wang, Q.C. 669(1994)230
Frederiksen, L., see Anton, K. 666(1994)395
Freeman, D.C. and Byrd, D.W.
Statistical treatment of large digital chromatographic data sets 686(1994)225
Freeman, D.C., see Byrd, D.W. 686(1994)235
Frei, R.W., see Vreeken, R.J. 654(1993)65

Freitag, R. and Breier, J.
Displacement chromatography in biotechnological downstream processing 691(1995)101
Freitag, R., Frey, D. and Horváth, C.
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165
Freitag, R., see Lausch, R. 654(1993)190
Freitag, R., see Reif, O.-W. 654(1993)29
Freitag, R., see Reif, O.-W. 664(1994)13
Freitag, R., see Reif, O.-W. 680(1994)383
Freitag, R., see Sziele, D. 669(1994)254
Freixas, J., see Martorell, C. 655(1993)177
Frey, D., see Freitag, R. 686(1994)165
Friebe, S., Hartrodt, B., Neubert, K. and Krauss, G.-J.
High-performance liquid chromatographic separation of *cis–trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7
Friebe, S., see Wutte, A. 677(1994)186
Friedl, W., see Gassner, B. 680(1994)25
Friedl, Z., see Šlais, K. 661(1994)249
Friedl, Z., see Šlais, K. 695(1995)113
Friesen-Fischer, M.R., see Sarna, L.P. 677(1994)201
Frigerio, E., Pianezzola, E. and Strolin Benedetti, M.
Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351
Fritsch, H., Molnar, I. and Wurl, M.
Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65
Fritz, J.S., see Benz, N.J. 671(1994)437
Fritz, J.S., see Dumont, P.J. 691(1995)123
Fritz, J.S., Dumont, P.J. and Schmidt, L.W.
Methods and materials for solid-phase extraction 691(1995)133
Fritz, J.S., see Shi, Y. 671(1994)429
Fritz, J.S., see Tanaka, K. 671(1994)239
Froimowitz, M., see Yin, D. 678(1994)176
Frøkiær, H., see Arentoft, A.M. 652(1993)189
Frøkiær, H., Møller, P., Sørensen, H. and Sørensen, S.
High-performance capillary electrophoresis for characterization of hapten–protein conjugates used for production of antibodies against soyasaponin I 680(1994)437
Frölich, J.C., see Tsikas, D. 699(1995)363
Fronek, R., Mardi, A., Sheikh, J., Howe, K., Murphy, J., Honda, D., Miller, L. and Bush, H.
Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483
Fronek, R., see Miller, L. 658(1994)429
Fruekilde, P., see Bøwadt, S. 675(1994)189
Fu, R., see Gu, J. 667(1994)367
Fu, R., Huang, C., Huang, Z. and Xu, W.
Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173
Fu, R., see Liu, Y. 694(1995)498
Fu, R., see Zhou, W. 659(1994)477
Fuchs, G. and Perrut, M.
Enantiomer fractionation by preparative gas chromatography 658(1994)437
Fuchslueger, U., see Rissler, K. 654(1993)309
Fujieda, Y., see Kawata, K. 653(1993)369
Fujii, K., see Michigami, Y. 664(1994)117
Fujima, H., see Haginaka, J. 660(1994)275
Fujima, H., see Nakamura, K. 694(1995)111
Fujimoto, C., Matsui, H., Sawada, H. and Jinno, K.
The use of a microconcentric column in capillary electrophoresis 680(1994)33
Fujimoto, K., see Miyazawa, T. 667(1994)99
Fujimoto, N., see Abe, I. 676(1994)469
Fujimoto, Y., see Okamura, N. 679(1994)381
Fujinari, E.M. and Manes, J.D.
Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113
Fujita, S., see Shirao, M. 680(1994)247
Fukaya, H., see Yashima, E. 677(1994)11
Fukuda, E.K., see Kambhampati, I. 688(1994)67
Fukui, M., see Kasuya, F. 654(1993)221
Fukui, M., see Kasuya, F. 684(1994)93
Fukumoto, T., Ihara, H., Sakaki, S., Shosenji, H. and Hirayama, C.
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237
Fukushi, K. and Hiiro, K.
Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343
Fukutome, T., see Tanaka, N. 699(1995)331
Funk, M., Frank, H., Oesch, F. and Platt, K.L.
Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57
Fuping, H., see Jackson, P.E. 671(1994)181
Furusaki, S., see Tsuneda, S. 689(1995)211
Furusawa, N. and Mukai, T.
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81
Furuta, R. and Doi, T.
Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431
Furuta, R., see Shirao, M. 680(1994)247
Furuya, K., see Inoue, H. 679(1994)99
Fuska, J., see Proksa, B. 665(1994)185

G

Gabél, D., see Harfst, S. 678(1994)41
Gaberc-Porekar, V., see Luksa, J. 661(1994)161
Gage, D.A., see Wang, J. 663(1994)71
Gaillard, I., Martial, A., Marc, A., Engasser, J.-M. and Fick, M.
Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261
Galaev, I.Yu., Garg, N. and Mattiasson, B.
Interaction of Cibacron Blue with polymers: implications for polymer-shielded dye-affinity chromatography of phosphofructokinase from baker's yeast 684(1994)45
Galaev, I.Yu. and Mattiasson, B.
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27
Galaev, I.Yu., Warrol, C. and Mattiasson, B.
Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37
Galaverna, G., Corradini, R., De Munari, E., Dossena, A. and Marchelli, R.
Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43
Galaverna, G., see Dossena, A. 653(1993)229
Galceran, M.T., see Caixach, J. 675(1994)205
Galceran, M.T., see Carneiro, M.C. 669(1994)217
Galceran, M.T. and Diez, M.
Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141
Galceran, M.T., Diez, M. and Paniagua, L.
Determination of phosphate in samples with high levels of sulphate by ion chromatography 657(1993)77
Galceran, M.T. and Moyano, E.
High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9
Galceran, M.T., Pais, P. and Puignou, L.
High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101
Galceran, M.T., Santos, F.J., Barceló, D. and Sanchez, J.
Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275
Gale, D.C., see Wahl, J.H. 659(1994)217
Galletti, G.C., Bonetti, A. and Dinelli, G.
High-performance liquid chromatographic determination of sulfonylureas in soil and water 692(1995)27
Galli, A., see Bicchi, C. 666(1994)137
Galli, B., Gasparrini, F., Misiti, D., Villani, C., Corradini, R., Dossena, A. and Marchelli, R.
Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77
Galli, M., see Bicchi, C. 666(1994)137
Galushko, S.V., Kamenchuk, A.A. and Pit, G.L.
Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47
Galushko, S.V., Shishkina, I.P. and Soloshonok, V.A.
Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51
Gálvez, M.C., see Bartolomé, B. 655(1993)119
Games, D.E., see Young, J.C. 653(1993)374
Games, D.E., see Young, J.C. 663(1994)211
Gamoh, K., see Motegi, C. 658(1994)27
Gamoh, K. and Takatsuto, S.
Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17
Gan, J., Yates, S.R., Spencer, W.F. and Yates, M.V.
Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121
Ganajová, M., see Oriňák, A. 660(1994)67
Gandul-Rojas, B., see Mínguez-Mosquera, M.I. 690(1995)161
Gangwal, S.S., see Jindal, K.C. 685(1994)195
Ganzler, K., see Szemán, J. 668(1994)509
Gao, J., Bian, H., Hou, J. and Kang, J.
Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95
Garbaye, J., see Devêvre, O. 679(1994)349
García, C.M., see Lores, M. 683(1994)31
Garcia, L.L. and Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465
Garcia, L.L., see Shihabi, Z.K. 680(1994)181
Garcia, M.A., see Carreras, D. 683(1994)195
García, M.A., Jiménez, O. and Marina, M.L.
Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1
García, M.A. and Marina, M.L.
Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233
García, R., see Porcar, I. 673(1994)65

García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3
García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191
García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61
García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 677(1994)239
García-Carmona, F., see Sánchez-Ferrer, A. 668(1994)75
García-Domínguez, J.A., see Fernández-Sánchez, E. 655(1993)11
García-Domínguez, J.A., see Lebrón-Aguilar, R. 697(1995)441
Garcia-Dominguez, J.A., see Voelkel, A. 654(1993)135
García-March, F.J., see Antón-Fos, G.M. 672(1994)203
García-Mollá, J., see del Río, J.C. 657(1993)119
García Montelongo, F., see Rodríguez Delgado, M.A. 697(1995)71
García Pareja, A., see García Sánchez, F. 676(1994)347
García-Pérez, A.I., see Pinilla, M. 668(1994)165
García Regueiro, J.A., Gibert, J. and Díaz, I.
Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225
García Regueiro, J.A., Pérez, B. and Casademont, G.
Determination of clenbuterol and salbutamol in urine by capillary gas chromatography with capillary columns of 100 μm 655(1993)73
García Romero, E., Sánchez Muñoz, G., Martín Alvarez, P.J. and Cabezudo Ibáñez, M.D.
Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111
García Sánchez, F., see Navas Díaz, A. 655(1993)39
García Sánchez, F., Navas Díaz, A. and Fernández Correa, M.R.
Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31
García Sánchez, F., Navas Díaz, A. and García Pareja, A.
Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347
García-Valcárcel, A.I., see Sánchez-Brunete, C. 675(1994)213
Gard, J.K., see Stover, F.S. 688(1994)89
Gardana, C., see Pace, M. 691(1995)331
Gardana, C., see Pietta, P.G. 680(1994)175
Garg, N., see Galaev, I.Yu. 684(1994)45
Garner, M., see Klepárník, K. 698(1995)375
Garrido, J.L., see Medina, I. 659(1994)472
Garrido, J.L. and Medina, I.
One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethyloxazoline derivatives directly from total lipids 673(1994)101
Garrigues, P., see Pyell, U. 660(1994)223
Garrison, A.W., Schmitt, P. and Kettrup, A.
Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317
Garver, S., see Ruhn, P.F. 669(1994)9
Gaš, B., see Hirokawa, T. 663(1994)245
Gaspar, P., see Van Vyncht, G. 683(1994)67
Gasparič, J. and Sedmíková, A.
Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197
Gasparrini, F., see Galli, B. 666(1994)77
Gasparrini, F., Misiti, D. and Villani, C.
Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163
Gasper, M.P., see Armstrong, D.W. 689(1995)285
Gassen, M., see Bringmann, G. 670(1994)153
Gassner, B., Friedl, W. and Kenndler, E.
Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25
Gbewonyo, K., see DePhillips, P. 663(1994)43
Gebhardt, J.A., see Aue, W.A. 688(1994)153
Gebhardt, J.A., see Aue, W.A. 699(1995)195
Gebler, J.C., see Adamczyk, M. 657(1993)345
Geiser, F.O., see Ricker, R.D. 691(1995)67
Geiser, F.O., see Woodward, C. 699(1995)11
Geissler, H., see Wachholz, S. 693(1995)89
Gelbe, B., see Pfeffer, M. 662(1994)407
Gelencsér, A., Kiss, G., Krivácsy, Z., Varga-Puchony, Z. and Hlavay, J.
A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217
Gelencsér, A., Kiss, G., Krivácsy, Z., Varga-Puchony, Z. and Hlavay, J.
The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227
Gelencsér, A., Szépvölgyi, J. and Hlavay, J.
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269
Gelfi, C., see Bossi, A. 686(1994)121
Gelfi, C., Orsi, A., Leoncini, F. and Righetti, P.G.
Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97
Gelfi, C., see Simò-Alfonso, E. 689(1995)85
Gelpí, E.
Mass Spectrometry for the Characterization of Microorganisms (edited by ACS) (Book Review) 679(1994)404
Gelpí, E. and Grimalt, J.O.
Foreword 655(1993)1

Gelpí, E., see Hotter, G. 655(1993)85
Gemeiner, P., see Petro, M. 665(1994)37
Generali, T., see Di Muccio, A. 697(1995)145
Gennaro, M.C., Abrigo, C. and Cipolla, G.
High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281
Gerbino, T.C. and Castello, G.
Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161
Gere, D.R., see Lee, H.-B. 653(1993)83
Gerochi, D.D., see Dou, L. 679(1994)367
Geromanos, S., see Elicone, C. 676(1994)121
Gerstner, J.A., Morris, J., Hunt, T., Hamilton, R. and Afeyan, N.B.
Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195
Geschwill, K., see Niedwetzki, G. 661(1994)175
Geypens, B., see Ghoos, Y. 665(1994)333
Ghaoui, L. and Green, L.S.
Dual vapor and liquid injector for gas chromatography 696(1995)235
Gharaibeh, A., see Murugaverl, B. 657(1993)223
Ghibaudi, E., see Gianazza, E. 698(1995)351
Ghielmi, S., see Tagliaro, F. 674(1994)207
Ghijsen, R.T., see Vreeken, R.J. 654(1993)65
Ghoos, Y., Claus, D., Geypens, B., Hiele, M., Maes, B. and Rutgeerts, P.
Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333
Ghrist, B.F., see Chang, J.P. 675(1994)113
Gianazza, E., Coari, P., Lovati, M.R., Manzoni, C., Ghibaudi, E. and Salmona, M.
Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351
Giardina, B., see Castagnola, M. 694(1995)463
Gibbons, W.A., see Korakas, D. 659(1994)307
Gibert, J., see García Regueiro, J.A. 667(1994)225
Giersig, M., see Fischer, C.-H. 670(1994)89
Giersig, M., see Fischer, Ch.-H. 688(1994)97
Giese, R.W.
Advances in mass spectrometry (Proceedings of the 12th International Mass Spectrometry Conference, Amsterdam, August 26–30, 1992) (edited by P.J. Kistemaker and N.M.M. Nibbering) (Book Review) 653(1993)387
Giese, R.W.
Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) (Book Review) 687(1994)356
Giese, R.W.
Advances in Electrophoresis (edited by A. Chrambach, M.J. Dunn and B.J. Rodola) (Book Review) 699(1995)413
Giese, R.W.
Capillary electrophoresis technology (by N.A. Guzman) (Book Review) 662(1994)437
Giese, R.W., see Crowley, X.W. 699(1995)395
Gifford, L.A., see Liu, B. 690(1995)250
Gil-Av, E. and Schurig, V.
Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519
Gil, M.I., see Ferreres, F. 669(1994)268
Gilbert, R., see Leblanc, Y. 657(1993)111
Gildersleeve, D.L., Jung, Y.-W. and Wieland, D.M.
Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183
Gill, D.S., see Roush, D.J. 653(1993)207
Gill, D.S., Roush, D.J. and Willson, R.C.
Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55
Gilljam, G., Siridewa, K. and Hammar, L.
Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89
Gilmer, P.J., see Xia, J. 676(1994)203
Gilpin, R.K.
Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217
Gilpin, R.K., see Buszewski, B. 668(1994)293
Gilpin, R.K., see Buszewski, B. 673(1994)11
Gilpin, R.K., see Czajkowska, T. 691(1995)217
Gilpin, R.K., see Kasturi, P. 659(1994)261
Gimeno, M.A.F., see Hotter, G. 655(1993)85
Giometti, C.S., see Bárány, K. 698(1995)301
Giometti, C.S., Tollaksen, S.L., Mukund, S., Zhou, Z.H., Ma, K., Mai, X. and Adams, M.W.W.
Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341
Girard, J.E., see Srinivasan, K. 652(1993)83
Girardet, J.-P., see Moussa, F. 664(1994)189
Girolimetti, S., see Di Muccio, A. 697(1995)145
Giumanini, A.G., see Soják, L. 665(1994)169
Giumanini, A.G., see Soják, L. 695(1995)57
Gladyshev, M.I., see Sushchik, N.N. 695(1995)223
Glajch, J.L., see Valkó, K. 656(1993)501
Glämsta, E.-L., see Sanderson, K. 676(1994)155
Glatz, C.E., see Heng, M.H. 689(1995)227
Glavina, L.L., see Chen, J.-G. 656(1993)549
Gleason, R.M., see Johnson, P.R. 667(1994)1
Gleispach, H., Leis, H.-J. and Windischhofer, W.
Applications of gas chromatography–mass spectrometry in clinical chemistry 665(1994)155
Glerum, C., see Kim, Y.T. 690(1995)226
Glod, B.K., Alexander, P.W., Haddad, P.R. and Chen, Z.L.
Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31
Glod, B.K., see Haddad, P.R. 671(1994)3

Głód, B.K. and Stafiej, J.
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1993)197
Gluck, S.J., see Cleveland, J.A. 679(1994)167
Gluck, S.J. and Cleveland, J.A.
Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43
Gluck, S.J. and Cleveland, J.A.
Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49
Gluck, S.J., see Cleveland, Jr., J.A. 652(1993)301
Glusa, E., see Rothemund, S. 661(1994)77
Gocan, S., Irimie, F. and Cîmpan, G.
Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282
Godber, J.S., see Shin, T.-S. 678(1994)49
Godel, H., see Brückner, H. 666(1994)259
Godel, H., see Brückner, H. 697(1995)229
Goetghebeur, M., see Kermasha, S. 685(1994)229
Goffe, R.A., see Shi, J.Y. 686(1994)61
Goldberger, B.A. and Cone, E.J.
Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)73
Golebiowski, C., see Kumar, N. 678(1994)259
Gołkiewicz, W., Kuczyński, J., Markowski, W. and Jusiak, L.
High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous–organic solvent mixtures 686(1994)85
Golshan-Shirazi, S. and Guiochon, G.
Modeling of preparative liquid chromatography (Review) 658(1994)149
Golshan-Shirazi, S., see Guiochon, G. 658(1994)173
Golshan-Shirazi, S. and Guiochon, G.
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1
Golshan-Shirazi, S., see Levin, S. 679(1994)213
Gomes, C.A.R., see Vasconcelos, M.T. 696(1995)227
Gomes, C.A.R., see Vasconcelos, M.T.S.D. 685(1994)53
Gómez-Cordovés, C., see Bartolomé, B. 655(1993)119
Gómez-Cordovés, C., see Bartolomé, B. 664(1994)39
Gomez-Perez, M.C., see Delgado-Zamarreño, M.M. 694(1995)399
González, E., see Hotter, G. 655(1993)85
González, L.M. and González-Lara, R.
Solid-phase extraction of soluble proteins in grape musts 655(1993)336
González, M.J., see Ramos, L. 690(1995)243
González, T., see Oliveros, L. 672(1994)59
González, V., see Rodríguez Delgado, M.A. 697(1995)71
González-Lara, R., see González, L.M. 655(1993)336
González Rodríguez, V., Castro Romero, J.M., Fernández Solís, J.M., Pérez Iglesias, J. and Seco Lago, H.M.
Simultaneous determination of cobalt and nickel by reversed-phase high-performance liquid chromatography with diethyldithiocarbamic acid 673(1994)291
González-Vila, F.J., see del Río, J.C. 657(1993)119
Goodall, D.M.
Preface 700(1995)IX
Goodall, D.M., see Penn, S.G. 680(1994)147
Goodall, D.M., see Piperaki, S. 700(1995)59
Goodman, K.J. and Brenna, J.T.
High-precision gas chromatography–combustion isotope ratio mass spectrometry at low signal levels 689(1995)63
Goodwin, K.R., see Schmerr, M.J. 652(1993)199
Goodwin, K.R., see Schmerr, M.J. 680(1994)447
Gooijer, C., see Mank, A.J.G. 695(1995)165
Gooijer, C., see Mank, A.J.G. 695(1995)175
Goralski, C.T., see Nicholson, L.W. 687(1994)241
Gorbics, L., Urge, L. and Otvos, Jr., L.
Comparative and optimized dabsyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169
Gordon, D.B., see Lord, G.A. 700(1995)27
Gorenc, B., see Gros, N. 668(1994)385
Gorenc, B., see Gros, N. 697(1995)31
Görgényi, M., Van Langenhove, H. and Király, Z.
Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181
Gorrichon, L., see Baltas, M. 123(1994)123
Gorrod, J.W., see Tomlinson, A.J. 652(1993)417
Gorton, L., see Marko-Varga, G. 660(1994)153
Gorton, L., see Ortega, F. 675(1994)65
Gortona, L., see Marko-Varga, G. 665(1994)317
Gosselet, N.-M., see Agnus, B. 663(1994)27
Goto, H., see Murata, H. 693(1995)263
Goto, J., see Iida, T. 689(1995)77
Goto, M., see Esaka, Y. 652(1993)225
Goto, M., Imamura, T. and Hirose, T.
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1
Goto, M., see Shiosaki, A. 679(1994)1
Göttlicher, B., see Bächmann, K. 688(1994)283
Gottschlich, N., see Kasche, V. 660(1994)137
Götze, P., see Akhlaq, M.S. 677(1994)265
Goupy, P., see Richard-Forget, F. 667(1994)141
Govers, H.A.J., see Spieksma, W. 672(1994)141
Gow, J.G., see Kumar, N. 667(1994)235
Graf, A., see Grimm, R. 679(1994)173
Graf, R., see Koppenhoefer, B. 666(1994)557
Graff, J.B., see Casabianca, H. 684(1994)360
Grahn, A., see Hermansson, J. 660(1994)119
Grahn, A., see Hermansson, J. 687(1994)45
Grahn, A., see Hermansson, J. 694(1995)57
Grainger, J., see Liu, Z. 673(1994)125
Gramshaw, J.W., see Castle, L. 675(1994)261
Grandberry, D., see Dass, C. 678(1994)249
Grandgirard, A., see Sebedio, J.L. 659(1994)101
Grandmaison, J.L., see Shang, D.Y. 672(1994)185
Grange, A.H., see Brumley, W.C. 680(1994)635

Grant, R., see Wigfield, Y.Y. 657(1993)219
Granvil, C.P., see Wainer, I.W. 694(1995)169
Gray, D.O., see Price, N.P.J. 653(1993)161
Gray, H.B., see Lu, T. 686(1994)339
Green, B.R., see Damm, I. 664(1994)33
Green, L.S., see Ghaoui, L. 696(1995)235
Greenberg, J.P., see Helmig, D. 677(1994)123
Greenberg, J.P., Lee, B., Helmig, D. and Zimmerman, P.R.
Fully automated gas chromatograph–flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389
Greenblatt, H.C., see Hofman, Y.L. 692(1995)233
Greener, J., see Mourey, T.H. 657(1993)377
Greenspan, P., Mao, F.-w., Ryu, B.-H. and Gutman, R.L.
Advances in agarose gel electrophoresis of serum lipoproteins 698(1995)333
Green, M.D., Mount, D.L., Todd, G.D. and Capomacchia, A.C.
Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237
Grego, J., see Šajbidor, J. 665(1994)191
Greibrokk, T., see Pedersen-Bjergaard, S. 686(1994)109
Grether, H.-J., see Rissler, K. 654(1993)309
Greve, K.F., Nashabeh, W. and Karger, B.L.
Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15
Grieb, S.J., Matlin, S.A., Belenguer, A.M. and Ritchie, H.J.
Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271
Griess, G.A., see Serwer, P. 698(1995)251
Griffin, R.M.E., Speers, S.J., Elliott, L., Todd, N., Sogomo, W. and Kee, T.G.
An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271
Grimalt, J.O., see Aceves, M. 655(1993)133
Grimalt, J.O., see Amaral, O.C. 675(1994)177
Grimalt, J.O., see Fernandez, P. 688(1994)363
Grimalt, J.O., see Gelpí, E. 655(1993)1
Grimalt, J.O., see Simo, R. 655(1993)301
Grimm, R., Graf, A. and Heiger, D.N.
Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173
Grimme, L.H., see Thies, F. 684(1994)168
Grimvall, E. and Östman, C.
Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55
Grimvall, E. and Östman, C.
Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338
Grinberg, N., see Sun, P. 652(1993)247
Gripon, J.C., see Roturier, J.M. 696(1995)209
Grishina, G.A., see Klyushnichenko, V.E. 661(1994)83
Grize, Y.-L., Schmidli, H. and Born, J.
Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1
Grob, P.M., see Palladino, D.E.H. 676(1994)99
Groenewald, A.M., see Swart, K.J. 663(1994)65
Grogg-Sulser, K., Helmlin, H.-J. and Clerc, J.-T.
Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121
Grömping, A.H.J., Karst, U. and Cammann, K.
Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341
Grön-Rydberg, M.-B., see Johansson, I.M. 652(1993)487
Grönberg, L., Shen, Y. and Jönsson, J.A.
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207
Gros, N. and Gorenc, B.
Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385
Gros, N. and Gorenc, B.
Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31
Grosenick, H., see Schurig, V. 666(1994)617
Grossman, P.D.
Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219
Groult, R.S., see Desbène, P.L. 689(1995)135
Grover, E.R., see Mazzeo, J.R. 680(1994)125
Grushka, E., see Cohen, N. 678(1994)167
Grushka, E., see Cohen, N. 684(1994)323
Grushka, E., see Mizrotsky, N. 691(1995)21
Grzywacz, C.M.
Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177
Gu, J. and Fu, R.
Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367
Gu, J., see Liu, Y. 694(1995)498
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
Guan, H., Stanley, B.J. and Guiochon, G.
Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Guan, Y., Treffry, T.E. and Lilley, T.H.
Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31
Guan, Y., Zhu, D., Zhou, L. and Li, L.
Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243
Guardino, X., see Rosell, M.G. 655(1993)151
Guarino, B.C., see Rosnack, K.J. 675(1994)219
Gübitz, G., Mihellyes, S., Kobinger, G. and Wutte, A.
New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91
Gübitz, G., see Wutte, A. 677(1994)186
Guenu, S. and Hennion, M.-C.
On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243
Guerrier, L., see Horvath, J. 679(1994)11
Guillén, D.A., Barroso, C.G. and Pérez-Bustamante, J.A.
High-performance liquid chromatographic analysis of polyphenolic compounds predominating in sherry musts 655(1993)227
Guiochon, G.
Foreword 658(1994)147
Guiochon, G., see Baumeister, E. 694(1995)321
Guiochon, G., see Charton, F. 687(1994)13
Guiochon, G., see Dose, E.V. 652(1993)263
Guiochon, G., see Farkas, T. 679(1994)231
Guiochon, G., see Felinger, A. 658(1994)511
Guiochon, G., see Golshan-Shirazi, S. 658(1994)149
Guiochon, G. and Golshan-Shirazi, S.
A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173
Guiochon, G., see Golshan-Shirazi, S. 670(1994)1
Guiochon, G., see Guan, H. 659(1994)27
Guiochon, G., see Guan, H. 687(1994)179
Guiochon, G., see Guan, H. 687(1994)201
Guiochon, G., see Levin, S. 679(1994)213
Guiochon, G., see Newburger, J. 684(1994)1
Guiochon, G., see Sarker, M. 683(1994)293
Guiochon, G., see Tallarek, U. 696(1995)1
Guiochon, G., see Yun, T. 672(1994)1
Guiochon, G., see Zhong, G. 688(1994)1
Guiochon, G., see Zhong, G.M. 658(1994)355
Guiochon, G., see Zhu, J. 659(1994)15
Guirado Paniagua, A., see Navas Díaz, A. 655(1993)39
Guns, J.J., see Duchateau, A.L.L. 664(1994)169
Günther, N., see Weber, W. 679(1994)181
Guo, W., Shang, Z., Yu, Y. and Zhou, L.
Membrane affinity chromatography of alkaline phosphatase 685(1994)344
Guoqiang, D., Kaul, R. and Mattiasson, B.
Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145
Guse, A.H., Milton, A.D., Schulze-Koops, H., Müller, B., Roth, E., Simmer, B., Wächter, H., Weiss, E. and Emmrich, F.
Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13
Guseynova, V.E., see Sushchik, N.N. 695(1995)223
Gutman, R.L., see Greenspan, P. 698(1995)333
Gutmann, M., see Treutter, D. 667(1994)290
Guttman, A., see Benedek, K. 680(1994)375
Guttman, A. and Cooke, N.
Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157
Guttman, A. and Cooke, N.
Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155
Guttman, A., Shieh, P., Lindahl, J. and Cooke, N.
Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227
Guttman, A., see Shieh, P.C.H. 676(1994)219
Guttman, A., see van der Schans, M.J. 680(1994)511
Guzman, N., see Hernandez, L. 652(1993)393
Guzman, N., see Hernandez, L. 652(1993)399
Győri, Z., see Prokisch, J. 683(1994)253
Gyoryová, K., see Oriňák, A. 660(1994)67

H

Haag, I., see Bächmann, K. 688(1994)283
Haas, P., see Kuhn, R. 666(1994)367
Haasmann, S., see Brückner, H. 666(1994)259
Habboush, A.E., Farroha, S.M. and Khalaf, H.I.
Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257
Habboush, A.E., Farroha, S.M. and Kreishan, A.-L.Y.
Gas–liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71
Haberland, D., see Thede, R. 660(1994)25
Haberland, D., see Thede, R. 683(1994)279
Hachem, F., see Asenjo, J.A. 668(1994)47
Hachisako, H., see Murakami, R. 678(1994)180
Hackett, M., Wang, H., Miller, G.C. and Bornhop, D.J.
Ultraviolet–visible detection for capillary gas chromatography and combined ultraviolet–mass spectrometry using a remote flow cell 695(1995)243
Hackl, S., see Jungbauer, A. 658(1994)399
Hacksell, U., see Luthman, K. 666(1994)527
Haddad, P.R., see Buchberger, W. 687(1994)343
Haddad, P.R., see Cousins, S.M. 671(1994)397
Haddad, P.R., Hao, F. and Glod, B.K.
Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Haddad, P.R., see Harakuwe, A.H. 685(1994)161
Haddad, P.R., see Jackson, P.E. 671(1994)181
Haddad, P.R. and Laksana, S.
On-line analysis of alkaline samples with a flow-through electrodialysis device coupled to an ion chromatograph 671(1994)131
Haddad, P.R., see Weir, S.I. 671(1994)197
Haddad, P.R., see Glod, B.K. 699(1995)31
Haddix, H., see Woolf, E. 692(1995)45
Hadjmohammadi, M., see Ye, B. 692(1995)291
Hage, D.S., Noctor, T.A.G. and Wainer, I.W.
Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23
Hage, D.S., see Ruhn, P.F. 669(1994)9
Hagen, S.R. and Thompson, J.D.
Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167
Hägglund, I., Blomberg, L.G., Janák, K., Claude, S.G. and Tabacchi, R.
Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93
Haginaka, J. and Kanasugi, N.
Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
Haginaka, J., Murashima, T. and Seyama, C.
Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203
Haginaka, J., Murashima, T. and Seyama, C.
Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229
Haginaka, J., Seyama, C., Murashima, T., Fujima, H. and Wada, H.
Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275
Hagman, G. and Roeraade, J.
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287
Haines, R.M., see Simms, P.J. 667(1994)67
Hajšlová, J., Cuhra, P., Kempný, M., Poustka, J., Holadová, K. and Kocourek, V.
Determination of polychlorinated biphenyls in biotic matrices using gas chromatography–microwave-induced plasma atomic emission spectrometry 699(1995)231
Haken, J.K.
Gas–liquid–solid chromatography (by V.G. Berezkin) (Book Review) 657(1993)227
Haken, J.K.
Chromatography of polymers —Characterization by SEC and FFF (edited by T. Provder) (Book Review) 659(1994)228
Haken, J.K.
Introduction to Open-Tubular Column Gas Chromatography (by J.V. Hinshaw and L.S. Ettre) (Book Review) 689(1995)313
Hakkarainen, M., see Karlsson, S. 688(1994)251
Haldna, U., see Kaljurand, M. 660(1994)147
Haldna, U., Pentchuk, J., Righezza, M. and Chrétien, J.R.
Factor analysis in ion chromatography of carboxylate ions 670(1994)51
Hall, L.
Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397
Hall, S.F., see Zheng, M. 670(1994)77
Hallock, Y.F., Dai, J., Bokesch, H.R., Dillah, K.B., Manfredi, K.P., Cardellina II, J.H. and Boyd, M.R.
Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83
Hamada, J.S.
Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371
Hämäläinen, M.D., see Liang, Y.-z. 662(1994)113
Hamilton, R., see Gerstner, J.A. 695(1995)195
Hammar, L., see Gilljam, G. 675(1994)89
Hammond, T., see Morré, D.J. 668(1994)201
Hamoir, T. and Massart, D.L.
Retention prediction for β-adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1
Hamoir, T.P., see Yang, Q. 673(1994)275
Hamper, B.C., Dukesherer, D.R. and Moedritzer, K.
Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479
Han, K.-Y., see Bächmann, K. 688(1994)283
Hanaoka, Y., see Kumagai, H. 671(1994)15
Hancock, W.S.
Basic Protein and Peptide Protocols (edited by J.M. Walker) (Book Review) 694(1995)515
Hancock, W.S., see Chloupek, R.C. 686(1994)45
Hancock, W.S., Chloupek, R.C., Kirkland, J.J. and Snyder, L.R.
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31
Hanioka, N., see Toyo'oka, T. 675(1994)79
Hanocq, M., see Soentjens-Werts, V. 662(1994)255
Hansen, D.R., see Hills, J.W. 679(1994)319
Hansen, M., see Bøwadt, S. 675(1994)189
Hansen, P. and Lindeberg, G.
Purification of tryptophan containing synthetic peptides by selective binding of the α-amino group to immobilised metal ions 662(1994)235
Hansen, P. and Lindeberg, G.
Importance of the α-amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Hansen, S.H., see Thomsen, U.G. 697(1995)175
Hanson, M., Kurganov, A., Unger, K.K. and Davankov, V.A.
Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369
Hansson, G. and Ahnoff, M.
Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505
Hansson, L. and Isaksson, R.
Chromatographic determination of enantiomeric purity by achiral means 653(1993)9
Hansson, U.-B., see Wingren, C. 668(1994)65
Hao, F., see Haddad, P.R. 671(1994)3
Hara, S.
Foreword 694(1995)1
Hara, T., Yokogi, J., Okamura, S., Kato, S. and Nakajima, R.
On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361
Harada, K.-I., see Asukabe, H. 657(1993)349
Harada, K.-I., see Murata, H. 693(1995)263
Harada, K.-I., see Nishida, F. 664(1994)195
Harada, K.-I., see Oka, H. 674(1994)301
Haraguchi, K., see Yamashita, T. 657(1993)405
Harakuwe, A.H., Haddad, P.R. and Buchberger, W.
Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161
Hardcastle, J.E., He, M., Begum, B. and Vermillion-Salsbury, R.
Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B_4 and prostaglandin B_2 691(1995)225
Harden, P.E., see Richardson, D.E. 688(1994)47
Hardt, I. and König, W.A.
Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611
Harfst, S., Moller, D., Ketz, H., Rösler, J. and Gabel, D.
Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41
Harman, A.D., Kibbey, R.G., Sablik, M.A., Fintschenko, Y., Kurtin, W.E. and Bushey, M.M.
Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525
Harmatha, J., see Píš, J. 658(1994)77
Harmon, B.J., see Patterson, D.H. 662(1994)389
Harmon, B.J., Patterson, D.H. and Regnier, F.E.
Electrophoretically mediated microanalysis of ethanol 657(1993)429
Harpf, M., see Pohjola, J. 686(1994)350
Harris, J.M., see Alred, P.A. 659(1994)289
Harris, J.M., see Rutan, S.C. 656(1993)197
Harris, S.E., Silks, L.A. III, Dunlap, R.B., Odom, J.D. and Kosh, J.W.
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis–gas chromatography–mass spectrometry 657(1993)395
Harrison, I., Leader, R.U., Higgo, J.J.W. and Tjell, J.C.
Determination of organic pollutants in small samples of groundwaters by liquid–liquid extraction and capillary gas chromatography 688(1994)181
Harrold, M.P., see Riviello, J.M. 652(1993)385
Harrold, M.P., see Wojtusik, M.J. 671(1994)411
Hartkopf, J., Pahlke, C., Lüdemann, G. and Erbersdobler, H.F.
Determination of N^{ϵ}-carboxymethyllysine by a reversed-phase high-performance liquid chromatography method 672(1994)242
Hartman, T.G., see Kambhampati, I. 688(1994)67
Hartrodt, B., see Friebe, S. 661(1994)7
Hartstra, J., see De Zeeuw, R.A. 674(1994)3
Hartwick, R.A., see Landman, A. 669(1994)259
Hartwick, R.A., see Sun, P. 652(1993)247
Hartwick, R.A., see Sun, P. 685(1994)303
Hartwick, R.A., see Sun, P. 695(1995)279
Harwood, J.J. and Mamantov, G.
Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315
Hasegawa, H., see Baba, S. 663(1994)35
Hasegawa, S., see Nogata, Y. 667(1994)59
Hashizume, S., see Shoji, M. 698(1995)145
Haskins, N.J., see Eckers, C. 686(1994)213
Hasnaoui, M'H., see Cochet, S. 663(1994)175
Hassinen, C., Köhler, K. and Veide, A.
Polyethylene glycol–potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121
Hatrík, S., see Hrouzek, J. 665(1994)3
Hatrík, S., Hrouzek, J., Lehotay, J. and Krupčík, J.
Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9
Hattori, H., Yamada, T. and Suzuki, O.
Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15
Hattori, M., see Hiraoka, A. 680(1994)243
Hau, P.T., see Pacáková, V. 700(1995)187
Haumann, I., see Bächmann, K. 662(1994)434
Hautem, J.-Y., see Moussa, F. 664(1994)189
Havelec, P. and Ševčík, J.G.K.
Concept of additivity for a non-polar solute–solvent criterion log L^{16}. Non-aromatic compounds 677(1994)319
Havenga, W.J. and Rohwer, E.R.
Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139
Hawthorne, S., see Lopez-Avila, V. 672(1994)167
Hawthorne, S.B., see Burford, M.D. 657(1993)413
Hawthorne, S.B., see Burford, M.D. 685(1994)79
Hawthorne, S.B., see Burford, M.D. 685(1994)95
Hawthorne, S.B., see Yang, Y. 690(1995)131
Hawthorne, S.B., see Yang, Y. 699(1995)265
Hayakawa, J., see Oka, H. 674(1994)301
Hayakawa, K., see Yamamoto, A. 667(1994)85
Hayashi, S., see Kubota, K. 658(1994)259

Hayes, F.J., Baker, T.R., Dobson, R.L.M. and Tsueda, M.S.
Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73
Haywood, K., see Andrews, B.A. 668(1994)55
He, J., see Shibukawa, A. 694(1995)81
He, M., see Hardcastle, J.E. 691(1995)225
Hearn, M.T.W., see Mao, Q.-M. 691(1995)273
Hearn, M.T.W., see Richards, K.L. 676(1994)17
Hearn, M.T.W., see Richards, K.L. 676(1994)33
Hearn, M.T.W., see Round, A.J. 661(1994)61
Hearn, M.T.W., see Xie, J. 691(1995)263
Hearn, M.T.W., see Yarovsky, I. 660(1994)75
Heberer, Th., see Butz, S. 677(1994)63
Heberer, Th., see Stan, H.-J. 653(1993)55
Hecht, H.-J., see Kirchberger, J. 668(1994)153
Hedenmo, M. and Eriksson, B.-M.
On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153
Hedenmo, M. and Eriksson, B.-M.
Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161
Heegaard, N.H.H.
Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405
Hees, T., see Wenclawiak, B.W. 660(1994)61
Heftmann, E.
Preface 658(1994)1
Heftmann, E.
Foreword 674(1994)1
Heiger, D.N., see Grimm, R. 679(1994)173
Heiger, D.N., see Pariat, Y.F. 652(1993)57
Heintzelmann, B., see Kugel, C. 667(1994)29
Heinze, T.M., see Billedeau, S.M. 688(1994)55
Heinzen, V.E.F. and Yunes, R.A.
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183
Heitkemper, D.T., Jackson, D.S., Kaine, L.A., Mulligan, K.A. and Wolnik, K.A.
Determination of saccharin in shrimp by ion chromatography and capillary gas chromatography–mass spectrometry 671(1994)323
Heitkemper, D.T., see Kaine, L.A. 671(1994)303
Heitkemper, D.T., Kaine, L.A., Jackson, D.S. and Wolnik, K.A.
Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101
Heldin, E., see Blom, Y. 653(1993)138
Heller, C.
Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19
Helmig, D., see Greenberg, J.P. 676(1994)389
Helmig, D. and Greenberg, J.P.
Automated in situ gas chromatographic–mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123
Helmlin, H.-J., see Grogg-Sulser, K. 692(1995)121
Hendricks, J.P., see Spencer, J.L. 654(1993)143
Hendriks, P.J.M., Claessens, H.A., Verhoeven, J.T.H., Noij, T.H.M. and Cramers, C.A.
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325
Heng, M.H. and Glatz, C.E.
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227
Henion, J., see Hsieh, F.Y.L. 679(1994)206
Hennion, M.-C., see Guenu, S. 665(1994)243
Hennion, M.-C., see Pichon, V. 665(1994)269
Henry, M.P., see Mayer, M.L. 695(1995)267
Hensel, W., see Bächmann, K. 688(1994)283
Hentz, N.G., see Przyjazny, A. 654(1993)79
Heo, G.S., see Hyun, M.H. 696(1995)173
Hepler, R.W. and Yu Ip, C.C.
Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201
Herber, W.K., see Robinett, R.S.R. 671(1994)315
Herber, W.K. and Robinett, R.S.R.
Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287
Herbert, K.E., see Evans, M.D. 700(1995)151
Herbold, H.A., see Kootstra, P.R. 697(1995)203
Herdewijn, P., see Thoithi, G. 689(1995)247
Herdewijn, P., see Van Schepdael, A. 657(1993)208
Herdewijn, P., see Van Schepdael, A. 687(1994)167
Hermann, P., see Sýkora, D. 665(1994)59
Hermans, A.N.J., see Brouwer, E.R. 669(1994)45
Hermans-Lokkerbol, A.C.J. and Verpoorte, R.
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45
Hermans-Lokkerbol, A.C.J. and Verpoorte, R.
Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65
Hermanson, G.T., Mattson, G.R. and Krohn, R.I.
Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113
Hermansson, I., see Hermansson, J. 666(1994)181
Hermansson, J. and Grahn, A.
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119
Hermansson, J. and Grahn, A.
Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Hermansson, J. and Grahn, A.
Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57
Hermansson, J. and Hermansson, I.
Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181
Hernández, F., see Sancho, J.V. 678(1994)59
Hernández, L., see Del Pilar da Silva, M. 653(1993)267
Hernandez, L., Joshi, N., Murzi, E., Verdeguer, P., Mifsud, J.C. and Guzman, N.
Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399
Hernández, L., see Ramos, L. 690(1995)243
Hernandez, L., Tucci, S., Guzman, N. and Paez, X.
In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393
Hernández, T., see Bartolomé, B. 655(1993)119
Hernández, T., see Bartolomé, B. 664(1994)39
Hernández-Cassou, S., see Saurina, J. 676(1994)311
Hernandez-Mendez, J., see Delgado-Zamarreño, M.M. 694(1995)399
Héron, S., see Tchapla, A. 656(1993)81
Héron, S., see Tchapla, A. 684(1994)175
Herraiz, M., see Blanch, G.P. 655(1993)141
Herraiz, M., see Ibáñez, E. 667(1994)249
Herrera, J.C., see Rosas Romero, A.J. 667(1994)361
Herslöf, B., see Nikolova-Damyanova, B. 693(1995)235
Herslöf, B.G., see Nikolova-Damyanova, B. 653(1993)15
Herslöf, B.G., see Nikolova-Damyanova, B. 694(1995)375
Hervé du Penhoat, C.L.M., see Viriot, C. 662(1994)77
Hesselink, W., see Kootstra, P.R. 697(1995)123
Hesselink, W., Schiffer, R.H.N.A. and Kootstra, P.R.
Separation of polycyclic aromatic hydrocarbons on a wide-pore polymeric C_{18} bonded phase 697(1995)165
Hewitt, C.N., see Cao, X.-L. 679(1994)115
Hewitt, C.N., see Cao, X.-L. 688(1994)368
Hewitt, C.N., see Cao, X.-L. 690(1995)187
Heyer, R., see Zapf, A. 694(1995)453
Heymann, D., Chibante, L.P.F. and Smalley, R.E.
Determination of C_{60} and C_{70} fullerenes in geologic materials by high-performance liquid chromatography 689(1995)157
Hickie, D., see Kim, Y.T. 690(1995)226
Hickman, A.D., see Bedford, C.T. 695(1995)123
Hicks, K.B., see Simms, P.J. 667(1994)67
Hide, K., see Sumita, C. 661(1994)297
Hiele, M., see Ghoos, Y. 665(1994)333
Hiemstra, M. and De Kok, A.
Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155
Hiermann, A. and Bucar, F.
Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276
Higashi, K., see Takeda, S. 653(1993)109
Higashimori, M., see Otsuka, K. 680(1994)317
Higgo, J.J.W., see Harrison, I. 688(1994)181
Highet, R.J., see Weisz, A. 658(1994)505
Hiiro, K., see Fukushi, K. 684(1994)343
Hilal, S.H., Carreira, L.A., Karickhoff, S.W. and Melton, C.M.
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269
Hill, H.H., see Hills, J.W. 679(1994)319
Hill, J.C., Flannery, G.M. and Fraser, B.A.
HPLC purification and separation of 5,5′-substituted-2,4-imidazolidinedithiones 664(1994)63
Hill, J.P., see Paterson, G.R. 700(1995)105
Hill, K.D., see Ye, M.Y. 662(1994)323
Hillmann, R. and Bächmann, K.
Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149
Hills, J.W., Hill, H.H., Hansen, D.R. and Metcalf, S.G.
Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319
Hilser, Jr., V.J., see Rudnick, S.E. 672(1994)219
Hiltunen, R., see Vuorela, P. 670(1994)191
Himberg, K., see Sippola, E. 683(1994)45
Hines, H.B. and Brueggemann, E.E.
Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199
Hinsdale, M., see Shihabi, Z.K. 680(1994)181
Hiraoka, A., Akai, J., Tominaga, I., Hattori, M., Sasaki, H. and Arato, T.
Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243
Hirayama, C., see Fukumoto, T. 672(1994)237
Hirayama, C., Sakata, M., Yugawa, Y. and Ihara, H.
Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267
Hirokawa, T.
Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158
Hirokawa, T., see Ito, K. 670(1994)99
Hirokawa, T. and Kiso, Y.
Preparative procedures in isotachophoresis (Review) 658(1994)343
Hirokawa, T., Xia, W. and Kiso, Y.
Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α-hydroxyisobutyric acid 689(1995)149
Hirokawa, T., Xia, W., Nakamura, K.-i., Tanaka, I., Nishiyama, F., Kiso, Y., Gaš, B. and Vacík, J.
Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Hirose, T., see Goto, M. 690(1995)1
Hirose, T., see Shiosaki, A. 679(1994)1
Hirota, T., Minato, K., Ishii, K., Nishimura, N. and Sato, T.
High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37
Hisamitsu, T., see Otsuka, K. 652(1993)253
Hitchen, S.M., see Barnabas, I.J. 665(1994)307
Hjerpe, A., see Karamanos, N.K. 696(1995)295
Hjertén, S., see Liao, J.-L. 676(1994)421
Hjertén, S., Liao, J.-L. and Zhang, R.
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409
Hlavay, J., see Gelencsér, A. 654(1993)269
Hlavay, J., see Gelencsér, A. 693(1995)217
Hlavay, J., see Gelencsér, A. 693(1995)227
Ho, Y.-S. and Uden, P.C.
Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107
Hoang, D., see Shieh, P.C.H. 676(1994)219
Hobo, T., see Ihara, T. 694(1995)49
Hobo, T., see Sato, K. 666(1994)463
Hodges, R.S., see Sereda, T.J. 676(1994)139
Hodges, R.S., see Sereda, T.J. 695(1995)205
Hodges, R.S., Zhu, B.-Y., Zhou, N.E. and Mant, C.T.
Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3
Hodgeson, J., Collins, J. and Bashe, W.
Determination of acid herbicides in aqueous samples by liquid–solid disk extraction and capillary gas chromatography 659(1994)395
Hoffmann, A., see Wahl, H.G. 697(1995)453
Höfle, M.G., see Katsivela, E. 700(1995)125
Hofman, Y.L., Petrillo, K.L., Greenblatt, H.C., Lehrer, R. and Payne, M.S.
Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233
Hogancamp, R.E., see Johnson, P.R. 667(1994)1
Hogendoorn, E.A., see Polettini, A. 695(1995)19
Hogendoorn, E.A., see Sancho, J.V. 678(1994)59
Holadová, K., see Hajšlová, J. 699(1995)231
Holanová, J., see Tichý, M. 667(1994)11
Holeman, J.A. and Danielson, N.D.
Liquid chromatography of antihistamines using post-column tris(2,2′-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277
Holloway, R.R., see Keely, C.A. 652(1993)283
Höltje, J.-V., see Chen, Y. 680(1994)63
Höltje, J.-V., see Chen, Y. 685(1994)121
Höltje, J.-V., see Chen, Y. 700(1995)35
Holzbauer, H.-R., see Just, U. 667(1994)354
Holzbauer, H.-R., see Trathnigg, B. 657(1993)365
Holzbauer, H.-R., see Trathnigg, B. 665(1994)47
Holzschuh, H., see Koppenhoefer, B. 666(1994)557
Honda, D., see Fronek, R. 658(1994)483
Honda, D., see Miller, L. 658(1994)429
Honda, F., Honda, H. and Koishi, M.
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19
Honda, H., see Honda, F. 696(1995)19
Honda, S., see Kakehi, K. 680(1994)209
Hong, K.S., see Abdullah, M.P. 697(1995)363
Hong, U.S., see Kwon, K.-H. 688(1994)350
Hong-You, R.L., see Lee, H.-B. 653(1993)83
Hoogerbrugge, R., see Van der Velde, E.G. 683(1994)125
Hoogmartens, J., see Paesen, J. 677(1994)377
Hoogmartens, J., see Paesen, J. 699(1995)93
Hoogmartens, J., see Paesen, J. 699(1995)99
Hoogmartens, J., see Roets, E. 696(1995)131
Hoogmartens, J., see Thoithi, G. 689(1995)247
Hoogmartens, J., see Van Schepdael, A. 657(1993)208
Hoogmartens, J., see Van Schepdael, A. 687(1994)167
Hoon Hahn, J., see Kim, S. 680(1994)109
Hopkins, J.L., see Palladino, D.E.H. 676(1994)99
Hora, J., see Kříž, J. 663(1994)151
Horak, M., see Armstrong, D.W. 688(1994)201
Hořicová, P., see Zahradníčková, H. 688(1994)383
Horiguchi, K., see Kano, K. 694(1995)307
Horká, M., Kahle, V., Krejčí, M. and Šlais, K.
Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45
Horká, M., Kahle, V. and Šlais, K.
Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187
Horng, J.-Y. and Huang, S.-D.
Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313
Horrobin, D.F., see Redden, P.R. 694(1995)381
Horrocks, L.A., see Farooqui, A.A. 673(1994)149
Horsthuis, P., see Zweipfenning, P.G.M. 674(1994)87
Horvat, J., see Varga-Defterdarović, L. 687(1994)101
Horvat, J., see Varga-Defterdarović, L. 687(1994)107
Horvat, Š., see Varga-Defterdarović, L. 687(1994)101
Horvat, Š., see Varga-Defterdarović, L. 687(1994)107
Horváth, C., see Freitag, R. 686(1994)165
Horváth, C., see Velayudhan, A. 663(1994)1
Horvath, J., Boschetti, E., Guerrier, L. and Cooke, N.
High-performance protein separations with novel strong ion exchangers 679(1994)11
Hoshino, H., see Iki, N. 652(1993)539
Hoshino, M., Matsui, E., Yajima, K. and Okahira, A.
Direct high-performance liquid chromatographic separation of the racemates and diastereomers of nadolol 664(1994)104
Hoskovec, M., see Koutek, B. 679(1994)307
Hosoya, K., Kishii, Y., Kimata, K., Araki, T., Tanaka, N., Svec, F. and Fréchet, J.M.J.
Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Hosoya, K., Sawada, E., Kimata, K., Araki, T. and Tanaka, N.
Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37
Hosoya, K., see Tanaka, N. 656(1993)265
Hosoya, K., see Tanaka, N. 699(1995)331
Hosoya, K., Yoshizako, K., Tanaka, N., Kimata, K., Araki, T. and Fréchet, J.M.J.
One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449
Hostettmann, K., see Marston, A. 658(1994)315
Hotchkiss, Jr., A.T., see Simms, P.J. 667(1994)67
Hott, C., see Bowlin, D.W. 677(1994)307
Hotter, G., Roselló-Catafau, J., Closa, D., Bioque, G., Gelpí, E., Javerbaum, A., González, E. and Gimeno, M.A.F.
Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E_1 and E_2 in rat embryo incubates 655(1993)85
Hou, J., see Gao, J. 657(1993)95
Houben, R.J. and Brunt, K.
Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169
Howe, K., see Fronek, R. 658(1994)483
Howe, K., see Miller, L. 658(1994)429
Howell, R., see Buzanowski, W.C. 677(1994)355
Howells, J.S., see Altria, K.D. 696(1995)341
Hoyer, G.L., Nolan, Jr., P.E., LeDoux, J.H. and Moore, L.A.
Selective stability-indicating high-performance liquid chromatographic assay for recombinant human regular insulin 699(1995)383
Hoyes, J., see Weinmann, W. 680(1994)353
Hoyos, M., see Belgaied, J.E. 678(1994)85
Hrabovsky, I., see Czajkowska, T. 691(1995)217
Hrouzek, J., see Hatrík, S. 665(1994)9
Hrouzek, J., Hatrík, S., Krupčík, J. and Benická, E.
Evaluation of separation quality with a novel threshold criterion 665(1994)3
Hsieh, A.K., see Chi, H. 680(1994)593
Hsieh, F.Y.L., Cai, J. and Henion, J.
Determination of trace impurities of peptides and alkaloids by capillary electrophoresis–ion spray mass spectrometry 679(1994)206
Hsieh, J.C., see Chadwick, R.R. 671(1994)403
Hsu, M.-C., see Chen, Y.-P. 672(1994)231
Hsu, M.-C., Lin, Y.-S. and Chung, H.-C.
High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67
Hu, C.C., see Chen, G.J. 699(1995)343
Hu, S. and Do, D.D.
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311
Hu, Y.-f., see Shahi, P. 687(1994)121
Hu, Z. and Zhang, H.
Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275
Hu, Z.-D., see Zhang, H.-W. 677(1994)159
Huang, C., see Fu, R. 653(1993)173
Huang, C.-Y., see Lee, Y.-C. 660(1994)299
Huang, C.-Y., see Lee, Y.-C. 692(1995)137
Huang, I.-P., see Ling, Y.-C. 669(1994)119
Huang, I.-P., see Ling, Y.-C. 695(1995)75
Huang, S.-D., see Horng, J.-Y. 678(1994)313
Huang, S.-D., see Lu, C.-S. 696(1995)201
Huang, T.-L., Shieh, P.C.H., Koh, E.V. and Cooke, N.
Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313
Huang, T.-L., see Wu, C.-T. 652(1993)277
Huang, Y.-S., see Redden, P.R. 694(1995)381
Huang, Z., see Fu, R. 653(1993)173
Huang, Z., see Zhou, W. 659(1994)477
Huang, Z.-H., see Wang, J. 663(1994)71
Huber, C.G., see Corradini, C. 685(1994)213
Huber, J.F.K., see Lamprecht, G. 667(1994)47
Hubert, J., see Leblanc, Y. 657(1993)111
Hubert, Ph., Chiap, P., Moors, M., Bourguignon, B., Massart, D.L. and Crommen, J.
Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β-receptor blocking agents 665(1994)87
Huddleston, J.G., Wang, R., Flanagan, J.A., O'Brien, S. and Lyddiatt, A.
Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)–salt aqueous two-phase systems 668(1994)3
Hudecz, F., see Bősze, S. 668(1994)345
Hughes, B., see Wheatley, J.B. 676(1994)81
Huie, C.W., see Wu, N. 659(1994)435
Humayoun Akhtar, M., Danis, C., Sauve, A. and Barry, C.
Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123
Hummel, H.E., see Schütz, S. 683(1994)141
Hundt, H.K.L., see Swart, K.J. 663(1994)65
Hunt, T., see Gerstner, J.A. 695(1995)195
Hupe, K.-P., see Minnaard, W.A. 696(1995)333
Husain, N., Christian, A.Y. and Warner, I.M.
Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73
Husain, S., Nageswara Sarma, P., Sita Rama Rao, K. and Lakshmi, V.V.S.
Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Husain, S., Narsimha, R., Alvi, S.N. and Nageswara Rao, R.
Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71
Husain, S., Narsimha, R., Khalid, S. and Nageswara Rao, R.
Application of normal- and reversed-phase high-performance liquid chromatography for monitoring the progress of reactions of anthraquinone manufacturing processes 679(1994)375
Husain, S., Sekar, R. and Rao, R.N.
Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
Hušek, P., see Janák, J. 677(1994)192
Hüsers, N. and Kleiböhmer, W.
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107
Hutta, M., Kaniansky, D., Kovalčíková, E., Marák, J., Chalányová, M., Madajová, V. and Šimuničová, E.
Preparative capillary isotachophoresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123
Hutton, K.A., see Eckers, C. 686(1994)213
Huve, P., Verrecchia, T., Bazile, D., Vauthier, C. and Couvreur, P.
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129
Huynh, T.K.X., Lederer, M. and Leipzig-Pagani, E.
Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α-cyclodextrin as eluent 695(1995)155
Huynh, T.K.X., Lederer, M. and Leipzig-Pagani, E.
Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160
Huynh, T.K.X., Ossicini, L. and Polcaro, C.
Chiral separations on cellulose in electrophoresis 663(1994)264
Hykl, J., see Píš, J. 658(1994)77
Hynninen, P.H., see Kuronen, P. 654(1993)93
Hyun, M.H., Cho, Y.J., Ryoo, J.-J., Jyung, K.K. and Heo, G.S.
Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173
Hyun, M.H., Ryoo, J.-J., Cho, Y.J. and Jin, J.S.
Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π-donor analytes on a π-donor chiral stationary phase 692(1995)91
Hyun, M.H., Yang, D.H., Kim, H.J. and Ryoo, J.-J.
Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189
Hyvärinen, K., see Kuronen, P. 654(1993)93

I

Iavarone, L., see Barnaby, R.J. 660(1994)319
Ibáñez, E., Tabera, J., Herraiz, M. and Reglero, G.
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249
Ibarra, I., see Periago, J.F. 657(1993)147
Ibarra, I., see Prado, C. 657(1993)131
Ibarra, J., see Moliner, R. 655(1993)155
Ichida, A., see Oguni, K. 694(1995)91
Ichihara, A., see Ozaki, H. 680(1994)117
Ichitani, Y., see Matsumoto, K. 678(1994)241
Igarashi, K., see Kasuya, F. 654(1993)221
Igarashi, K., see Kasuya, F. 684(1994)93
Igimi, H., see Nakamura, Y. 655(1993)355
Ihara, H., see Fukumoto, T. 672(1994)237
Ihara, H., see Hirayama, C. 676(1994)267
Ihara, T., Sugimoto, Y., Asada, M., Nakagama, T. and Hobo, T.
Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49
Iida, T., Tazawa, S., Tamaru, T., Goto, J. and Nambara, T.
Gas chromatographic separation of bile acid 3-glucosides and 3-glucuronides without prior deconjugation on a stainless-steel capillary column 689(1995)77
Ikai, Y., see Asukabe, H. 657(1993)349
Ikai, Y., see Oka, H. 674(1994)301
Iki, N., Hoshino, H. and Yotsuyanagi, T.
Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539
Imai, K., see Matsumoto, K. 678(1994)241
Imai, K., see Toyo'oka, T. 675(1994)79
Imamura, T., see Goto, M. 690(1995)1
Imaz, C., see Carreras, D. 683(1994)195
Ingraham, R.H., see Palladino, D.E.H. 676(1994)99
Ingvardsen, L., see Bjergegaard, C. 653(1993)99
Inomata, T., see Oikawa, K. 671(1994)211
Inoue, H., Yamashita, H., Furuya, K., Nonomura, Y., Yoshioka, N. and Li, S.
Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99
Inoue, S. and Ohtaki, N.
Metaphosphates as packing materials for biochromatography 679(1994)247
Inoue, Y., Kawabata, K., Takahashi, H. and Endo, G.
Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149
Intararuangsorn, S., see Nishida, F. 664(1994)195

Iob, A., Al-Yousef, F., Tawabini, B.S., Mohammed, A.I. and Abbas, N.M.
Simultaneous determination of benzotriazole copper inhibitor and microbiocidal isothiazolinenones by high-performance liquid chromatography 661(1994)245
Ip, D.P., see Bell, C. 675(1994)248
Ip, D.P., see Qin, X.-Z. 686(1994)205
Irace, G., see Bismuto, E. 662(1994)263
Ireland, I.D., see Crabtree, H.J. 669(1994)263
Irgens, L.H., Farkas, G. and Vigh, G.
Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603
Irimie, F., see Gocan, S. 675(1994)282
Irth, H., see Buscher, B.A.P. 678(1994)145
Irth, H., see Van Der Vlis, E. 665(1994)233
Irth, H., see Van der Vlis, E. 687(1994)333
Isajeva, T., see Kurganov, A. 660(1994)97
Isaksson, R., see Hansson, L. 653(1993)9
Ishibashi, M., see Toyo'oka, T. 661(1994)105
Ishihama, Y., Oda, Y., Asakawa, N., Yoshida, Y. and Sato, T.
Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193
Ishii, D., see Okamoto, M. 697(1995)153
Ishii, K., see Hirota, T. 673(1994)37
Ishii, K., Minato, K., Nishimura, N., Miyamoto, T. and Sato, T.
Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93
Ishimaru, N., see Baba, Y. 653(1993)329
Ishimaru, N., see Sumita, C. 661(1994)297
Ishimura, T., see Kano, K. 694(1995)307
Isobe, T., see Izumi, T. 652(1993)41
Issaq, H.J.
Capillary zone electrophoresis (by F. Foret, L. Křivánková and P. Boček) (Book review) 675(1994)286
Issaq, H.J., see Chan, K.C. 653(1993)93
Issaq, H.J., see Chan, K.C. 690(1995)149
Issaq, H.J., see Janini, G.M. 653(1993)321
Ito, K., Shimazu, H., Shoto, E., Okada, M., Hirokawa, T. and Sunahara, H.
Ion chromatographic separation of alkali metal and ammonium cations on a C_{18} reversed-phase column 670(1994)99
Ito, M., see Ito, M. 661(1994)143
Ito, M., Miura, J., Ito, M., Umesato, F., Yasuda, K., Takata, Y. and Stanislawski, B.
Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143
Ito, Y., see Denekamp, C. 685(1994)253
Ito, Y., see Du, Q. 687(1994)174
Ito, Y. and Ma, Y.
pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101
Ito, Y., see Ma, Y. 678(1994)233
Ito, Y., see Ma, Y. 685(1994)259
Ito, Y., see Weisz, A. 658(1994)505
Ito, Y., see Weisz, A. 678(1994)77
Itoh, H., Kinoshita, T. and Nimura, N.
High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95
Itoh, H., see Nimura, N. 689(1995)203
Itoh, K., see Jinno, K. 691(1995)91
Itoh, T. and Yamada, H.
Diastereomeric β-lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195
Ivanov, A.E. and Zubov, V.P.
Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylamino-ethylacrylamide) bonded phases 673(1994)159
Ivanov, A.V., see Nesterenko, P.N. 671(1994)95
Iwaki, K., Bunrin, T., Kameda, Y. and Yamazaki, M.
Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87
Iwaki, K., see Sakagami, H. 653(1993)37
Iwasaki, M., see Kai, M. 653(1993)235
Iwase, H. and Ono, I.
Determination of ascorbic acid and dehydroascorbic acid in juices by high-performance liquid chromatography with electrochemical detection using L-cysteine as precolumn reductant 654(1993)215
Izumi, T., see Shibukawa, A. 697(1995)337
Izumi, T., Yamaguchi, M., Yoneda, K., Isobe, T., Okuyama, T. and Shinoda, T.
Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41
Izutsu, H., see Mizukami, F. 697(1995)279

J

Jacewicz, V.W., see Eckers, C. 686(1994)213
Jackson, C.
Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1
Jackson, D.S., see Heitkemper, D.T. 671(1994)101
Jackson, D.S., see Heitkemper, D.T. 671(1994)323
Jackson, D.S., see Kaine, L.A. 671(1994)303
Jackson, P., Carter, D., Dent, G., Cook, B.W., Chalmers, J.M. and Dunkin, I.R.
Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Jackson, P.E.
Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155
Jackson, P.E., see Carnevale, J. 671(1994)115
Jackson, P.E., Carnevale, J., Fuping, H. and Haddad, P.R.
Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181
Jacquier, J.C., see Rony, C. 669(1994)195
Jacquier, J.C., Rony, C. and Desbene, P.L.
Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337
Jafar, S.A., see Bartle, K.D. 697(1995)579
Jageland, P., Magnusson, J. and Bryntesson, M.
Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497
Jakobsson, E., see Järnberg, U. 683(1994)385
Jakubetz, H., see Schurig, V. 694(1995)119
Jalbert, J., see Leblanc, Y. 657(1993)111
Janák, J.
Process gas chromatography—Fundamentals and applications (by R. Annino and R. Villalobos) (Book Review) 655(1993)359
Janák, J.
Basic Relationships of Gas Chromatography (by L.S. Ettre and J.V. Hinshaw) (Book Review) 688(1994)390
Janák, J., Billiet, H.A.H., Frank, J., Luyben, K.Ch.A.M. and Hušek, P.
Separation of selenium analogues of sulphur-containing amino acids by high-performance liquid chromatography and high-resolution gas chromatography 677(1994)192
Janák, K., see Hägglund, I. 673(1994)93
Janas, J., see Voelkel, A. 654(1993)135
Janas, J., see Voelkel, A. 669(1994)89
Janas, J., see Voelkel, A. 693(1995)315
Janda, V., Kříž, J., Vejrosta, J. and Bartle, K.D.
Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241
Janda, V., see Vejrosta, J. 685(1994)113
Jandera, P.
Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437
Jandera, P., see Fischer, J. 684(1994)77
Jandera, P. and Urbánek, J.
Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255
Jandik, P., see Carpio, R.A. 657(1993)185
Jandik, P., see Timerbaev, A.R. 671(1994)419
Jang, M.D., see Park, J.H. 656(1993)69
Jang, M.D., see Park, J.H. 664(1994)149
Jang, T.-F., see Law, S.-L. 670(1994)234
Janicki, W.C., Wolska, L., Wardencki, W. and Namieśnik, J.
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279
Janini, G.M., see Chan, K.C. 653(1993)93
Janini, G.M., Chan, K.C., Barnes, J.A., Muschik, G.M. and Issaq, H.J.
Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321
Jankowski, A. and Lamparczyk, H.
Evaluation of chromatographic methods for the determination of nifedipine in human serum 668(1994)469
Janoš, P.
Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435
Janoš, P.
Complex-forming equilibria in ion chromatography (Review) 699(1995)1
Janoš, P., Broul, M., Novobilský, V. and Kolský, V.
Normal-phase high-performance liquid chromatographic separation of halocyclophosphazenes 676(1994)451
Janson, J.-C., see Belew, M. 679(1994)67
Janssen, G., see Van Schepdael, A. 657(1993)208
Jansson, M., see Emmer, Å. 672(1994)231
Jaques, K., Buda, W.M., Venema, A. and Sandra, P.
Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-*tert.*-butyldimethylsilyl-β- and -γ-cyclodextrins 666(1994)131
Jardim, I.C.S.F., see Anazawa, T.A. 697(1995)159
Järnberg, U., Asplund, L. and Jakobsson, E.
Gas chromatographic retention behaviour of polychlorinated naphthalenes on non-polar, polarizable, polar and smectic capillary columns 683(1994)385
Jaroniec, M.
Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37
Jaroniec, M.
Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) (Book Review) 672(1994)278
Jaroniec, M., see Buszewski, B. 668(1994)293
Jaroniec, M., see Buszewski, B. 673(1994)11
Jaroniec, M., see Czajkowska, T. 691(1995)217
Jaroniec, M., see Kasturi, P. 659(1994)261
Jarrett, H.W., see DiRusso, C. 677(1994)45
Jarrett, H.W., see Lee, H.G. 653(1993)130
Javerbaum, A., see Hotter, G. 655(1993)85

Jedrzejewski, P.T. and Taylor, L.T.
Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO_2 677(1994)365
Jegle, U.
Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495
Jegorov, A., see Šimek, P. 679(1994)195
Jegorov, A., Tříska, J. and Trnka, T.
1-Thio-β-D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286
Jekel, M., see Reemtsma, T. 660(1994)199
Jelínek, I., see Pacáková, V. 700(1995)187
Jen, S.C.D. and Pinto, N.G.
Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396
Jeng, C.-Y., see Ludolph, B.S. 660(1994)3
Jenkins, T.F. and Walsh, M.E.
Instability of tetryl to Soxhlet extraction 662(1994)178
Jensen, A.V., see Luthman, K. 666(1994)527
Jensen, E., see Stensen, W. 659(1994)87
Jensen, P.E.H., Stigbrand, T. and Shanbhag, V.P.
Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α-macroglobulins 668(1994)101
Jeong, J.H., see Song, C.E. 654(1993)303
Jhon, G.-J., see Yoo, Y.S. 652(1993)431
Jiang, X., see Zhang, X. 671(1994)23
Jickells, S.M., see Castle, L. 675(1994)261
Jiménez, A., see Vilaplana, J. 679(1994)133
Jiménez, J.J., see Atienza, J. 655(1993)95
Jiménez, M.I., see Sanz, J. 657(1993)103
Jiménez, O., see García, M.A. 675(1994)1
Jimeno, P., see Pinilla, M. 668(1994)165
Jimidar, M., see Yang, Q. 673(1994)275
Jin, J.S., see Hyun, M.H. 692(1995)91
Jindal, K.C., Chaudhary, R.S., Gangwal, S.S., Singla, A.K. and Khanna, S.
High-performance thin-layer chromatographic method for monitoring degradation products of rifampicin in drug excipient interaction studies 685(1994)195
Jing, G., Zhou, B., Liu, L., Zhou, J. and Liu, Z.
Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31
Jing, H., see Kalontarov, L. 696(1995)245
Jinno, H., see Toyo'oka, T. 675(1994)79
Jinno, K.
HPLC detection: newer methods (edited by G. Patonay) (Book Review) 659(1994)225
Jinno, K., see Fujimoto, C. 680(1994)33
Jinno, K., Nakagawa, K., Saito, Y., Ohta, H., Nagashima, H., Itoh, K., Archer, J. and Chen, Y.-L.
Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91
Jirskog-Hed, B., see Petersson, B. 653(1993)25
Johansen, S.S., see Rastogi, S.C. 692(1995)53
Johansson, B., see Bøwadt, S. 675(1994)189
Johansson, B., see Bøwadt, S. 662(1994)424
Johansson, G., see Lu, M. 668(1994)215
Johansson, I.M., Grön-Rydberg, M.-B. and Schmekel, B.
Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487
Johansson, K., see Marko-Varga, G. 660(1994)153
Johns, S.M., see Castle, L. 675(1994)261
Johnson, D.C., see Dobberpuhl, D.A. 694(1995)391
Johnson, P.R., Stern, N.J., Eitzman, P.D., Rasmussen, J.K., Milbrath, D.S., Gleason, R.M. and Hogancamp, R.E.
Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1
Johnson, R.D., see Todd, R.J. 662(1994)13
Johnson-Watts, R., see Jordan, J.M. 671(1994)445
Jones, D., Scarborough, A. and Tier, C.M.
Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1
Jones, P., Foulkes, M. and Paull, B.
Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173
Jones, W.J., see Brumley, W.C. 680(1994)163
Jönsson, J.A., see Grönberg, L. 655(1993)207
Jönsson, J.A., Mathiasson, L., Lindegård, B., Trocewicz, J. and Olsson, A.-M.
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259
Jönsson, J.Å., see Nilvé, G. 688(1994)75
Jordan, J.M., Moese, R.L., Johnson-Watts, R. and Burton, D.E.
Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445
Josefsson, M., Carlsson, B. and Norlander, B.
Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23
Joseph, I., see Deruaz, D. 677(1994)345
Joshi, N., see Hernandez, L. 652(1993)399
Joshua, H.
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247
Josic, D., see Luksa, J. 661(1994)161
Josic, D., see Strancar, A. 658(1994)475
Joyce, R.J. and Dhillon, H.S.
Trace level determination of bromate in ozonated drinking water using ion chromatography 671(1994)165
Juan, H., see Wintersteiger, R. 660(1994)205
Jumppanen, J., Sirén, H. and Riekkola, M.-L.
Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441
Jung, J.M., see McCord, B.R. 652(1993)75
Jung, M., see Schurig, V. 694(1995)119

Jung, Y.-W., see Gildersleeve, D.L. 667(1994)183
Jungbauer, A., Hackl, S. and Yamamoto, S.
Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399
Jurova, I., see Palamareva, M. 670(1994)181
Jusiak, L., see Gołkiewicz, W. 686(1994)85
Juskowiak, B.
Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313
Just, U., Holzbauer, H.-R. and Resch, M.
Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 667(1994)354
Just, U., see Mellor, F. 679(1994)147
Just, U., Mellor, F. and Keidel, F.
Supercritical fluid chromatography–mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105
Just, U., see Wachholz, S. 693(1995)89
Justice, J.D., see Ricker, R.D. 691(1995)67
Jyung, K.K., see Hyun, M.H. 696(1995)173

K

Kadlecek, D., see Cole, R.B. 680(1994)363
Kadohara, M., see Shibukawa, A. 694(1995)81
Kafil, J.B. and Dhingra, B.S.
Stability-indicating method for the determination of levodopa, levodopa–carbidopa and related impurities 667(1994)175
Kahle, V., see Doležel, P. 675(1994)47
Kahle, V., see Horká, M. 660(1994)187
Kahle, V., see Horká, M. 697(1995)45
Kai, M., Kojima, E., Ohkura, Y. and Iwasaki, M.
High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235
Kaida, Y., see Okamoto, Y. 666(1994)403
Kaida, Y., see Yashima, E. 694(1995)347
Kailas, T., see Orav, A. 659(1994)143
Kailas, T., see Orav, A. 697(1995)495
Kaine, L.A., see Heitkemper, D.T. 671(1994)101
Kaine, L.A., see Heitkemper, D.T. 671(1994)323
Kaine, L.A., Heitkemper, D.T., Jackson, D.S. and Wolnik, K.A.
Use of ion chromatography for the verification of drug authenticity 671(1994)303
Kaine, L.A. and Wolnik, K.A.
Forensic investigation of gentamicin sulfates by anion-exchange ion chromatography with pulsed electrochemical detection 674(1994)255
Kaiser, E. and Wojtusik, M.J.
Determination of trace anions in isopropanol 671(1994)253
Kaiser, K.-P., see Weder, J.K.P. 698(1995)181
Kakehi, K., Susami, A., Taga, A., Suzuki, S. and Honda, S.
High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209
Kalachova, G.S., see Sushchik, N.N. 695(1995)223
Kalbitz, K., see Popp, P. 687(1994)133
Kaliaguine, S., see Shang, D.Y. 672(1994)185
Kaliszan, R.
Quantitative structure–retention relationships applied to reversed-phase high-performance liquid chromatography quantitative structure–retention relationships (Review) 656(1993)417
Kaliszan, R., see Nasal, A. 692(1995)83
Kaliszan, R., see Sun, P. 652(1993)247
Kaljurand, M., Urbas, E. and Haldna, U.
Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147
Kalontarov, L., Jing, H., Amirav, A. and Cheskis, S.
Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245
Kamata, K., Takahashi, M., Terasima, K. and Nishijima, M.
Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113
Kambhampati, I., Roinestad, K.S., Hartman, T.G., Rosen, J.D., Fukuda, E.K., Lippincott, R.L. and Rosen, R.T.
Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography–particle beam mass spectrometry 688(1994)67
Kameda, Y., see Iwaki, K. 662(1994)87
Kamenchuk, A.A., see Galushko, S.V. 660(1994)47
Kamisaka, S., see Ueda, J. 658(1994)129
Kanasugi, N., see Haginaka, J. 694(1995)71
Kanda, T., Kutsuna, H., Ohtsu, Y. and Yamaguchi, M.
Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51
Kaneko, S., Mitsuzawa, T., Ohmori, S., Nakamura, M., Nobuhara, K. and Masatani, M.
Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Kaneta, T., Tanaka, S. and Taga, M.
Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313
Kang, J., see Gao, J. 657(1993)95
Kaniansky, D., see Hutta, M. 689(1995)123
Kaniansky, D., Masár, M., Madajová, V. and Marák, J.
Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179
Kaniansky, D., see Šimuničová, E. 665(1994)203
Kano, K., see Esaka, Y. 652(1993)225
Kano, K., Minami, K., Horiguchi, K., Ishimura, T. and Kodera, M.
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
Kanoongo, N., see Mathur, V. 685(1994)360
Kao, M.C.C., see Yao, Z.J. 679(1994)190
Kaouadji, N., see Lafont, R. 658(1994)55
Kapadia, G.J., Oguntimein, B. and Shukla, Y.N.
High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds 673(1994)142
Kapadia, S.R., see Palladino, D.E.H. 676(1994)99
Kapila, S., see Sivils, L.D. 688(1994)221
Kapila, S., see Tilio, R. 662(1994)191
Kaplan, M., Davidson, G. and Poliakoff, M.
Capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and "unsaturated" cheeses 673(1994)231
Käppler, K., see Wachholz, S. 693(1995)89
Kapustin, D.V., see Kataev, A.D. 660(1994)131
Karamanos, N.K., Axelsson, S., Vanky, P., Tzanakakis, G.N. and Hjerpe, A.
Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295
Karásek, P., see Vejrosta, J. 685(1994)113
Karger, B.L.
Foreword 652(1993)1
Karger, B.L., see Greve, K.F. 680(1994)15
Karger, B.L., see Pariat, Y.F. 652(1993)57
Karger, B.L., see Schmalzing, D. 652(1993)149
Karickhoff, S.W., see Hilal, S.H. 662(1994)269
Karl, V., see Frank, C. 653(1993)385
Karlsson, A., see Luthman, K. 666(1994)527
Karlsson, S., see Albertsson, A.-C. 690(1995)207
Karlsson, S., Hakkarainen, M. and Albertsson, A.-C.
Identification by headspace gas chromatography–mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251
Karlsson, S., Sares, C., Renstad, R. and Albertsson, A.-C.
Gas chromatographic, liquid chromatographic and gas chromatographic–mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97
Karovičová, J., Drdák, M., Polonský, J. and Rajniaková, A.
Dynamics of production of organic acids during lactic fermentation of vegetable juice 665(1994)55
Karst, U., see Grömping, A.H.J. 653(1993)341
Karuhaka, K., see Otsuka, K. 680(1994)317
Kasche, V., Gottschlich, N., Lindberg, A., Niebuhr-Redder, C. and Schmieding, J.
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137
Kashihara, M., see Otsuka, K. 652(1993)253
Kasper, M., see Woolf, E.J. 660(1994)307
Kasturi, P., Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Reordering/resolvation studies of alkylamide phases 659(1994)261
Kasuga, T., see Cheng, J. 677(1994)169
Kasuya, F., Igarashi, K. and Fukui, M.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221
Kasuya, F., Igarashi, K. and Fukui, M.
Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93
Kataev, A.D., Saburov, V.V., Reznikova, O.A., Kapustin, D.V. and Zubov, V.P.
Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131
Kataoka, H., Miyanaga, Y. and Makita, M.
Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481
Kataoka, H., Shindoh, S. and Makita, M.
Determination of secondary amines in various foods by gas chromatography with flame photometric detection 695(1995)142
Katmeh, M.F., see Shahtaheri, S.J. 697(1995)131
Kato, H., see Saitoh, K. 687(1994)149
Kato, M., see Shoji, M. 698(1995)145
Kato, S., see Hara, T. 652(1993)361
Kato, Y., see Moriyama, H. 691(1995)81
Katsivela, E. and Höfle, M.G.
Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125
Katsumata, Y., see Sato, K. 674(1994)127
Kauffman, G.B., see Ray, R.K. 675(1994)271
Kaufmann, S.H.E., see Schoel, B. 667(1994)131
Kaul, A., see Asenjo, J.A. 668(1994)129
Kaul, R., see Guoqiang, D. 668(1994)145
Kaunzinger, A., see Frank, C. 653(1993)385
Kavanagh, P.E., see Shalliker, R.A. 664(1994)221
Kavanagh, P.E., see Shalliker, R.A. 679(1994)105
Kawabata, K., see Inoue, Y. 675(1994)149
Kawaguchi, Y., see Otsuka, K. 652(1993)253
Kawahara, A., see Takeda, S. 653(1993)109
Kawamoto, K., see Kobayashi, M. 678(1994)351
Kawamura, K., see Sakaguchi, F. 687(1994)315
Kawamura, N., see Oka, H. 674(1994)301
Kawashima, S., see Miyamoto, E. 653(1993)135

Kawata, K., Minagawa, M., Fujieda, Y. and Yasuhara, A.
Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369
Kebede, N., see Khan, J.K. 687(1994)113
Kee, T.G., see Griffin, R.M.E. 674(1994)271
Keely, C.A., Holloway, R.R., Van de Goor, T.A.A.M. and McManigill, D.
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283
Keffer, S.S., see Stover, F.S. 657(1993)450
Kehr, J.
Determination of catecholamines by automated pre-column derivatization and reversed-phase column liquid chromatography with fluorescence detection 661(1994)137
Keidel, F., see Just, U. 683(1994)105
Keidel, F., see Wachholz, S. 693(1995)89
Kellard, E., see Kopaciewicz, W. 690(1995)9
Kelley, M.K., see Wheatley, J.B. 663(1994)53
Kelly, M.
Chromatography today (by C.F. Poole and S.K. Poole) (Book Review) 664(1994)135
Kemmery, B., see Thompson, C.O. 694(1995)507
Kempe, M. and Mosbach, K.
Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276
Kempe, M. and Mosbach, K.
Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317
Kempe, M. and Mosbach, K.
Molecular imprinting used for chiral separations (Review) 694(1995)3
Kempný, M., see Hajšlová, J. 699(1995)231
Kenndler, E., see Blatný, P. 679(1994)345
Kenndler, E., see Gassner, B. 680(1994)25
Kenndler, E., see Reijenga, J.C. 659(1994)403
Kenndler, E., see Reijenga, J.C. 659(1994)417
Kennedy, I.R., see Dowton, M. 664(1994)280
Kent, M.C., see Richheimer, S.L. 677(1994)75
Keogh, R.A., see Shi, B. 678(1994)97
Keplinger, D., see Laus, G. 662(1994)243
Kermasha, S., Kubow, S. and Goetghebeur, M.
Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229
Kerns, E.H., see Liu, J. 680(1994)395
Kerr, D., see Spencer, J.L. 654(1993)143
Kertscher, U., see Brudel, M. 661(1994)55
Kesner, F., see Sýkora, D. 665(1994)59
Kettrup, A., see Garrison, A.W. 688(1994)317
Ketz, H., see Harfst, S. 678(1994)41
Keymeulen, R., Voutetaki, A. and Van Langenhove, H.
Determination of volatile chlorinated hydrocarbons in plant leaves by gas chromatography–mass spectrometry 699(1995)223
Khac, S.B.-P. and Moreau, N.J.
Interactions between fluoroquinolones, Mg^{2+}, DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241
Khalaf, H., see Steinert, J. 693(1995)281
Khalaf, H.I., see Habboush, A.E. 696(1995)257
Khaledi, M.G., see Dorsey, J.G. 656(1993)485
Khaledi, M.G., see Madamba-Tan, L.S. 683(1994)321
Khaledi, M.G., see Madamba-Tan, L.S. 683(1994)335
Khaledi, M.G., see Quang, C. 659(1994)459
Khaledi, M.G., see Quang, C. 692(1995)253
Khaledi, M.G., see Yang, S. 664(1994)1
Khaledi, M.G., see Yang, S. 692(1995)301
Khaledi, M.G., see Yang, S. 692(1995)311
Khaledi, M.G., see Ye, B. 692(1995)291
Khalfaoui, B. and Newsham, D.M.T.
Determination of infinite dilution activity coefficients and second virial coefficients using gas–liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85
Khalfaoui, B. and Newsham, D.M.T.
Determination of second cross virial coefficients from gas–liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117
Khalid, S., see Husain, S. 679(1994)375
Khalifa, M., see Schmeer, K. 691(1995)285
Khalifa, M., see Tatár, E. 672(1994)109
Khan, J.K., Kuo, Y.-H., Kebede, N. and Lambein, F.
Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113
Khan, S.A., see Serwer, P. 698(1995)251
Khanna, S., see Jindal, K.C. 685(1994)195
Khanolkar, A.D., see Yin, D. 678(1994)176
Khaskhely, G.Q., see Khuhawar, M.Y. 689(1995)39
Khoo, K.S., see Yao, Y.J. 680(1994)431
Khoshab, A. and Teasdale, R.
Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195
Khots, M.S., see Yang, Q. 688(1994)339
Khuhawar, M.Y. and Lanjwani, S.N.
High-performance liquid chromatographic separation and determination of cobalt(II), cobalt(III) and iron(II) using bis(salicylaldehyde)tetramethylethylenediimine 695(1995)132
Khuhawar, M.Y., Lanjwani, S.N. and Khaskhely, G.Q.
High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39
Kibbey, R.G., see Harman, A.D. 652(1993)525
Kido, A., see Yamashita, T. 657(1993)405
Kiechle, P., see Werner, A. 666(1994)375
Kientz, Ch.E., see Sänger-van de Griend, C.E. 673(1994)299
Kilpeläinen, I., see Kuronen, P. 654(1993)93

Kim, H.C., see Park, J.H. 656(1993)69
Kim, H.J., see Hyun, M.H. 684(1994)189
Kim, I.O, see Song, C.E. 654(1993)303
Kim, J.-H., Nishida, Y., Ohrui, H. and Meguro, H.
Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1994)241
Kim, J.-H., see Oh, C.-H. 669(1994)112
Kim, J.-H., Uzawa, H., Nishida, Y., Ohrui, H. and Meguro, H.
Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*.-butyl-2-methyl- 1,3-benzodioxole-4-carboxylic acid 677(1994)35
Kim, J.W., see Ro, K.W. 688(1994)375
Kim, K.-R., see Oh, C.-H. 669(1994)112
Kim, S., Kim, W. and Hoon Hahn, J.
Extended path length post-column flow cell for UV–visible absorbance detection in capillary electrophoresis 680(1994)109
Kim, W., see Kim, S. 680(1994)109
Kim, Y., Park, S., Park, J. and Lee, W.
Detection of benzthiazide by high-performance liquid chromatography–thermospray mass spectrometry 689(1995)170
Kim, Y.J. and Cramer, S.M.
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193
Kim, Y.S., see Yoo, Y.S. 652(1993)431
Kim, Y.T., Glerum, C., Noland, T.L. and Hickie, D.
Use of Sep-Pak C_{18} cartridges to clean up free amino acids from coniferous needles 690(1995)226
Kimata, H., see Baba, S. 663(1994)35
Kimata, K., see Hosoya, K. 662(1994)37
Kimata, K., see Hosoya, K. 666(1994)449
Kimata, K., see Hosoya, K. 690(1995)21
Kimata, K., see Tanaka, N. 656(1993)265
Kimata, K., see Tanaka, N. 699(1995)331
Kingery, A.F. and Allen, H.E.
Ion chromatographic separation and quantitative analysis of fluoroacetic acid and formic acid in soil 671(1994)231
Kinghorn, N.M., Norris, C.S., Paterson, G.R. and Otter, D.E.
Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111
Kinkel, J., see Kurganov, A. 666(1994)99
Kinkel, J.N., see Dingenen, J. 666(1994)627
Kinoshita, T., see Itoh, H. 662(1994)95
Kinoshita, T., see Nimura, N. 689(1995)203
Király, Z., see Görgényi, M. 693(1995)181
Kirchberger, J., Erdmann, H., Hecht, H.-J. and Kopperschläger, G.
Studies of the interaction of NADH oxidase from *Thermus thermophilus* HB8 with triazine dyes 668(1994)153
Kirkland, J.J., see Chloupek, R.C. 686(1994)45
Kirkland, J.J., see Hancock, W.S. 686(1994)31
Kirkland, J.J., see Kirkland, K.M. 660(1994)327
Kirkland, J.J., Van Straten, M.A. and Claessens, H.A.
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3
Kirkland, K.M. and McCombs, D.A.
Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211
Kirkland, K.M., McCombs, D.A. and Kirkland, J.J.
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327
Kirsch, N.H. and Stan, H.-J.
Gas chromatographic–mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277
Kirschbaum, J., Luckas, B. and Beinert, W.-D.
Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193
Kishii, Y., see Hosoya, K. 690(1995)21
Kiso, Y., see Hirokawa, T. 658(1994)343
Kiso, Y., see Hirokawa, T. 663(1994)245
Kiso, Y., see Hirokawa, T. 689(1995)149
Kiss, G., see Gelencsér, A. 693(1995)217
Kiss, G., see Gelencsér, A. 693(1995)227
Kissinger, P.T.
Voltammetric determination of molecules of biological significance (by W.F. Smyth) (Book Review) 657(1993)458
Kisu, N., see Ôi, N. 689(1995)195
Kitagawa, H., see Nakamura, K. 694(1995)111
Kitahara, H., see Ôi, N. 666(1994)457
Kitahara, H., see Ôi, N. 689(1995)195
Kitahara, H., see Ôi, N. 694(1995)129
Kitaoka, Y., see Kobayashi, M. 678(1994)351
Kitts, D.D., see Zheng, M. 670(1994)77
Kiyozumi, Y., see Mizukami, F. 697(1995)279
Klatte, S.J., see Wheeler, J.F. 656(1993)317
Klebovich, I., see Erdélyi-Tóth, V. 668(1994)419
Kleiböhmer, W., see Hüsers, N. 697(1995)107
Kleiböhmer, W., see Meyer, A. 657(1993)327
Klein, R.F.X., see Moore, J.M. 659(1994)163
Klepárník, K., Garner, M. and Boček, P.
Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375
Klick, S.
Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69
Kline, M.C., see Srinivasan, K. 652(1993)83
Klockow, A., Paulus, A., Figueiredo, V., Amadò, R. and Widmer, H.M.
Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187
Klose, U., see Baumeister, E. 694(1995)321

Klyushnichenko, V.E., Koulich, D.M., Yakimov, S.A., Maltsev, K.V., Grishina, G.A., Nazimov, I.V. and Wulfson, A.N.
Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83
Knoche, B. and Blaschke, G.
Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235
Knox, J.H.
Terminology and nomenclature in capillary electroseparation systems 680(1994)3
Knox, J.H., see Kříž, J. 663(1994)151
Knutsson, M., see Nilvé, G. 688(1994)75
Kołodziejczyk, A.M., see Wodecki, Z. 696(1995)149
Kobayashi, H., see Satow, T. 652(1993)23
Kobayashi, M., Kitaoka, Y., Tanaka, Y. and Kawamoto, K.
Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351
Kobinger, G., see Gübitz, G. 666(1994)91
Kočan, A., Petrík, J., Chovancová, J. and Drobná, B.
Method for the group separation of non-*ortho*-, mono-*ortho*- and multi-*ortho*-substituted polychlorinated biphenyls and polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans using activated carbon chromatography 665(1994)139
Kocourek, V., see Hajšlová, J. 699(1995)231
Kodera, M., see Kano, K. 694(1995)307
Koebel, M. and Elsener, M.
Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164
Koh, D., see Lee, B.L. 685(1994)263
Koh, E., see Chen, F.-T.A. 652(1993)355
Koh, E.V., see Huang, T.-L. 685(1994)313
Köhler, K., see Hassinen, C. 668(1994)121
Kohr, J. and Engelhardt, H.
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309
Koike, R., see Otsuka, K. 652(1993)253
Koishi, M., see Honda, F. 696(1995)19
Kojima, E., see Kai, M. 653(1993)235
Kok, W.Th., see Van Asten, A.C. 676(1994)361
Kok, W.Th., see Wijnhoven, J.E.G.J. 699(1995)119
Kokk, H., see Mäeorg, U. 659(1994)213
Kokusenya, Y., see Nishi, H. 659(1994)449
Kokusenya, Y., see Nishi, H. 672(1994)125
Kolb, M. and Bahadir, M.
Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189
Kolla, P.
Gas chromatography, liquid chromatography and ion chromatography adapted to the trace analysis of explosives 674(1993)309
Kollie, T.O., see Poole, S.K. 664(1994)229
Kolodziej, H., see Treutter, D. 667(1994)290
Kolský, V., see Janoš, P. 676(1994)451
Komiya, K., see Moriyama, H. 691(1995)81
Kondo, F., see Murata, H. 693(1995)263
Konečný, K., see Koutek, B. 679(1994)307
Konecny, P., Brown, R.J. and Scouten, W.H.
Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45
König, W.A., see Ciucanu, I. 685(1994)166
König, W.A., see Hardt, I. 666(1994)611
Konopski, L. and Pawłowska, E.
2-Trichloromethylbenzimidazole as a selective chromogenic reagent for the detection of some azoles on thin-layer plates 669(1994)275
Konrad, K., see Chen, F.-T.A. 652(1993)355
Kontani, H., see Miyamoto, E. 653(1993)135
Koopal, L.K., see Tijssen, R. 656(1993)135
Koorn, J.P., see Wijnhoven, J.E.G.J. 699(1995)119
Kootstra, P.R. and Herbold, H.A.
Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203
Kootstra, P.R., see Hesselink, W. 697(1995)165
Kootstra, P.R., Straub, M.H.C., Stil, G.H., Van der Velde, E.G., Hesselink, W. and Land, C.C.J.
Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123
Kootstra, P.R., see Van der Velde, E.G. 683(1994)167
Kopaciewicz, W., Kellard, E. and Cox, G.B.
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9
Koplimets, E., see Orav, A. 659(1994)143
Koppenhoefer, B., Graf, R., Holzschuh, H., Nothdurft, A., Trettin, U., Piras, P. and Roussel, C.
CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557
Koppenhoefer, B., Mühleck, U. and Lohmiller, K.
Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215
Kopperschläger, G. and Birkenmeier, G.
Preface 668(1994)1
Kopperschläger, G., see Kirchberger, J. 668(1994)153
Kopycki, W., see Kudzin, Z.H. 655(1993)346
Korakas, D., Valkó, K., Wood, I., Gibbons, W.A. and Toth, I.
Structure–retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307
Körner, A. and Peter, A.
Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235
Koropchak, J.A., see Allen, L.B. 657(1993)192
Kosh, J.W., see Harris, S.E. 657(1993)395
Koshioka, M., see Pearce, D.W. 658(1994)91

Kotyński, A. and Kudzin, Z.H.
Application of trifluoroacetic anhydride–sodium iodide reagent for selective detection in thin-layer chromatography. IV. Thin-layer chromatographic differentiation of nitrones, nitroxide radicals and nitrosoamines in mixtures 663(1994)127
Kotz, L., see Boden, J. 696(1995)321
Kou, H.-S., see Liu, K.-R. 676(1994)455
Koulich, D.M., see Klyushnichenko, V.E. 661(1994)83
Koutek, B., Hoskovec, M., Vrkočová, P., Konečný, K. and Feltl, L.
Gas chromatographic determination of vapour pressures of pheromone-like compounds. II. Alcohols 679(1994)307
Kovács, B., see Prokisch, J. 683(1994)253
Kovalčíková, E., see Hutta, M. 689(1995)123
Kováts, E., see Défayes, G. 699(1995)131
Kováts, E., see Reddy, K.S. 673(1994)181
Koves, E.M.
Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103
Kowalczyk, J., see Sybilska, D. 659(1994)389
Kowalczyk, J., see Sybilska, D. 665(1994)67
Kozekov, I., see Palamareva, M. 670(1994)181
Kozlovsky-Vagenina, I.V., see Baru, M.B. 657(1993)199
Kozlowski, A., see Alred, P.A. 659(1994)289
Kraak, J.C., see Busch, M.H.A. 695(1995)287
Kraak, J.C., see Erim, F.B. 694(1995)471
Kraak, J.C., see Stegeman, G. 657(1993)283
Kraak, J.C., see Swart, R. 670(1994)25
Kraak, J.C., see Swart, R. 689(1995)177
Kraal, B., see Mesters, J.R. 679(1994)93
Králiková, D., see Brandšteterová, E. 665(1994)101
Kralovánszky, J., see Erdélyi-Tóth, V. 668(1994)419
Krametter, D., see Veigl, E. 694(1995)135
Krametter, D., see Veigl, E. 694(1995)151
Krasnopolsky, Yu.M., see Menzeleev, R.F. 678(1994)183
Krastins, L., see Quitasol, J. 671(1994)273
Krattiger, B., see Saz, J.M. 699(1995)315
Kraus, G., see Krupčík, J. 665(1994)111
Kraus, G., Thierfelder, J.M. and Soják, L.
Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197
Krause, E., see Rothemund, S. 661(1994)77
Krause, E., see Rothemund, S. 689(1995)219
Krause, H., see Winkler, F.J. 666(1994)549
Krauss, G.-J., see Friebe, S. 661(1994)7
Krauss, G.-J., see Wutte, A. 677(1994)186
Krauze-Baranowska, M. and Cisowski, W.
High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240
Kreishan, A.-L.Y., see Habboush, A.E. 664(1994)71
Krejčí, M., see Doležel, P. 675(1994)47
Krejčí, M., see Horká, M. 697(1995)45
Kreling, J.R., Cowan, J.S., Block, F. and DeZwaan, J.
Progress and problems in organic microanalysis by ion chromatography 671(1994)295
Kremer, D.M., see Nores, G.A. 686(1994)155
Kriška, M., see Brandšteterová, E. 665(1994)101
Kristensen, K., Angelo, H.R. and Blemmer, T.
Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283
Kristol, L., see Mizrotsky, N. 691(1995)21
Krivácsy, Z., see Gelencsér, A. 693(1995)217
Krivácsy, Z., see Gelencsér, A. 693(1995)227
Kříž, J., Adamcová, E., Knox, J.H. and Hora, J.
Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151
Kříž, J., see Janda, V. 669(1994)241
Krock, K.A. and Wilkins, C.L.
Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265
Krogh, M., Brekke, S., Tønnesen, F. and Rasmussen, K.E.
Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235
Krohn, R.I., see Hermanson, G.T. 691(1995)113
Kronberg, B., see Silveston, R. 659(1994)43
Krotov, V.V., see Nesterenko, P.N. 667(1994)19
Kroviarski, Y., see Cochet, S. 663(1994)175
Kruk, L.F.R., see Yang, S. 664(1994)1
Krull, I.S.
Handbook of derivatives for chromatography (by K. Blau and J.M. Halket) (Book Review) 659(1994)226
Krull, I.S., see Szulc, M.E. 659(1994)231
Krupčík, J., Benická, E., Májek, P., Skačáni, I. and Sandra, P.
Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β-cyclodextrin stationary phase 665(1994)175
Krupčík, J., see Hatrík, S. 665(1994)9
Krupčík, J., see Hrouzek, J. 665(1994)3
Krupčík, J., Špánik, I. and Sandra, P.
Separation of C_{11}–C_{14} branched-chain alcohols by high-resolution gas chromatography on a modified β-cyclodextrin stationary phase 665(1994)163
Krupčík, J., Valachovičová, M. and Kraus, G.
Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111
Kubaszek, M., see Bojarski, J. 668(1994)481
Kubben, R.G.R., see Duchateau, A.L.L. 664(1994)169
Kubinec, R., see Kuráň, P. 665(1994)133
Kubinec, R., Kuráň, P., Ostrovský, I. and Soják, L.
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363
Kubinec, R., see Soják, L. 665(1994)169
Kubinec, R., see Soják, L. 695(1995)57

Kubota, K. and Hayashi, S.
Preparative chromatographic separation with moving feed ports (Review) 658(1994)259
Kubow, S., see Kermasha, S. 685(1994)229
Kuczyński, J., see Gołkiewicz, W. 686(1994)85
Kudzin, Z.H., see Kotyński, A. 663(1994)127
Kudzin, Z.H., Sochacki, M. and Drabowicz, J.
Carboxylic anhydrides–orthoesters —novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299
Kudzin, Z.H., Sochacki, M. and Kopycki, W.
Orthoformates as reagents for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography–mass spectrometry 655(1993)346
Kuehl, D.W., Serrano, J. and Naumann, S.
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113
Kugel, C., Heintzelmann, B. and Wagner, J.
Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29
Kuhn, M., see Nickus, U. 671(1994)225
Kuhn, R., Steinmetz, C., Bereuter, T., Haas, P. and Erni, F..
Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367
Kuksis, A., see Marai, L. 672(1994)87
Kula, M.-R., see Dos Reis Coimbra, J. 668(1994)85
Kulicke, W.-M., see Roessner, D. 687(1994)249
Küllertz, G. and Fischer, G.
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329
Kumagai, H., Sakai, T., Matsumoto, K. and Hanaoka, Y.
Determination of anions at the ng/l level by means of switching valves to eliminate the water-dip interference 671(1994)15
Kumar, N. and Gow, J.G.
Residual solvent analysis by headspace gas chromatography 667(1994)235
Kumar, N., Windisch, V., Trivedi, P. and Golebiowski, C.
Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β-cyclodextrin stationary phase 678(1994)259
Kumar, U.T., Dorsey, J.G., Caruso, J.A. and Evans, E.H.
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261
Kumar, U.T., Vela, N.P., Dorsey, J.G. and Caruso, J.A.
Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340
Kumar, V.T., see Akins, D.L. 689(1995)269
Kumazawa, T., see Sato, K. 674(1994)127
Kunath, A., Theil, F. and Wagner, J.
Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162
Kuningas, K., see Orav, A. 659(1994)143
Kuningas, K., see Orav, A. 697(1995)495
Kuo, Y.-H., see Khan, J.K. 687(1994)113
Kuráň, P., see Kubinec, R. 653(1993)363
Kuráň, P., Kubinec, R., Ostrovský, I. and Soják, L.
Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133
Kurganov, A., Davankov, V., Isajeva, T., Unger, K. and Eisenbeiss, F.
Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97
Kurganov, A., Davankov, V., Unger, K., Eisenbeiss, F. and Kinkel, J.
Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99
Kurganov, A., see Hanson, M. 656(1993)369
Kurganov, A., Puchkova, Yu., Davankov, V. and Eisenbeiss, F.
Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163
Kuriki, T., see Nokihara, K. 676(1994)233
Kuronen, P., Hyvärinen, K., Hynninen, P.H. and Kilpeläinen, I.
High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93
Kurtin, W.E., see Harman, A.D. 652(1993)525
Kus, B., see Luksa, J. 661(1994)161
Küsters, E., Loux, V., Schmid, E. and Floersheim, Ph.
Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421
Kute, T., see Shihabi, Z.K. 680(1994)181
Kutsuna, H., see Kanda, T. 672(1994)51
Kuwabara, S., see Okamura, N. 679(1994)381
Kvalheim, G., see Schneede, J. 669(1994)185
Kvalheim, O.M., see Liang, Y.-z. 662(1994)113
Kvasnička, F., see Blatný, P. 670(1994)223
Kvasnička, F., see Blatný, P. 679(1994)345
Kwasowski, P., see Shahtaheri, S.J. 697(1995)131
Kwon, K.-H., Paeng, K.-J., Lee, D.K., Lee, I.C., Hong, U.S. and Cha, G.S.
Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

L

Lach, G., see Niedwetzki, G. 661(1994)175
Lackmann, M., see Nice, E. 660(1994)169
Lacorte, S., Barceló, D. and Tauler, R.
Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
Lacout, J.L., see Benmoussa, A. 694(1995)486
Lafont, R., Kaouadji, N., Morgan, E.D. and Wilson, I.D.
Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55
Lafont, R., Morgan, E.D. and Wilson, I.D.
Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31
Lagerström, P.-O., see Balmér, K. 660(1994)269
Lagoutte, D., Lombard, G., Nisseron, S., Papet, M.P. and Saint-Jalm, Y.
Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251
Lagu, A.L., see Strege, M.A. 652(1993)179
Lai, E.P.C., see Weatherell, C.J. 669(1994)31
Lai, F. and White, L.
Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11
Laksana, S., see Haddad, P.R. 671(1994)131
Lakshmi, V.V.S., see Husain, S. 685(1994)356
Lalaguna, F.
Purification of fresh cassava root polyphenols by solid-phase extraction with Amberlite XAD-8 resin 657(1993)445
Lalljie, S.P.D., Vindevogel, J. and Sandra, P.
Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563
Lamb, J.D., see Smith, R.G. 671(1994)89
Lamb, J.D., Smith, R.G., Anderson, R.C. and Mortensen, M.K.
Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55
Lambein, F., see Khan, J.K. 687(1994)113
Lambert, W.J.
Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469
Lambin, P., see Cochet, S. 663(1994)175
Lameloise, M.-L. and Lewandowski, R.
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45
Lameloise, M.-L. and Viard, V.
Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255
Lamm, B., see Pirkle, W.H. 659(1994)69
Lamparczyk, H., see Jankowski, A. 668(1994)469
Lamparczyk, H., see Sybilska, D. 665(1994)67
Lamparczyk, H., Zarzycki, P.K. and Nowakowska, J.
Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413
Lampreave, F., Alava, M.A. and Piñeiro, A.
Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107
Lamprecht, G. and Huber, J.F.K.
Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47
Lan, W.G., see Wan, H.B. 677(1994)255
Lanças, F.M., see Sargenti, S.R. 667(1994)213
Land, C.C.J., see Kootstra, P.R. 697(1995)123
Landers, J.P., see Oda, R.P. 680(1994)85
Landers, J.P., see Oda, R.P. 680(1994)341
Landers, J.P., Oda, R.P., Liebenow, J.A. and Spelsberg, T.C.
Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109
Landers, J.P., see Tomlinson, A.J. 652(1993)171
Landers, J.P., see Tomlinson, A.J. 652(1993)417
Landman, A., see Sun, P. 685(1994)303
Landman, A., Sun, P. and Hartwick, R.A.
Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259
Lang, V., see Cigánek, M. 668(1994)441
Langer, M., see Brückner, H. 666(1994)259
Langer, M., see Brückner, H. 697(1995)229
Langer, S.H., see Ludolph, B.S. 660(1994)3
Langer, S.H., see Thede, R. 683(1994)279
Lanjwani, S.N., see Khuhawar, M.Y. 689(1995)39
Lanjwani, S.N., see Khuhawar, M.Y. 695(1995)132
Larew, L.A., Olsen, B.A., Stafford, J.D. and Wilhelm, M.V.
Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183
Larrousse, M., see Capparella, M. 691(1995)141
Larsen, B., see Bøwadt, S. 675(1994)189
Larsen, B.R., see Bøwadt, S. 662(1994)424
Larsson, M., see Witte, D.T. 687(1994)155
Lasonder, E., Bloemhoff, W. and Welling, G.W.
Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91
Lattes, A., see Madelaine-Dupuich, C. 653(1993)178
Lau, B.P.-Y., see Lawrence, J.F. 659(1994)119

Lau, O.-W. and Mok, C.-S.
High-performance liquid chromatographic determination of active ingredients in cough–cold syrups with indirect conductometric detection 693(1995)45
Läufer, K., Lehmann, J., Petry, S., Scheuring, M. and Schmidt-Schuchardt, M.
Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370
Laugel, C., Chaminade, P., Baillet, A. and Ferrier, D.
Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344
Laughton, W.R., see Cardwell, T.J. 678(1994)364
Laus, G. and Keplinger, D.
Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
Lausch, R., Scheper, T., Reif, O.-W., Schlösser, J., Fleischer, J. and Freitag, R.
Rapid capillary gel electrophoresis of proteins 654(1993)190
Lautala, P., see Salomies, H. 697(1995)597
Lauwers, M., see Boonkerd, S. 695(1995)97
Law, B. and Weir, S.
Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17
Law, S.-L. and Jang, T.-F.
High-performance liquid chromatographic determination of mitoxantrone in liposome preparations using solid-phase extraction and its application in stability studies 670(1994)234
Lawrence, J., see Morré, D.J. 668(1994)201
Lawrence, J.F., Cleroux, C. and Truelove, J.F.
Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173
Lawrence, J.F., Lau, B.P.-Y., Cleroux, C. and Lewis, D.
Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119
Laycock, M.V., see Buzy, A. 688(1994)301
Lázaro, M., see Moliner, R. 655(1993)155
Le, K., see Armstrong, D.W. 688(1994)201
Leader, R.U., see Harrison, I. 688(1994)181
Leathard, D.A., see Allen, D.W. 679(1994)285
Le Bars, D., see Roturier, J.M. 696(1995)209
Leblanc, Y., Gilbert, R., Jalbert, J., Duval, M. and Hubert, J.
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111
Le Bris, A., see Fabre, H. 697(1995)81
Lebrón-Aguilar, R., Quintanilla-López, J.E., Tello, A.M., Fernández-Torres, A. and García-Domínguez, J.A.
New equation for specific retention volumes in capillary column gas chromatography 697(1995)441
Lederer, M., see Huynh, T.K.X. 695(1995)155
Lederer, M., see Huynh, T.K.X. 695(1995)160
Lederer, M., see Xuan, H.T.K. 659(1994)191
LeDoux, J.H., see Hoyer, G.L. 699(1995)383
Ledo de Medina, H., Colina de Vargas, M., Marin, J. and Pirela, D.
Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287
Lee, B., see Greenberg, J.P. 676(1994)389
Lee, B.L., Ong, H.Y., Koh, D. and Ong, C.N.
High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263
Lee, C., see Srivatsa, G.S. 680(1994)469
Lee, C.-S., see Ting, K.-C. 690(1995)119
Lee, C.S., see Wu, C.-T. 652(1993)277
Lee, D.K., see Kwon, K.-H. 688(1994)350
Lee, H.-B. and Peart, T.E.
Optimization of supercritical carbon dioxide extraction for polychlorinated biphenyls and chlorinated benzenes from sediments 663(1994)87
Lee, H.-B., Peart, T.E., Hong-You, R.L. and Gere, D.R.
Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83
Lee, H.G. and Desiderio, D.M.
Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271
Lee, H.G. and Desiderio, D.M.
Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309
Lee, H.G. and Jarrett, H.W.
Chromatographic stability of glucose-silica 653(1993)130
Lee, H.K., see Chi, H. 680(1994)593
Lee, H.K., see Ng, C.L. 652(1993)547
Lee, H.K., see Ng, C.L. 659(1994)427
Lee, H.K., see Ng, C.L. 680(1994)579
Lee, H.K., see Ong, C.P. 686(1994)319
Lee, H.K., see Ong, C.P. 692(1995)207
Lee, I.C., see Kwon, K.-H. 688(1994)350
Lee, K.C., see Song, C.E. 654(1993)303
Lee, M., see Shao, X. 680(1994)463
Lee, M.H., see Ro, K.W. 688(1994)375
Lee, M.L., see Petersson, P. 684(1994)297
Lee, M.L., see Yi, G. 673(1994)219
Lee, M.S., see Liu, J. 680(1994)395
Lee, N.M., see Chen, G.J. 699(1995)343
Lee, S.C., see Armstrong, D.W. 688(1994)201
Lee, S.G., see Song, C.E. 654(1993)303
Lee, S.-H., see Woo, K.-L. 667(1994)105
Lee, S.-S.
Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322
Lee, W., see Kim, Y. 689(1995)170
Lee, W.-Y. and Nieman, T.A.
Determination of dansyl amino acids using tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

Lee, Y.-C., Huang, C.-Y., Wen, K.-C. and Suen, T.-T.
Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography 660(1994)299
Lee, Y.-C., Huang, C.-Y., Wen, K.-C. and Suen, T.-T.
Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wuu-Ji-San by high-performance liquid chromatography 692(1995)137
Lee, Y.-H., see Lin, T.-I. 654(1993)167
Lee, Y.-H. and Lin, T.-I.
Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227
Lee, Y.-H. and Lin, T.-I.
Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287
Leepipatpiboon, V.
Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
Lefebvre, R.A., see Rosseel, M.T. 668(1994)475
LeFevre, J.W.
Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β-cyclodextrin as a mobile phase additive 653(1993)293
Legaz, M.E. and Pedrosa, M.M.
Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21
Legaz, M.E., see Pedrosa, M.M. 697(1995)571
Legaz, M.E., Pedrosa, M.M., De Armas, R., Martinez, M.M. and Vicente, C.
Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329
Lehmann, J., see Läufer, K. 684(1994)370
Lehotay, J., see Hatrík, S. 665(1994)9
Lehrer, R., see Hofman, Y.L. 692(1995)233
Leipzig-Pagani, E., see Huynh, T.K.X. 695(1995)155
Leipzig-Pagani, E., see Huynh, T.K.X. 695(1995)160
Leis, H.-J., see Gleispach, H. 665(1994)155
Lemoine, Y., see Schoefs, B. 692(1995)239
Lemr, K., Zanette, M. and Marcomini, A.
Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219
Lensmeyer, G.L., Onsager, C., Carlson, I.H. and Wiebe, D.A.
Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239
Leo, A.J., see Abraham, M.H. 685(1994)203
Leonard, B.P., see Cai, S.-J. 696(1995)49
Leoncini, F., see Gelfi, C. 689(1995)97
Leonhardt, B.A., see DeMilo, A.B. 673(1994)295
Lepoutre, J.-P., see Chassagne, D. 694(1995)441
Le Quéré, J.-L., see Lübke, M. 690(1995)41
Lercker, G., see Bortolomeazzi, R. 683(1994)75
Lercker, G., see Caboni, M.F. 683(1994)59
Lertsiri, S., see Miyazawa, T. 667(1994)99
Le Sech, J., Ducruet, V. and Feigenbaum, A.
Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340
Lesellier, E., see Tchapla, A. 656(1993)81
Leško, J., see Musil, S. 664(1994)253
Leskovšek, H., see Šepič, E. 697(1995)515
Le Vent, S., see Al-Bajjari, T.I. 683(1994)367
Le Vent, S., see Al-Bajjari, T.I. 683(1994)377
Lévesque, A., see Paquet, A. 667(1994)125
Levetsovitou, Z., see Buiarelli, F. 695(1995)229
Levi, S., see Ball, H.L. 686(1994)73
Levi, V., see Zhu, M. 652(1993)119
Levin, E.I., see Bello, M.S. 652(1993)329
Levin, S., see Abu-Lafi, S. 664(1994)159
Levin, S., see Abu-Lafi, S. 679(1994)47
Levin, S., Abu-Lafi, S., Golshan-Shirazi, S. and Guiochon, G.
Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213
Levin, S., Abu-Lafi, S., Zahalka, J. and Mechoulam, R.
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53
Levison, P.R., Badger, S.E., Toome, D.W., Streater, M. and Cox, J.A.
Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419
Levitt, M.D., Ellis, C., Springfield, J. and Engel, R.R.
Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324
Levsen, K., see Eisert, R. 683(1994)175
Levsen, K., see Volmer, D. 660(1994)231
Lew, C., see Chen, F.-T.A. 652(1993)355
Lewandowski, R., see Lameloise, M.-L. 685(1994)45
Lewin, E.E., see Sundaram, K.M.S. 687(1994)323
Lewis, D., see Lawrence, J.F. 659(1994)119
Lewis, I.A.S., see Tomlinson, A.J. 652(1993)171
Lewis, S.W., Worsfold, P.J. and McKerrell, E.H.
Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91
Li, G., see Song, L. 699(1995)371
Li, H. and Westerholm, R.
Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177
Li, J., see Carr, P.W. 656(1993)113
Li, J. and Carr, P.W.
Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367

Li, J. and Carr, P.W.
Extra-thermodynamic relationships in chromatography. Enthalpy–entropy compensation in gas chromatography 670(1994)105
Li, L., see Guan, Y. 655(1993)243
Li, L., Wu, C.-Y., Cai, L.-S. and Zeng, Z.-R.
Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354
Li, M., see Du, Q. 687(1994)174
Li, S., see Inoue, H. 679(1994)99
Li, S. and Lloyd, D.K.
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321
Li, S., see Lloyd, D.K. 694(1995)285
Li, S.F.Y., see Chi, H. 680(1994)593
Li, S.F.Y., see Ng, C.L. 652(1993)547
Li, S.F.Y., see Ng, C.L. 659(1994)427
Li, S.F.Y., see Ng, C.L. 680(1994)579
Li, S.F.Y., see Ong, C.P. 686(1994)319
Li, S.F.Y., see Ong, C.P. 692(1995)207
Li, S.F.Y., see Yao, Y.J. 663(1994)97
Li, S.F.Y., see Yao, Y.J. 680(1994)431
Li, S.-H., see Chu, C.-C. 694(1995)492
Li, T., see Liu, A. 699(1995)39
Li, W., see Yi, G. 673(1994)219
Li, X.-d. and Lin, Z.-s.
Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219
Li, Y.-L. and Pinto, N.G.
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445
Liang, W., see Liao, J. 669(1994)225
Liang, Y.-z., Hämäläinen, M.D., Kvalheim, O.M. and Andersson, R.
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113
Liao, J., Liang, W. and Tu, G.
Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225
Liao, J.-L., see Hjertén, S. 676(1994)409
Liao, J.-L. and Zhang, R.
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143
Liao, J.-L., Zhang, R. and Hjertén, S.
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421
Liapis, A.I. and McCoy, M.A.
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85
Liapis, A.I., see Tongta, A. 686(1994)21
Liebenow, J.A., see Landers, J.P. 652(1993)109
Liebich, H.M., see Wahl, H.G. 697(1995)453
Lightfoot, E.N., see Roper, D.K. 654(1993)1
Lightly, E.R.T., see Cheng, J. 677(1994)169
Liliemark, J., see Reichelová, V. 667(1994)37
Lilley, T.H., see Guan, Y. 668(1994)31
Lim, P.Y., see Wan, H.B. 662(1994)147
Lima III, L.R. and Synovec, R.E.
Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195
Lin, B.L., Colón, L.A. and Zare, R.N.
Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263
Lin, C., see Zhang, X. 684(1994)354
Lin, C.-E. and Lin, C.-H.
Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303
Lin, C.-H., see Lin, C.-E. 676(1994)303
Lin, E.L., see Reddy, T.V. 655(1993)331
Lin, J.-T., McKeon, T.A. and Stafford, A.E.
Gradient reversed-phase high-performance liquid chromatography of saturated, unsaturated and oxygenated free fatty acids and their methyl esters 699(1995)85
Lin, J.-Y. and Yang, M.-H.
N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π–π interaction site on the chiral stationary phase 684(1994)13
Lin, S.H.C., see Wong, T.M. 680(1994)413
Lin, T.-I., see Lee, Y.-H. 675(1994)227
Lin, T.-I., see Lee, Y.-H. 680(1994)287
Lin, T.-I., Lee, Y.-H. and Chen, Y.-C.
Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167
Lin, X., see Redden, P.R. 694(1995)381
Lin, Y.-S., see Hsu, M.-C. 692(1995)67
Lin, Z.-s., see Li, X.-d. 667(1994)219
Linares, F., see Medina, I. 659(1994)472
Lind, P., see Skarping, G. 663(1994)199
Lindahl, J., see Guttman, A. 676(1994)227
Lindberg, A., see Kasche, V. 660(1994)137
Lindeberg, G., see Hansen, P. 662(1994)235
Lindeberg, G., see Hansen, P. 690(1995)155
Lindegård, B., see Jönsson, J.A. 665(1994)259
Lindell, J., see Nilsson, K. 680(1994)57
Lindner, W.
Preface 666(1994)1
Lindner, W., Böhs, B. and Seidel, V.
Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549
Lindner, W., see Egginger, G. 666(1994)275
Lindner, W., see Uray, G. 666(1994)41

Lindner, W., see Veigl, E. 660(1994)255
Lindner, W., see Veigl, E. 694(1995)135
Lindner, W., see Veigl, E. 694(1995)151
Ling, D.-K., see Zhang, C.-X. 655(1993)309
Ling, J.R., see Nagasawa, T. 653(1993)336
Ling, V.T., see Olson, C.V. 675(1994)101
Ling, Y.-C., Chang, M.-Y. and Huang, I.-P.
Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
Ling, Y.-C. and Huang, I.-P.
Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75
Lingeman, H.
Practical HPLC Methodology and Applications (by B.A. Bidlingmeyer) (Book Review) 663(1994)132
Lingeman, H.
Analytical Applications of Immobilized Enzyme Reactors (edited by S. Lam and G. Malikin) (Book Review) 699(1995)413
Lingeman, H., see Brouwer, E.R. 669(1994)45
Lingeman, H., see Zegers, B.N. 677(1994)141
Lipkowitz, K.B.
Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493
Lipkowitz, K.B.
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15
Lipman, P.J.L., see Verweij, A.M.A. 653(1993)359
Lippincott, R.L., see Kambhampati, I. 688(1994)67
Lipsky, J.J., see Benson, L.M. 693(1995)162
Liska, I.
On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163
Little, B.H., see Speers, S.J. 674(1994)263
Litvina, M.L., see Voloschik, I.N. 671(1994)51
Litvina, M.L., see Voloschik, I.N. 671(1994)205
Litvina, M.L., see Voloschik, I.N. 671(1994)249
Litvina, M.L., Voloschik, I.N. and Rudenko, B.A.
Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29
Liu, A., Xu, L., Li, T., Dong, S. and Wang, E.
Electrocatalytic oxidation and ion chromatographic detection of Br^-, I^-, SO_3^{2-}, $S_2O_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39
Liu, B., Lockwood, G.B. and Gifford, L.A.
Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250
Liu, C.Y., see Chen, G.J. 699(1995)343
Liu, G., see Penn, S.G. 680(1994)147
Liu, H., see Ruan, Z. 693(1995)79
Liu, H.J.
Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59
Liu, H.-Y., see Zheng, M. 670(1994)77
Liu, J., Volk, K.J., Lee, M.S., Kerns, E.H. and Rosenberg, I.E.
Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395
Liu, K.-R., Chen, S.-H., Wu, S.-M., Kou, H.-S. and Wu, H.-L.
High-performance liquid chromatographic determination of betamethasone and dexamethasone 676(1994)455
Liu, L., see Jing, G. 689(1994)31
Liu, L., see Zhang, X. 684(1994)354
Liu, X. and Yun, Z.
High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348
Liu, X.-C. and Scouten, W.H.
New ligands for boronate affinity chromatography 687(1994)61
Liu, Y., Fu, R. and Gu, J.
Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498
Liu, Y., Yun, K.S. and Parcher, J.F.
Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392
Liu, Y.-M. and Sheu, S.-J.
Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239
Liu, Y.-M., see Toyo'oka, T. 675(1994)79
Liu, Y.-M., see Toyo'oka, T. 689(1995)23
Liu, Y.-M., see Toyo'oka, T. 695(1995)11
Liu, Z., see Jing, G. 689(1994)31
Liu, Z., Sam, P., Sirimanne, S.R., McClure, P.C., Grainger, J. and Patterson, Jr., D.G.
Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125
Lliberia, J.Ll., see Comellas, L. 655(1993)57
Lloyd, D.K., see Li, S. 666(1994)321
Lloyd, D.K., Li, S. and Ryan, P.
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
Loch, J., see Prokisch, J. 683(1994)253
Lochman, L., see Fréchet, J.M.J. 667(1994)284
Lochmüller, C.H., Reese, C., Aschman, A.J. and Breiner, S.J.
Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

Lockwood, G.B., see Liu, B. 690(1995)250
Logan, C.J., see Bedford, C.T. 695(1995)123
Logawa, E., see De Zeeuw, R.A. 664(1994)263
Loh, K.C., see Yao, Z.J. 679(1994)190
Lohmiller, K., see Koppenhoefer, B. 699(1995)215
Lohse, K., see Wu, D.-R. 658(1994)381
Lokšíková, K., see Šimuničová, E. 665(1994)203
Lombard, G., see Lagoutte, D. 684(1994)251
Lompret, V., see Moussa, F. 664(1994)189
Long, T.E., see Schunk, T.C. 692(1995)221
Lonkar, S.T., see Patil, S.F. 684(1994)133
Lonkar, S.T., see Patil, S.F. 688(1994)189
Lopes Guimaraes, L.F., see Bertucci, C. 666(1994)535
López, F., see Rosell, M.G. 655(1993)151
López, F.J., see Sancho, J.V. 678(1994)59
López, J., see Vilaplana, J. 679(1994)133
Lopez-Avila, V., Young, R., Tehrani, J., Damian, J., Hawthorne, S., Dankers, J. and Van der Heiden, C.
Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167
López de Blas, E., see Fernández-Sánchez, E. 655(1993)11
López-Pérez, M.J.
Aqueous Two-Phase Systems (Methods in Enzymology, Vol. 228) (edited by H. Walter and G. Johannson) (Book Review) 689(1995)312
López-Pérez, M.J., see Ollero, M. 668(1994)173
López Sabater, M.C., see Rodríguez-Palmero, M. 672(1994)267
López-Sánchez, J.F., see Rigol, A. 664(1994)301
Lora-Tamayo, C., Tena, T. and Rodriguez, A.
Cocaine-related deaths 674(1994)217
Loran, J.S., see Penn, S.G. 680(1994)147
Lorbeer, E., see Bereuter, T.L. 697(1995)469
Lorbeer, E., see Plank, C. 683(1994)95
Lorbeer, E., see Plank, C. 697(1995)461
Lord, G.A., Gordon, D.B., Tetler, L.W. and Carr, C.M.
Electrochromatography–electrospray mass spectrometry of textile dyes 700(1995)27
Lorenzo-Ferreira, R.A., see Carro-Díaz, A.M. 683(1994)245
Lores, M., García, C.M. and Cela, R.
High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31
Loukas, Y.L., Antoniadou-Vyza, E. and Papadaki-Valiraki, A.
High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53
Loureiro, J.M., see Rodrigues, A.E. 653(1993)189
Louter, A.J.H., see Rinkema, F.D. 678(1994)289
Loux, V., see Küsters, E. 666(1994)421
Lovati, M.R., see Gianazza, E. 698(1995)351
Lowe, C.R., see Alderton, W.K. 677(1994)289
Lowe, C.R., see McCreath, G.E. 659(1994)275
Lowery, N.B., see Aue, W.A. 688(1994)153
Lowery, N.B., see Aue, W.A. 699(1995)195
Lu, B., Stefansson, M. and Westerlund, D.
Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317
Lu, C.-S. and Huang, S.-D.
Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201
Lu, H., Arriaga, E., Chen, D.Y. and Dovichi, N.J.
High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497
Lu, H., Arriaga, E., Chen, D.Y., Figeys, D. and Dovichi, N.J.
Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503
Lu, M., Albertsson, P.-A., Johansson, G. and Tjerneld, F.
Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215
Lu, T. and Gray, H.B.
Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339
Lu, X.-L. and Yang, S.K.
Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249
Lu, X.-R., see Zhou, X.-C. 662(1994)203
Lu, Z.P., see Rodrigues, A.E. 653(1993)189
Lubda, D., see Cabrera, K. 666(1994)433
Lübke, M., le Quéré, J.-L. and Barron, D.
Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41
Lucangioli, S.E., see Fernández Otero, G.C. 654(1993)87
Lucarelli, C., see Draisci, R. 697(1995)407
Lucentini, L., see Draisci, R. 697(1995)407
Luckas, B., see Kirschbaum, J. 661(1994)193
Luckas, B., see Vetter, W. 699(1995)173
Lucy, C.A. and Ye, L.
Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121
Lüdemann, G., see Hartkopf, J. 672(1994)242
Ludolph, B.S., Jeng, C.-Y., Chu, A.H.T. and Langer, S.H.
Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3
Lui, M., see Elicone, C. 676(1994)121
Luijk, R., see Spieksma, W. 672(1994)141
Lukkari, P., Nyman, T. and Riekkola, M.-L.
Determination of nine β-blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

Lukkari, P., Vuorela, H. and Riekkola, M.-L.
Effect of buffer solution pH on the elution and separation of β-blockers by micellar electrokinetic capillary chromatography 652(1993)451
Lukkari, P., Vuorela, H. and Riekkola, M.-L.
Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317
Luksa, J., Menart, V., Milicic, S., Kus, B., Gaberc-Porekar, V. and Josic, D.
Purification of human tumour necrosis factor by membrane chromatography 661(1994)161
Lukulay, P.H. and McGuffin, V.L.
Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171
Lunec, J., see Evans, M.D. 700(1995)151
Lunte, C.E., see Chen, A. 691(1995)29
Lunte, S.M., see Deacon, M. 652(1993)377
Lunte, S.M., see Malone, M.A. 700(1995)73
Lunte, S.M., see Weber, P.L. 680(1994)225
Lunte, S.M., see Zhou, J. 680(1994)271
Lupi, A., see Castagnola, M. 694(1995)463
Lüpke, M., see Brückner, H. 697(1995)229
Lüpke, M., see Brückner, H. 697(1995)295
Luque, J., see Pinilla, M. 668(1994)165
Luthman, K., Jensen, A.V., Hacksell, U., Karlsson, A. and Pettersson, C.
Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527
Luyben, K.Ch.A.M., see Janák, J. 677(1994)192
Luyben, K.Ch.A.M., see Valkó, I.E. 678(1994)139
Lyddiatt, A., see Huddleston, J.G. 668(1994)3
Lydon, J., see Moore, J.M. 659(1994)163

M

Ma, K., see Giometti, C.S. 698(1995)341
Ma, Y., see Ito, Y. 672(1994)101
Ma, Y. and Ito, Y.
Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233
Ma, Y., Ito, Y., Sokolosky, E. and Fales, H.M.
Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259
Ma, Y., Meyer, K.G., Afzal, D. and Agena, E.A.
Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535
Ma, Y., see Shi, H. 680(1994)653
Ma, Y.-P., Deng, F.-Q., Chen, D.-Z. and Sun, S.-W.
Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259
Mabry, T.J., see Oh, C.-H. 669(1994)112
Macaulay, R., see Dasgupta, A. 695(1995)136
Maccarrone, G., see Fisichella, S. 693(1995)33
MacEachern, G.J., see Mattina, M.J.I. 679(1994)269
Macek, K.
Thin-Layer Chromatography —Techniques and Applications (by B. Fried and J. Sherma) (Book Review) 699(1995)409
Machado, A.A.S.C., see Vasconcelos, M.T.S.D. 685(1994)53
Machida, A., see Satow, T. 652(1993)23
Macka, M., Mettler, H.-P., Bokel, M. and Röder, W.
Analysis of silanised polyglycerols by supercritical fluid chromatography 675(1994)267
Macken, E., see Van Schepdael, A. 657(1993)208
Madaj, J., Wiśniewski, A., Skorupowa, E. and Sokołowski, J.
Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds 655(1993)267
Madajová, V., see Hutta, M. 689(1995)123
Madajová, V., see Kaniansky, D. 677(1994)179
Madamba-Tan, L.S., Strasters, J.K. and Khaledi, M.G.
Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321
Madamba-Tan, L.S., Strasters, J.K. and Khaledi, M.G.
Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335
Madden, B.J., see Morbeck, D.E. 680(1994)217
Madden, B.J., see Oda, R.P. 680(1994)85
Madden, B.J., see Oda, R.P. 680(1994)341
Madelaine-Dupuich, C., Azema, J., Escoula, B., Rico, I. and Lattes, A.
Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178
Maeda, K., see Mizukami, F. 697(1995)279
Maeda, M., see Arakawa, H. 664(1994)89
Maeda, M., see Arakawa, H. 680(1994)517
Mäeorg, U., Paama, L. and Kokk, H.
Gas chromatographic determination of organobromine micropollutants in air and water 659(1994)213
Maes, B., see Ghoos, Y. 665(1994)333
Maghuin-Rogister, G., see Van Vyncht, G. 683(1994)67
Magnusson, J., see Jageland, P. 658(1994)497
Mahalakshmi, P., see Dass, C. 678(1994)249
Maher, K.M., Taylor, D.R. and Ritchie, H.J.
Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247
Mai, X., see Giometti, C.S. 698(1995)341
Maier, B., see Trathnigg, B. 657(1993)365
Maier, B., see Trathnigg, B. 665(1994)47
Maier, C., see Weinmann, W. 664(1994)271

Maier, N.M., see Uray, G. 666(1994)41
Maikner, J.J., see Firouztale', E. 658(1994)361
Maillard, C., see Calmes, M. 663(1994)119
Mainka, A., see Bächmann, K. 688(1994)283
Májek, P., see Krupčík, J. 665(1994)175
Mák, M., see Bősze, S. 668(1994)345
Mäkelä, M. and Pyy, L.
Effect of temperature on retention time reproducibility and on the use of programmable fluorescence detection of fifteen polycyclic aromatic hydrocarbons 699(1995)49
Mäki, E., see Torniainen, K. 697(1995)397
Makino, K., see Nakamura, K. 694(1995)111
Makita, M., see Kataoka, H. 659(1994)481
Makita, M., see Kataoka, H. 695(1995)142
Makriyannis, A., see Yin, D. 678(1994)176
Malak, N., see Bartle, K.D. 697(1995)579
Malik, A., see Petersson, P. 684(1994)297
Malik, A., see Shao, X. 680(1994)463
Malik, A., see Yi, G. 673(1994)219
Malik, S., see Dasgupta, A. 685(1994)279
Malmquist, G.
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
Malmquist, G. and Danielsson, R.
Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71
Malmquist, J., see Petersson, P. 670(1994)239
Malone, M.A., Zuo, H., Lunte, S.M. and Smyth, M.R.
Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73
Maltsev, K.V., see Klyushnichenko, V.E. 661(1994)83
Malyukova, I.V., see Berezkin, V.G. 699(1995)155
Mamantov, G., see Harwood, J.J. 654(1993)315
Mandelbaum, A., see Denekamp, C. 685(1994)253
Mandl, A., see Veigl, E. 694(1995)135
Mandl, A., see Veigl, E. 694(1995)151
Mañes, J., see Escrivá, C. 676(1994)375
Mañes, J., see Picó, Y. 693(1994)339
Mañes, J., see Viana, E. 655(1993)285
Mañes, J., see Viana, E. 678(1994)109
Manes, J.D., see Fujinari, E.M. 676(1994)113
Manfait, M., see Tarantilis, P.A. 664(1994)55
Manfredi, K.P., see Hallock, Y.F. 688(1994)83
Mank, A.J.G., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C.
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165
Mank, A.J.G., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C.
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175
Mannhold, R., see Dross, K. 673(1994)113
Manni, G. and Caron, F.
Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237
Mano, N., Oda, Y., Asakawa, N., Yoshida, Y., Sato, T. and Miwa, T.
Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
Manoussaridou, E., see Psathaki, M. 667(1994)241
Mant, C.T., see Hodges, R.S. 676(1994)3
Mant, C.T., see Sereda, T.J. 676(1994)139
Mant, C.T., see Sereda, T.J. 695(1995)205
Manzin, V., see Bicchi, C. 666(1994)137
Manzoni, C., see Gianazza, E. 698(1995)351
Mao, F.-w., see Greenspan, P. 698(1995)333
Mao, J., Pacheco, C.R., Traficante, D.D. and Rosen, W.
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103
Mao, Q.-M., Prince, I.G. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273
Marai, L., Kuksis, A. and Myher, J.J.
Reversed-phase liquid chromatography–mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87
Marák, J., see Hutta, M. 689(1995)123
Marák, J., see Kaniansky, D. 677(1994)179
Marc, A., see Gaillard, I. 679(1994)261
Marcé, R.M., see Crespo, C. 670(1994)135
Marcé, R.M., see Pocurull, E. 696(1995)31
Marcé, R.M., Prosen, H., Crespo, C., Calull, M., Borrull, F. and Brinkman, U.A.Th.
On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63
Marchante, J.M., see Sanz-Medel, A. 683(1994)233
Marchelli, R., see Dossena, A. 653(1993)229
Marchelli, R., see Galaverna, G. 657(1993)43
Marchelli, R., see Galli, B. 666(1994)77
Marchylo, B.A., see Chloupek, R.C. 686(1994)45
Marcomini, A., see Lemr, K. 686(1994)219
Mardi, A., see Fronek, R. 658(1994)483
Marigo, M., see Tagliaro, F. 674(1994)207
Marin, J., see Ledo de Medina, H. 671(1994)287
Marina, M.L., see García, M.A. 675(1994)1
Marina, M.L., see García, M.A. 687(1994)233
Marina, M.L., see San Andrés, M.P. 685(1994)271
Marina, M.L., see Saz, J.M. 687(1994)1
Marinello, E., see Terzuoli, L. 684(1994)350
Marino, M.A., Turni, L.A., Del Rio, S.A. and Williams, P.E.
Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

Marino, M.A., see Williams, P.E. 680(1994)525
Maris, F.A., see Vervoort, R.J.M. 678(1994)1
Markides, K.E., see Almquist, S.R. 679(1994)139
Markides, K.E., see Petersson, P. 666(1994)381
Markides, K.E., see Petersson, P. 670(1994)239
Markides, K.E., see Petersson, P. 684(1994)297
Markoglou, N., see Aubry, A.-F. 685(1994)1
Marko-Varga, G., Buttlera, T., Gortona, L., Olsson, L., Durand, G. and Barceló, D.
Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317
Marko-Varga, G., Johansson, K. and Gorton, L.
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153
Marko-Varga, G., see Ortega, F. 675(1994)65
Markowski, W., see Gołkiewicz, W. 686(1994)85
Marnitz, U., see Weber, W. 679(1994)181
Márquez-Ruiz, G., Pérez-Camino, M.C. and Dobarganes, M.C.
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363
Marshall, T. and Williams, K.M.
Analysis of snake venoms by sodium dodecyl sulfate–polyacrylamide gel electrophoresis and two-dimensional electrophoresis 662(1994)167
Marston, A. and Hostettmann, K.
Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315
Martens, M.H.J., see Scheepers, P.T.J. 677(1994)107
Martial, A., see Gaillard, I. 679(1994)261
Martín Alvarez, P.J., see García Romero, E. 655(1993)111
Martin, C.L., see Cleveland, J.A. 679(1994)167
Martín, F., see del Río, J.C. 657(1993)119
Martin, M., see Belgaied, J.E. 678(1994)85
Martín, M.T., see Atienza, J. 655(1993)95
Martin, P., see Albert, K. 665(1994)253
Martin, W.J., see Cheng, J. 677(1994)169
Martinez, B., Orte, J.C., Miró, M., Crovetto, G. and Thomas, J.
Thin-layer chromatography of N,N-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45
Martinez, E., see Chiron, S. 665(1994)283
Martinez, J.A., see Sosa, M.E. 662(1994)251
Martinez, J.R., see Blanco Tirado, C. 697(1995)501
Martínez, M. and Aguilar, M.
Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443
Martínez, M., see Baraj, B. 695(1995)103
Martinez, M.M., see Legaz, M.E. 697(1995)329
Martínez-Castro, I., see Esteban, J.L. 657(1993)155
Martínez-Castro, I., see Sanz, J. 657(1993)103
Martinez De Aparicio, E., see Rosas Romero, A.J. 667(1994)361
Martire, D.E., see Carr, P.W. 656(1993)1
Martorell, C., Calpena, A.C., Escribano, E., Poblet, J.M. and Freixas, J.
Influence of the chromatographic capacity factor (log k') as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177
Marucco, M.G., see Rocklin, R.D. 671(1994)109
Maruyama, T., see Shirao, M. 680(1994)247
Masár, M., see Kaniansky, D. 677(1994)179
Masatani, M., see Kaneko, S. 669(1994)1
Mascagni, P., see Ball, H.L. 686(1994)73
Mason, G., see Meacham, R.I. 659(1994)205
Massart, D.L., see Hamoir, T. 673(1994)1
Massart, D.L., see Hubert, Ph. 665(1994)87
Massart, D.L., see Yang, Q. 673(1994)275
Massart, D.L., see Yang, Q. 688(1994)339
Masselter, S.M. and Zemann, A.J.
Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359
Mathiasson, L., see Jönsson, J.A. 665(1994)259
Mathre, D.J., see Bell, C. 675(1994)248
Mathur, A.K.
Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284
Mathur, N.K., see Mathur, V. 685(1994)360
Mathur, R., see Mathur, V. 685(1994)360
Mathur, V., Kanoongo, N., Mathur, R., Narang, C.K. and Mathur, N.K.
Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360
Matisová, E., see Oriňák, A. 660(1994)67
Matisová, E., see Škrabáková, S. 665(1994)27
Matisova, E., see Sokol, J. 669(1994)75
Matlin, S.A., see Grieb, S.J. 697(1995)271
Matsubara, N. and Terabe, S.
Separation of 24 dansylamino acids by capillary electrophoresis with a non-ionic surfactant 680(1994)311
Matsubara, Y., see Arakawa, H. 680(1994)517
Matsui, E., see Hoshino, M. 664(1994)104
Matsui, H., see Fujimoto, C. 680(1994)33
Matsui, K., Oda, Y., Ohe, H., Tanaka, S. and Asakawa, N.
Direct determination of E2020 enantiomers in plasma by liquid chromatography–mass spectrometry and column-switching techniques 694(1995)209
Matsumoto, K., Ichitani, Y., Ogasawara, N., Yuki, H. and Imai, K.
Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241
Matsumoto, K., see Kumagai, H. 671(1994)15
Matsunaga, A., see Yamamoto, A. 667(1994)85
Matsushita, M., see Wada, H. 657(1993)87
Matsushita, S., see Tanaka, K. 671(1994)239
Matsuzaka, Y., see Oi, S. 659(1994)75

Mattiasson, B., see Galaev, I.Yu. 662(1994)27
Mattiasson, B., see Galaev, I.Yu. 684(1994)37
Mattiasson, B., see Galaev, I.Yu. 684(1994)45
Mattiasson, B., see Guoqiang, D. 668(1994)145
Mattina, M.J.I. and MacEachern, G.J.
Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269
Mattson, G.R., see Hermanson, G.T. 691(1995)113
Mattusch, J. and Dittrich, K.
Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279
Mattusch, J., see Schlegel, D. 683(1994)261
Matulík, F., see Caslavska, J. 680(1994)549
Matusch, R., see Sauer, B. 672(1994)247
Matushita, H., see Yamashita, T. 657(1993)405
Matuszewski, B., see Woolf, E. 692(1995)45
Matuszewski, B., see Woolf, E.J. 660(1994)307
Matyska, M.T., see Pesek, J.J. 687(1994)33
Maubois, J.-L., see Awadé, A.C. 677(1994)279
Maulik, N., see Cordis, G.A. 661(1994)181
Mauri, P., see Pietta, P. 661(1994)121
Mauri, P.L., see Pace, M. 691(1995)331
Mauri, P.L., see Pietta, P.G. 680(1994)175
Mauro, M., see Di Muccio, A. 697(1995)145
Mayer, M.L., Poole, C.F. and Henry, M.P.
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267
Mayer, M.L., Poole, S.K. and Poole, C.F.
Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89
Mayer, S., see Schurig, V. 694(1995)119
Mays, D.C., see Benson, L.M. 693(1995)162
Mazereeuw, M., Tjaden, U.R. and Van der Greef, J.
In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151
Mazereeuw, M., see Van der Vlis, E. 687(1994)333
Mazzeo, J.R., Grover, E.R., Swartz, M.E. and Petersen, J.S.
Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125
Mazzo, D.J., see Bounine, J.P. 677(1994)87
McAndrew, R.S., see Cai, S.-J. 696(1995)49
McCalley, D.V.
Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139
McCarthy, J.P.
Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349
McCarthy, P.T., see Croes, K. 693(1995)289
McClure, D.L., see McCord, B.R. 652(1993)75
McClure, P.C., see Liu, Z. 673(1994)125
McCombs, D.A., see Kirkland, K.M. 660(1994)327
McCombs, D.A., see Kirkland, K.M. 666(1994)211
McCord, B.R., McClure, D.L. and Jung, J.M.
Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75
McCormick, A., see Nawrocki, J. 657(1993)229
McCormick, A.V., see Sun, L. 658(1994)465
McCormick, D.J., see Morbeck, D.E. 680(1994)217
McCormick, R.M., see Cole, R.B. 680(1994)363
McCoy, B.J.
Chromatographic separation of continuous mixtures in distributed pores 697(1995)533
McCoy, M.A., see Liapis, A.I. 660(1994)85
McCreath, G.E., Chase, H.A. and Lowe, C.R.
Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275
McCrossen, S.D. and Simpson, C.F.
Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53
McDowell, I., see Bailey, R.G. 662(1994)101
McErlane, K.M., see Zheng, M. 670(1994)77
McGregor, D.A. and Yeung, E.S.
Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67
McGregor, D.A. and Yeung, E.S.
Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491
McGuffin, V.L., see Lukulay, P.H. 691(1995)171
McGuffin, V.L., see Tavares, M.F.M. 686(1994)129
McKeon, T.A., see Lin, J.-T. 699(1995)85
McKerrell, E.H., see Lewis, S.W. 667(1994)91
McKillop, A.G., Smith, R.M., Rowe, R.C. and Wren, S.A.C.
Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69
McLaughlin, K., see Sagar, K. 659(1994)329
McManigill, D., see Keely, C.A. 652(1993)283
McNally, M.E.P.
Applications of Supercritical Fluids in Industrial Analysis (edited by J.R. Dean) (Book review) 677(1994)208
McNeff, C., Zhao, Q. and Carr, P.W.
High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201
McQuillan, J., see Speers, S.J. 674(1994)319
Meacham, R.I., Buffham, B.A., Drott, D.W. and Mason, G.
Fan-induced heating 659(1994)205
Mechoulam, R., see Abu-Lafi, S. 664(1994)159
Mechoulam, R., see Levin, S. 654(1993)53

Mechref, Y., Ostrander, G.K. and El Rassi, Z.
Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83
Medina, I., see Garrido, J.L. 673(1994)101
Medina, I., Linares, F. and Garrido, J.L.
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472
Medina, R., see Winkler, F.J. 666(1994)549
Medina-Hernández, M.J., see Torres-Lapasió, J.R. 677(1994)239
Medzihradszky-Schweiger, H., see Bősze, S. 668(1994)345
Meevootisom, V., see Nishida, F. 664(1994)195
Meguro, H., see Kim, J.-H. 677(1994)35
Meguro, H., see Kim, J.-H. 693(1994)241
Mehlert, A., see Alpert, A.J. 676(1994)191
Mehlis, B., see Brudel, M. 661(1994)55
Meier, B., see Rehwald, A. 677(1994)25
Meiring, H.D. and De Jong, A.P.J.M.
Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography–negative ion chemical ionization mass spectrometry 683(1994)157
Mejuto, M.C., see Turnes, M.I. 683(1994)21
Meléndez, J., see Ferreira, V. 695(1995)41
Mellor, F., see Just, U. 683(1994)105
Mellor, F., Just, U. and Strumpf, Th.
Supercritical fluid extraction using a new restrictor design 679(1994)147
Melton, C.M., see Hilal, S.H. 662(1994)269
Melzi d'Eril, G., see Achilli, G. 661(1994)201
Menart, V., see Luksa, J. 661(1994)161
Menet, J.-M., Thiebaut, D. and Rosset, R.
Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
Menotta, S., see Caboni, M.F. 683(1994)59
Mentasti, E., see Sacchero, G. 668(1994)365
Mentasti, E., see Sacchero, G. 671(1994)151
Mentasti, E., see Sarzanini, C. 671(1994)259
Menzeleev, R.F., Krasnopolsky, Yu.M., Zvonkova, E.N. and Shvets, V.I.
Preparative separation of ganglioside GM_3 by high-performance liquid chromatography 678(1994)183
Merfort, I., see Schmidt, T.J. 669(1994)236
Messana, I., see Castagnola, M. 694(1995)463
Messina, A., see Sinibaldi, M. 666(1994)471
Mesters, J.R., Vorstenbosch, E.L.H., De Boer, A.J. and Kraal, B.
Complete purification of tRNA, charged or modified with hydrophobic groups, by reversed-phase high-performance liquid chromatography on a C_4/C_{18} column system 679(1994)93
Metcalf, S.G., see Hills, J.W. 679(1994)319
Mettler, H.-P., see Macka, M. 675(1994)267
Metzger, W., see Reif, K. 692(1995)131
Meunier, F., see Zhong, G.M. 658(1994)355
Mevoli, A., see Buldini, P.L. 654(1993)123
Meyer, A. and Kleiböhmer, W.
Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327
Meyer, K., see Simat, T. 661(1994)93
Meyer, K.G., see Ma, Y. 652(1993)535
Meyer, V.R.
Liquid Chromatography for the Analyst (by R.P.W. Scott) (Book Review) 694(1995)517
Michaelsen, S., see Arentoft, A.M. 652(1993)189
Michaelsen, S., see Arentoft, A.M. 652(1993)517
Michaelsen, S., see Bjergegaard, C. 652(1993)477
Michaelsen, S., Møller, P. and Sørensen, H.
Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299
Michaelsen, S., Schrøder, M.-B. and Sørensen, H.
Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503
Michaud, D. and Asselin, A.
Application to plant proteins of gel electrophoretic methods (Review) 698(1994)263
Michigami, Y., Fujii, K. and Ueda, K.
Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117
Michigami, Y. and Ueda, K.
Sulphite stabilizer in ion chromatography 663(1994)255
Michotte, Y., see Boonkerd, S. 670(1994)209
Michotte, Y., see Boonkerd, S. 695(1995)97
Micklewright, R., see Chan, W.C. 697(1995)213
Mifsud, J.C., see Hernandez, L. 652(1993)399
Mihellyes, S., see Gübitz, G. 666(1994)91
Mikešová, M., see Vejrosta, J. 659(1994)209
Mikešová, M., see Vejrosta, J. 685(1994)113
Mikou, M., see Benmoussa, A. 694(1995)486
Mikšík, I., see Deyl, Z. 698(1995)369
Mikšík, I., see Rohlíček, V. 662(1994)369
Milat, M.-L. and Blein, J.-P.
Cercospora beticola toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277
Milbrath, D.S., see Johnson, P.R. 667(1994)1
Milbrath, D.S., see Subramanian, A. 672(1994)11
Milicic, S., see Luksa, J. 661(1994)161
Miller, D.J., see Burford, M.D. 657(1993)413
Miller, D.J., see Burford, M.D. 685(1994)79
Miller, D.J., see Burford, M.D. 685(1994)95
Miller, D.J., see Yang, Y. 690(1995)131
Miller, D.J., see Yang, Y. 699(1995)265
Miller, G.C., see Hackett, M. 695(1995)243
Miller, L. and Bergeron, R.
Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489
Miller, L., see Fronek, R. 658(1994)483

Miller, L., Honda, D., Fronek, R. and Howe, K.
Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429
Miller, L. and Weyker, C.
Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219
Miller-Stein, C., see Boppana, V.K. 676(1994)161
Miller, W.R., see Rhoderick, G.C. 653(1993)71
Millier, B., see Singh, H. 687(1994)291
Millier, B., see Singh, H. 689(1995)45
Millier, B., see Singh, H. 690(1995)103
Millier, B., see Sun, X.-Y. 687(1994)259
Millier, B., Sun, X.-Y. and Aue, W.A.
Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155
Mills, J.D., see Schachterle, S. 683(1994)185
Mills, R.J., see Chen, T.K. 659(1994)321
Milton, A.D., see Guse, A.H. 661(1994)13
Minagawa, M., see Kawata, K. 653(1993)369
Minami, K., see Kano, K. 694(1995)307
Minato, K., see Hirota, T. 673(1994)37
Minato, K., see Ishii, K. 686(1994)93
Mínguez-Mosquera, M.I. and Gandul-Rojas, B.
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161
Minguillón, C., see Oliveros, L. 653(1993)144
Minguillón, C., see Oliveros, L. 672(1994)59
Minnaard, W.A., Slobodník, J., Vreuls, J.J., Hupe, K.-P. and Brinkman, U.A.Th.
Rapid liquid chromatographic screening of organic micropollutants in aqueous samples using a single short column for trace enrichment and separation 696(1995)333
Minniti, G., see Caruso, U. 661(1994)101
Miró, M., see Martinez, B. 655(1993)45
Mishra, U. and Singh, R.K.P.
Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)–hydrazine–nitrilotriacetate mixed-ligand complexes 667(1994)371
Misiti, D., see Galli, B. 666(1994)77
Misiti, D., see Gasparrini, F. 694(1995)163
Mistry, S.L., see Asenjo, J.A. 668(1994)129
Mitchelson, K.R., see Cheng, J. 677(1994)169
Mitra, G., see Ng, P. 658(1994)459
Mitra, S., see Xu, Y.H. 688(1994)171
Mitsuzawa, T., see Kaneko, S. 669(1994)1
Miura, J., see Ito, M. 661(1994)143
Miwa, T., see Mano, N. 687(1994)223
Miwa, T., see Takeuchi, T. 666(1994)439
Miwa, T., see Takeuchi, T. 696(1995)185
Miyajima, T., see Yoza, N. 664(1994)111
Miyake, T. and Shibamoto, T.
Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376
Miyamoto, E., Demizu, Y., Murata, Y., Yamada, Y., Kawashima, S., Kontani, H. and Sakai, T.
High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135
Miyamoto, K., see Ueda, J. 658(1994)129
Miyamoto, T., see Ishii, K. 686(1994)93
Miyamoto, T., see Nishi, H. 659(1994)449
Miyanaga, A., see Tanaka, K. 671(1994)239
Miyanaga, Y., see Kataoka, H. 659(1994)481
Miyanishi, H., see Tanaka, N. 656(1993)265
Miyano, S., see Oi, S. 659(1994)75
Miyano, S., see Oi, S. 679(1994)35
Miyano, S., see Yasuhara, F. 694(1995)227
Miyauchi, N., see Yashima, E. 654(1993)151
Miyauchi, N., see Yashima, E. 654(1993)159
Miyazaki, M., see Yamamoto, A. 667(1994)85
Miyazawa, T., Lertsiri, S., Fujimoto, K. and Oka, M.
Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99
Mizrotsky, N., Kristol, L. and Grushka, E.
Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21
Mizukami, E., see Yamamoto, A. 667(1994)85
Mizukami, F., Izutsu, H., Osaka, T., Akiyama, Y., Uiji, N., Moriya, K., Endo, K., Maeda, K., Kiyozumi, Y. and Sakaguchi, K.
Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279
Mizutamari, R.K., see Nores, G.A. 686(1994)155
Mňuk, P. and Feltl, L.
Gas chromatographic study of the inclusion properties of calixarenes. I. *p-tert.*-Butylcalix[4]arene in a micropacked column 696(1995)101
Möckel, H.J.
Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13
Modler, A., see Facklam, C. 664(1994)203
Modlin, R.F., Alred, P.A. and Tjerneld, F.
Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229
Moedritzer, K., see Hamper, B.C. 666(1994)479
Moese, R.L., see Jordan, J.M. 671(1994)445
Mohammed, A.I., see Iob, A. 661(1994)245
Mohnke, M., Schmidt, B., Schmidt, R., Buijten, J.C. and Mussche, Ph.
Application of a fused-silica column to the determination of very volatile amines by gas–solid chromatography 667(1994)334
Mok, C.-S., see Lau, O.-W. 693(1995)45
Mok, C.Y., see Wan, H.B. 662(1994)147
Mok, C.Y., see Wan, H.B. 663(1994)123
Mok, C.Y., see Wan, H.B. 677(1994)255
Molina Cuevas, E.A., see Rosas Romero, A.J. 667(1994)361
Moliner, R., Lázaro, M., Fernández, A., Ibarra, J. and Comellas, L.
Evidence obtained by gas chromatography–mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155
Mollé, D., see Awadé, A.C. 677(1994)279

Moller, D., see Harfst, S. 678(1994)41
Møller, P., see Frøkiær, H. 680(1994)437
Møller, P., see Michaelsen, S. 680(1994)299
Molnár, A., see Török, B. 668(1994)463
Molnar, I., see Fritsch, H. 684(1994)65
Molnár-Perl, I.
Advances in the high-performance liquid chromatographic determination of phenylthiocarbamyl amino acids (Review) 661(1994)43
Molnár-Perl, I., see Schmeer, K. 691(1995)285
Molnár-Perl, I., see Tatár, E. 672(1994)109
Molnár-Perl, I., see Tisza, S. 676(1994)461
Molteni, S., see Caslavska, J. 680(1994)549
Moltó, J.C., see Escrivá, C. 676(1994)375
Moltó, J.C., see Viana, E. 655(1993)285
Moltó, J.C., see Viana, E. 678(1994)109
Mongay, C., Olmos, C. and Pastor, A.
Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355
Monnig, C.A., see Penn, S.G. 680(1994)233
Montagna, M., see Polettini, A. 695(1995)19
Montali, J.A., see Wheatley, J.B. 663(1994)53
Montali, J.A., see Wheatley, J.B. 676(1994)65
Montalti, A., see Pattuelli, M.E. 665(1994)117
Montero, E., Sibole, J., Cabot, C., Poschenrieder, Ch. and Barceló, J.
Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83
Montes, M.C., Van Amen, C., Pesek, J.J. and Sandoval, J.E.
Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate 688(1994)31
Moore, B.J., see Chong, R.W. 692(1995)203
Moore, J.M. and Casale, J.F.
In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165
Moore, J.M., Casale, J.F., Klein, R.F.X., Cooper, D.A. and Lydon, J.
Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163
Moore, L.A., see Hoyer, G.L. 699(1995)383
Moors, M., see Hubert, Ph. 665(1994)87
Moraes, N.M.P. and Shihomatsu, H.M.
Dynamic ion-exchange chromatography for the determination of lanthanides in rock standards 679(1994)387
Morales, J.A., De Medina, H.L., De Nava, M.G., Velásquez, H. and Santana, M.
Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193
Morales, M.T., Aparicio, R. and Rios, J.J.
Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455
Morbeck, D.E., Madden, B.J. and McCormick, D.J.
Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217
Morcillo, M.A. and Santamaría, J.
Separation and characterization of rat kidney iso metallothioneins induced by exposure to inorganic mercury 655(1993)77
Moreau, N.J., see Khac, S.B.-P. 668(1994)241
Moreau, S., see Awadé, A.C. 677(1994)279
Moretti, P., see Castello, G. 677(1994)95
Moretti, P., see Vezzani, S. 677(1994)331
Morgan, E.D., see Lafont, R. 658(1994)31
Morgan, E.D., see Lafont, R. 658(1994)55
Mori, S. and Naito, M.
Elution behaviour of styrene–acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185
Moriguchi, S., Naito, K. and Takei, S.
Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101
Moriguchi, S., see Ogino, K. 699(1995)59
Moriguchi, S., see Ogino, K. 699(1995)67
Morin, C.J., see Desbène, P.L. 689(1995)135
Morita, N., see Nokihara, K. 676(1994)233
Moriya, K., see Mizukami, F. 697(1995)279
Moriyama, H., Anegayama, M., Komiya, K. and Kato, Y.
Characterization of a new reversed-phase chromatographic column on a 2-μm porous microspherical silica gel 691(1995)81
Morovján, G., see Fekete, J. 660(1994)33
Morré, D.J., Lawrence, J., Safranski, K., Hammond, T. and Morré, D.M.
Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201
Morré, D.M., see Morré, D.J. 668(1994)201
Morris, J., see Gerstner, J.A. 695(1995)195
Morris, J.C., see Oda, R.P. 680(1994)341
Morris, S.C., see Srinivasan, K. 652(1993)83
Morrone, L.A., see Quaglia, M.G. 666(1994)289
Mortensen, J.H., see Schneede, J. 669(1994)185
Mortensen, K., see Bjergegaard, C. 652(1993)477
Mortensen, M.K., see Lamb, J.D. 671(1994)55
Mosandl, A., see Faber, B. 666(1994)161
Mosbach, K., see Kempe, M. 664(1994)276
Mosbach, K., see Kempe, M. 691(1995)317
Mosbach, K., see Kempe, M. 694(1995)3
Mosbach, K., see Nicholls, I.A. 691(1995)349
Moskvin, L.N.
Chromatomembrane method for the continuous separation of substances 669(1994)81
Motegi, C., Takatsuto, S. and Gamoh, K.
Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Motellier, S. and Pitsch, H.
Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211
Mothes, S., see Tutschku, S. 683(1994)269
Motozato, Y., see Murakami, R. 678(1994)180
Mount, D.L., see Green, M.D. 695(1995)237
Mounts, T.L., see Abidi, S.L. 670(1994)67
Mounts, T.L., see Abidi, S.L. 694(1995)365
Mourey, T.H. and Bryan, T.G.
Size-exclusion chromatography of nylons in methylene chloride–dichloroacetic acid 679(1994)201
Mourey, T.H., Bryan, T.G. and Greener, J.
Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377
Moussa, F., Depasse, F., Lompret, V., Hautem, J.-Y., Girardet, J.-P., Fontaine, J.-L. and Aymard, P.
Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189
Moutounet, M., see Viriot, C. 662(1994)77
Mowery, R.L., see Barger, W.R. 680(1994)659
Moyano, E., see Galceran, M.T. 683(1994)9
Moyna, P., see Ferreira, F. 653(1993)380
Much, H., see Trathnigg, B. 657(1993)365
Much, H., see Trathnigg, B. 665(1994)47
Mühleck, U., see Koppenhoefer, B. 699(1995)215
Muijselaar, P.G.H.M., Claessens, H.A. and Cramers, C.A.
Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273
Muiño-Blanco, T., see Ollero, M. 668(1994)173
Mukai, T., see Furusawa, N. 677(1994)81
Mukund, S., see Giometti, C.S. 698(1995)341
Müller, B., see Guse, A.H. 661(1994)13
Müller, C., see Wahl, H.G. 697(1995)453
Müller, P.K.,, see Açil, Y. 664(1994)183
Mulligan, K.A., see Heitkemper, D.T. 671(1994)323
Mulvihill, M.J., see Zhu, J. 669(1994)103
Munro, P.D., Winzor, D.J. and Cann, J.R.
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267
Murakami, R., Hachisako, H., Yamada, K. and Motozato, Y.
Gel permeation chromatographic properties of poly(vinyl alcohol) gel particles prepared by freezing and thawing 678(1994)180
Muralidharan, D. and Sundara Rao, V.S.
Identification of leather preservatives by gas chromatography–mass spectrometry 675(1994)257
Muramatsu, I., see Tamaki, M. 685(1994)237
Murano, K., see Oikawa, K. 671(1994)211
Murashima, T., see Haginaka, J. 660(1994)275
Murashima, T., see Haginaka, J. 666(1994)203
Murashima, T., see Haginaka, J. 677(1994)229
Murata, H., see Asukabe, H. 657(1993)349
Murata, H., Shoji, H., Oshikata, M., Harada, K.-I., Suzuki, M., Kondo, F. and Goto, H.
High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263
Murata, Y., see Miyamoto, E. 653(1993)135
Muriithi, I.G., see Roets, E. 696(1995)131
Murphy, J., see Fronek, R. 658(1994)483
Murphy, J.A., see Camilleri, P. 654(1993)207
Murray, W.V., see Evangelisto, M.F. 695(1995)128
Murugaiah, V., see Crowley, X.W. 699(1995)395
Murugaverl, B., Gharaibeh, A. and Voorhees, K.J.
Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223
Murzi, E., see Hernandez, L. 652(1993)399
Muschalek, V., see Zimmer, D. 666(1994)241
Muschik, G.M., see Chan, K.C. 653(1993)93
Muschik, G.M., see Chan, K.C. 690(1995)149
Muschik, G.M., see Janini, G.M. 653(1993)321
Musil, S. and Leško, J.
Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253
Mussche, Ph., see Mohnke, M. 667(1994)334
Musso, G.F., see Straub, J.A. 679(1994)85
Mutton, I.M.
Application of a comparative evaluation of several reversed-phase columns to the automated analysis of candidate pharmaceuticals 697(1995)191
Mutton, I.M., see Bevan, C.D. 697(1995)541
Myher, J.J., see Marai, L. 672(1994)87

N

Nadal, T., see Ventura, R. 655(1993)233
Nadler, T.K., Paliwal, S.K. and Regnier, F.E.
Rapid, automated, two-dimensional high-performance liquid chromatographic analysis of immunoglobulin G and its multimers 676(1994)331
Nadler, T.K., Paliwal, S.K., Regnier, F.E., Singhvi, R. and Wang, D.I.C.
Process monitoring of the production of γ-interferon in recombinant Chinese hamster ovary cells 659(1994)317
Någård, S., see Witte, D.T. 687(1994)155
Nagasawa, T., Ling, J.R. and Onodera, R.
Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336
Nagashima, H., see Jinno, K. 691(1995)91

Nagaya, S., see Yamazaki, S. 662(1994)219
Nageswara Rao, R., see Husain, S. 662(1994)71
Nageswara Rao, R., see Husain, S. 679(1994)375
Nageswara Sarma, P., see Husain, S. 685(1994)356
Nagy-Turák, A. and Végh, Z.
Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501
Nah, T.H., see Park, J.H. 664(1994)149
Naim, A., see Crowley, X.W. 699(1995)395
Nair, J.B.
Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367
Nair, L.M., see Saari-Nordhaus, R. 671(1994)159
Nair, L.M., Saari-Nordhaus, R. and Anderson, Jr., J.M.
Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43
Nair, L.M., Saari-Nordhaus, R. and Anderson, Jr., J.M.
Determination of haloacetic acids by ion chromatography 671(1994)309
Naito, K., see Moriguchi, S. 686(1994)101
Naito, M., see Mori, S. 655(1993)185
Naito, S., see Shibukawa, A. 694(1995)81
Nakagama, T., see Ihara, T. 694(1995)49
Nakagawa, G., see Wada, H. 657(1993)87
Nakagawa, K., see Jinno, K. 691(1995)91
Nakagawa, T., see Chen, N. 678(1994)327
Nakagawa, T., see Nakatani, M. 661(1994)315
Nakagawa, T., see Nakatani, M. 672(1994)213
Nakagawa, T., see Shibukawa, A. 694(1995)81
Nakagawa, T., see Shibukawa, A. 697(1995)337
Nakahara, T., see Abe, I. 676(1994)469
Nakahara, T., see Abe, I. 694(1995)237
Nakai, H., see Nishi, H. 678(1994)333
Nakajima, C., see Onodera, S. 699(1995)291
Nakajima, R., see Hara, T. 652(1993)361
Nakamura, H., see Sumiyoshi, K. 690(1995)77
Nakamura, K., Fujima, H., Kitagawa, H., Wada, H. and Makino, K.
Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
Nakamura, K., see Nishi, H. 678(1994)333
Nakamura, K.-i., see Hirokawa, T. 663(1994)245
Nakamura, K.T., see Shimada, E. 685(1994)172
Nakamura, M., see Kaneko, S. 669(1994)1
Nakamura, T., see Yoza, N. 664(1994)111
Nakamura, Y., Igimi, H., Takase, H., Nomura, Y., Takahashi, S. and Uchida, K.
Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355
Nakano, H., see Sato, K. 666(1994)463
Nakao, C., see Shibukawa, A. 697(1995)337
Nakashima, S., see Yoza, N. 664(1994)111
Nakatani, M., Shibukawa, A. and Nakagawa, T.
High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213
Nakatani, M., Skibukawa, A. and Nakagawa, T.
Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315
Nakazawa, H., see Okamoto, M. 653(1993)261
Nakazawa, H., see Shirao, M. 680(1994)247
Nakazawa, H., see Suzuki, S. 680(1994)541
Nam, K.S., see Tilio, R. 662(1994)191
Nambara, T., see Iida, T. 689(1995)77
Namieśnik, J., see Janicki, W.C. 654(1993)279
Nann, A. and Pretsch, E.
Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437
Narang, C.K., see Mathur, V. 685(1994)360
Narayanan, S.R.
Preparative affinity chromatography of proteins (Review) 658(1994)237
Nardillo, A.M., see Titon, M.C. 699(1995)403
Narisawa, K., see Arakawa, H. 680(1994)517
Narsimha, R., see Husain, S. 662(1994)71
Narsimha, R., see Husain, S. 679(1994)375
Narum, D.L., Welling, G.W. and Thomas, A.W.
Ion-exchange–immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357
Nasal, A., Sznitowska, M., Buciński, A. and Kaliszan, R.
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83
Nashabeh, W., see Greve, K.F. 680(1994)15
Nassauer, T., see Werner, A. 666(1994)375
Natangelo, M., see Terreni, M. 688(1994)243
Nau, H., see Sass, J.O. 685(1994)182
Naumann, S., see Kuehl, D.W. 684(1994)113
Navajas, R., see Carreras, D. 683(1994)195
Navas Díaz, A., see García Sánchez, F. 655(1993)31
Navas Díaz, A., see García Sánchez, F. 676(1994)347
Navas Díaz, A., Guirado Paniagua, A. and García Sánchez, F.
Thin-layer chromatography and fibre-optic fluorimetric quantitation of thiamine, riboflavin and niacin 655(1993)39
Nave, R., Weber, K. and Potschka, M.
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229
Nawrocki, J., Rigney, M.P., McCormick, A. and Carr, P.W.
Chemistry of zirconia and its use in chromatography (Review) 657(1993)229
Naylor, S., see Benson, L.M. 693(1995)162
Naylor, S., see Tomlinson, A.J. 652(1993)171
Naylor, S., see Tomlinson, A.J. 652(1993)417
Nazimov, I.V., see Klyushnichenko, V.E. 661(1994)83

Neffati, J., see Cretier, G. 670(1994)173
Negura, S., see Schurig, V. 694(1995)119
Nelson, A.N., see Benson, L.M. 693(1995)162
Nelson, R.B., see Chadwick, R.R. 671(1994)403
Nerín, C., Cacho, J., Tornés, A.R. and Echarri, I.
Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159
Nerín, C., Salafranca, J., Cacho, J. and Rubio, C.
Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230
Nerva, M., see Sarzanini, C. 671(1994)259
Nesi, M., see Chiari, M. 652(1993)31
Nesi, M., Chiari, M., Carrea, G., Ottolina, G. and Righetti, P.G.
Capillary electrophoresis of nicotinamide–adenine dinucleotide and nicotinamide–adenine dinucleotide phosphate derivatives in coated tubular columns 670(1994)215
Nesi, M., see Chiari, M. 680(1994)571
Nesterenko, P.N. and Ivanov, A.V.
Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95
Nesterenko, P.N., Krotov, V.V. and Staroverov, S.M.
Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19
Neubert, K., see Friebe, S. 661(1994)7
Neuteboom, E., see Castle, M. 696(1995)93
Newburger, J., DeLange, B. and Guiochon, G.
New hybrid displacement technique for preparative liquid chromatography 684(1994)1
Newman, P.D., see Aldrich-Wright, J.R. 693(1995)366
Newsham, D.M.T., see Khalfaoui, B. 673(1994)85
Newsham, D.M.T., see Khalfaoui, B. 688(1994)117
Ng, C.L., see Chi, H. 680(1994)593
Ng, C.L., Lee, H.K. and Li, S.F.Y.
Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547
Ng, C.L., Lee, H.K. and Li, S.F.Y.
Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427
Ng, C.L., see Ong, C.P. 686(1994)319
Ng, C.L., see Ong, C.P. 692(1995)207
Ng, C.L., Ong, C.P., Lee, H.K. and Li, S.F.Y.
Determination of pharmaceuticals and related impurities by capillary electrophoresis 680(1994)579
Ng, P. and Mitra, G.
Removal of DNA contaminants from therapeutic protein preparations 658(1994)459
Nice, E., Lackmann, M., Smyth, F., Fabri, L. and Burgess, A.W.
Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169
Nichol, J., see Castle, L. 675(1994)261
Nicholls, I.A., Ramström, O. and Mosbach, K.
Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349
Nichols, S.C., see Dawson, J.R. 700(1995)163
Nicholson, L.W., Pfeiffer, C.D., Goralski, C.T., Singaram, B. and Fisher, G.B.
High-performance liquid chromatographic separation of β-amino alcohols. I. Separation of (*R*,*S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241
Nickless, G., see Elaseer, A. 664(1994)77
Nickless, G., see O'Doherty, S.J. 657(1993)123
Nickless, G., see Trigg, D.P. 690(1995)197
Nickus, U. and Kuhn, M.
Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225
Nicolas, J., see Richard-Forget, F. 667(1994)141
Nicoll-Griffith, D., Scartozzi, M. and Chiem, N.
Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253
Niebuhr-Redder, C., see Kasche, V. 660(1994)137
Niedwetzki, G., Lach, G. and Geschwill, K.
Determination of aflatoxins in food by use of an automatic work station 661(1994)175
Nielsen, K.R. and Foley, J.P.
Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283
Nielsen, S.S., see Rounds, M.A. 653(1993)148
Nieman, T.A., see Lee, W.-Y. 659(1994)111
Nier, V., see Reif, O.-W. 664(1994)13
Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.
Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235
Nikolova-Damyanova, B. Christie, W.W. and Herslöf, B.G.
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15
Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.G.
Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375
Nilsson, C.-A., see Sunesson, A.-L. 699(1995)203
Nilsson, K., Lindell, J., Norrlöw, O. and Sellergren, B.
Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57
Nilvé, G., Knutsson, M. and Jönsson, J.Å.
Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75
Nimura, N., see Itoh, H. 662(1994)95
Nimura, N., Itoh, H. and Kinoshita, T.
Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Ning, J.G.
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299
Nishi, H., Kokusenya, Y., Miyamoto, T. and Sato, T.
Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449
Nishi, H., Nakamura, K., Nakai, H. and Sato, T.
Chiral separation of drugs by capillary electrophoresis using β-cyclodextrin polymer 678(1994)333
Nishi, H., see Terabe, S. 666(1994)295
Nishi, H. and Terabe, S.
Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
Nishi, H., Yamasaki, K., Kokusenya, Y. and Sato, T.
Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
Nishida, F., Nishimura, M., Harada, K.-I., Suzuki, M., Meevootisom, V., Flegel, T.W., Thebtaranonth, Y. and Intararuangsorn, S.
Structure elucidation of glykenin glycosidic antibiotics from *Basidiomycetes* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195
Nishida, Y., see Kim, J.-H. 677(1994)35
Nishida, Y., see Kim, J.-H. 693(1994)241
Nishijima, M., see Kamata, K. 667(1994)113
Nishikawa, Y. and Okumura, T.
Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109
Nishimura, M., see Nishida, F. 664(1994)195
Nishimura, M., see Shibukawa, A. 694(1995)81
Nishimura, N., see Hirota, T. 673(1994)37
Nishimura, N., see Ishii, K. 686(1994)93
Nishiyama, F., see Hirokawa, T. 663(1994)245
Nishiyama, T., see Abe, I. 694(1995)237
Nisseron, S., see Lagoutte, D. 684(1994)251
Nobuhara, K., see Kaneko, S. 669(1994)1
Nobuhara, K., see Okamoto, M. 697(1995)153
Noctor, T.A.G., see Hage, D.S. 693(1995)23
Nogata, Y., Ohta, H., Yoza, K.-I., Berhow, M. and Hasegawa, S.
High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59
Noguchi, H., see Tokuma, Y. 694(1995)181
Noguchi, K., see Seki, T. 661(1994)113
Noij, T.H.M., see Hendriks, P.J.M. 655(1993)325
Nokihara, K., Kuriki, T. and Morita, N.
Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233
Nolan, Jr., P.E., see Hoyer, G.L. 699(1995)383
Noland, T.L., see Kim, Y.T. 690(1995)226
Nomura, A., see Yarita, T. 679(1994)329
Nomura, Y., see Nakamura, Y. 655(1993)355
Nonomura, Y., see Inoue, H. 679(1994)99
Noordhoek, J., see Scheepers, P.T.J. 677(1994)107
Nores, G.A., Mizutamari, R.K. and Kremer, D.M.
Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155
Norlander, B., see Josefsson, M. 684(1994)23
Norris, C.S., see Kinghorn, N.M. 700(1995)111
Norrlöw, O., see Nilsson, K. 680(1994)57
Norstrom, R.J., see Zhu, J. 669(1994)103
Nothdurft, A., see Koppenhoefer, B. 666(1994)557
Nott, R., see Sundaram, K.M.S. 687(1994)323
Novák, I. and Berek, D.
Structural inhomogeneities in wide-pore silica gels 665(1994)33
Novák, I., see Škrabáková, S. 665(1994)27
Novaković, J., Tvrzická, E. and Pacáková, V.
High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359
Novobilský, V., see Janoš, P. 676(1994)451
Novotny, M.V., see Soini, H. 680(1994)623
Nowakowska, J., see Lamparczyk, H. 668(1994)413
Núñez, E., see Sánchez-Ferrer, A. 668(1994)75
Nursten, H.E., see Bailey, R.G. 662(1994)101
Nyberg, F., see Sanderson, K. 676(1994)155
Nyberg, G., see Sanderson, K. 676(1994)155
Nyerges, L., see Török, B. 668(1994)353
Nyman, T., see Lukkari, P. 674(1994)241
Nyström, L.-E., see Belew, M. 679(1994)67

O

Obiols, J., see Rosell, M.G. 652(1993)151
O'Brien, S., see Huddleston, J.G. 668(1994)3
Ochiai, Y., see Yasuhara, F. 694(1995)227
Ochocka, R.J., see Sybilska, D. 659(1994)389
Ochocka, R.J., see Sybilska, D. 665(1994)67
Oda, H., see Oguni, K. 694(1995)91
Oda, R.P., see Landers, J.P. 652(1993)109
Oda, R.P., Madden, B.J., Morris, J.C., Spelsberg, T.C. and Landers, J.P.
Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341
Oda, R.P., Madden, B.J., Spelsberg, T.C. and Landers, J.P.
α,ω-Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85
Oda, Y., see Ishihama, Y. 666(1994)193
Oda, Y., see Mano, N. 687(1994)223

Oda, Y., see Matsui, K. 694(1995)209
O'Doherty, S.J., Simmonds, P.G. and Nickless, G.
Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography–mass spectrometry 657(1993)123
Odom, J.D., see Harris, S.E. 657(1993)395
Oehrle, S.A.
Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383
Oehrle, S.A., Blanchard, R.D., Stumpf, C.L. and Wulfeck, D.L.
Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645
Oehrle, S.A. and Bossle, P.C.
Analysis of nerve agent degradation products using capillary ion electrophoresis 692(1995)247
Oei, H.B., see Brinkmann, E. 693(1995)271
Oesch, F., see Funk, M. 659(1994)57
Ofner, B., see Wintersteiger, R. 660(1994)205
Ogasawara, N., see Matsumoto, K. 678(1994)241
Ogino, H. and Aomura, Y.
Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381
Ogino, K., Sato, H., Aihara, Y., Suzuki, H. and Moriguchi, S.
Preparation and characterization of monodisperse oligo(ethylene glycol) dimethacrylate polymer beads for aqueous high-performance liquid chromatography 699(1995)67
Ogino, K., Sato, H., Tsuchiya, K., Suzuki, H. and Moriguchi, S.
Synthesis of monodisperse macroreticular styrene–divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59
Oguni, K., Oda, H. and Ichida, A.
Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91
Oguntimein, B., see Kapadia, G.J. 673(1994)142
Oh, C.-H., Kim, J.-H., Kim, K.-R., Brownson, D.M. and Mabry, T.J.
Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert.*-butyldimethylsilyl derivatives 669(1994)125
Ohashi, M., see Toda, T. 698(1995)41
Ohe, H., see Matsui, K. 694(1995)209
Ohgami, Y., see Okamoto, M. 653(1993)261
Ohkubo, T., Uno, T. and Sugawara, K.
Enantiomer separation of dihydropyridine derivative calcium antagonists by high-performance liquid chromatography with chiral stationary phases 659(1994)467
Ohkura, Y., see Kai, M. 653(1993)235
Ohmori, S., see Kaneko, S. 669(1994)1
Ohnishi, K., see Suzuki, T. 662(1994)139
Ohno, T., see Oka, H. 674(1994)301
Ohrui, H., see Kim, J.-H. 677(1994)35
Ohrui, H., see Kim, J.-H. 693(1994)241
Ohta, H., see Jinno, K. 691(1995)91
Ohta, H., see Nogata, Y. 667(1994)59
Ohta, K., see Tanaka, K. 671(1994)239
Ohtaki, N., see Inoue, S. 679(1994)247
Ohtsu, Y., see Kanda, T. 672(1994)51
Ohtsuka, C., see Wada, H. 657(1993)87
Ôi, N., Kitahara, H. and Aoki, F.
Enantiomer separation by high-performance liquid chromatography with (*R*,*R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457
Ôi, N., Kitahara, H. and Aoki, F.
Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129
Ôi, N., Kitahara, H., Aoki, F. and Kisu, N.
Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195
Oi, S., Ono, H., Tanaka, H., Matsuzaka, Y. and Miyano, S.
Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75
Oi, S., Ono, H., Tanaka, H., Shijo, M. and Miyano, S.
Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35
Oikawa, K., Murano, K., Enomoto, Y., Wada, K. and Inomata, T.
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211
Ojanperä, I., see Rasanen, I. 693(1995)69
Ojanperä, I. and Vuori, E.
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147
Oka, H., see Asukabe, H. 657(1993)349
Oka, H., Ikai, Y., Ohno, T., Kawamura, N., Hayakawa, J., Harada, K.-I. and Suzuki, M.
Identification of unlawful food dyes by thin-layer chromatography–fast atom bombardment mass spectrometry 674(1994)301
Oka, M., see Miyazawa, T. 667(1994)99
Okada, M., see Ito, K. 670(1994)99
Okada, T.
Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309
Okada, T. and Usui, T.
Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355
Okahira, A., see Hoshino, M. 664(1994)104
Okamoto, M., Nobuhara, K. and Ishii, D.
Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153

Okamoto, M., Ohgami, Y. and Nakazawa, H.
Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261
Okamoto, M., Takahashi, K.-I. and Doi, T.
Direct stereochemical resolution of 3,4-dihydroxyphenylserine using a chiral crown ether stationary phase 675(1994)244
Okamoto, Y., see Chankvetadze, B. 670(1994)39
Okamoto, Y., see Chankvetadze, B. 694(1995)101
Okamoto, Y. and Kaida, Y.
Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403
Okamoto, Y., see Yashima, E. 677(1994)11
Okamoto, Y., see Yashima, E. 694(1995)347
Okamura, N., Fujimoto, Y., Kuwabara, S. and Yagi, A.
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381
Okamura, S., see Hara, T. 652(1993)361
Okumura, T., see Nishikawa, Y. 690(1995)109
Okuyama, T., see Izumi, T. 652(1993)41
Olesik, S.V., see Cui, Y. 691(1995)151
Olieman, C., see de Jong, N. 652(1993)207
Olivella, L., see Amaral, O.C. 675(1994)177
Oliveros, L. and Minguillón, C.
Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144
Oliveros, L., Minguillón, C. and González, T.
Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
Ollero, M., Pascual, M.L., Muiño-Blanco, T., Cebrián-Pérez, J.A. and López-Pérez, M.J.
Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173
Ollivier, E., see Calmes, M. 663(1994)119
Olmos, C., see Mongay, C. 683(1994)355
Olsen, B.A., see Larew, L.A. 692(1995)183
Olsen, B.A. and Sullivan, G.R.
Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147
Olson, C.V., Reifsnyder, D.H., Canova-Davis, E., Ling, V.T. and Builder, S.E.
Preparative isolation of recombinant human insulin-like growth factor 1 by reversed-phase high-performance liquid chromatography 675(1994)101
Olsson, A.-M., see Egginger, G. 666(1994)275
Olsson, A.-M., see Jönsson, J.A. 665(1994)259
Olsson, L., see Marko-Varga, G. 665(1994)317
Ombaba, J.M. and Barry, E.F.
Determination of (methylcyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319
O'Neill, K., see Shao, X. 680(1994)463
Ong, C.N., see Lee, B.L. 685(1994)263
Ong, C.P., Chow, K.K., Ng, C.L., Ong, F.M., Lee, H.K. and Li, S.F.Y.
Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207
Ong, C.P., see Ng, C.L. 680(1994)579
Ong, C.P., Ng, C.L., Lee, H.K. and Li, S.F.Y.
Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319
Ong, F.M., see Ong, C.P. 692(1995)207
Ong, H.Y., see Lee, B.L. 685(1994)263
Ono, H., see Oi, S. 659(1994)75
Ono, H., see Oi, S. 679(1994)35
Ono, I., see Iwase, H. 654(1993)215
Onodera, R., see Nagasawa, T. 653(1993)336
Onodera, S., Uchida, A. and Nakajima, C.
Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291
Onsager, C., see Lensmeyer, G.L. 691(1995)239
Onuska, F.I., Terry, K.A., Seech, A. and Antonic, M.
Determination of toxaphene in soil by electron-capture negative-ion mass spectrometry and capillary column gas chromatography 665(1994)125
Oomens, A.C., see Van Damme, F. 696(1995)41
Oppermann, G., see Popp, P. 687(1994)133
Orav, A., Kuningas, K. and Kailas, T.
Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495
Orav, A., Kuningas, K., Kailas, T., Koplimets, E. and Rang, S.
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
Oriňák, A., Gyoryová, K., Matisová, E., Šlesárová, L., Skoršepa, J., Rosival, I. and Ganajová, M.
Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67
Orita, Y., see Seki, T. 661(1994)113
Orlando, R., see Alpert, A.J. 676(1994)191
Orsi, A., see Bossi, A. 686(1994)121
Orsi, A., see Gelfi, C. 689(1995)97
Orte, J.C., see Martinez, B. 655(1993)45
Ortega, F., Domínguez, E., Burestedt, E., Emnéus, J., Gorton, L. and Marko-Varga, G.
Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Orwar, O., Weber, S.G., Sandberg, M., Folestad, S., Tivesten, A. and Sundahl, M.
Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/β-mercaptoethanol-labelled aliphatic α-oligopeptides 696(1995)139
Osaka, T., see Mizukami, F. 697(1995)279
Oscarsson, S., Angulo-Tatis, D., Chaga, G. and Porath, J.
Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3
Osei-Owusu, J.P., see Abraham, M.H. 688(1994)125
O'Shea, T.J., see Deacon, M. 652(1993)377
O'Shea, T.J., see Zhou, J. 680(1994)271
Oshikata, M., see Murata, H. 693(1995)263
Osman, S.F., see Simms, P.J. 667(1994)67
Ossicini, L., see Huynh, T.K.X. 663(1994)264
Ossicini, L., see Sybilska, D. 659(1994)389
Ostacoli, G., see Zerbinati, O. 671(1994)217
Östman, C., see Grimvall, E. 675(1994)55
Östman, C., see Grimvall, E. 685(1994)338
Ostrander, G.K., see Mechref, Y. 695(1995)83
Ostrovský, I., see Kubinec, R. 653(1993)363
Ostrovský, I., see Kuráň, P. 665(1994)133
Oszczapowicz, J.
Limitations of additivity of Kováts retention indices 668(1994)435
Otsuka, K., Karuhaka, K., Higashimori, M. and Terabe, S.
Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine 680(1994)317
Otsuka, K., Kashihara, M., Kawaguchi, Y., Koike, R., Hisamitsu, T. and Terabe, S.
Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253
Otsuka, K., see Terabe, S. 666(1994)295
Ottanà, R., see Caccamese, S. 694(1995)355
Otter, D.E., see Kinghorn, N.M. 700(1995)111
Otter, D.E., see Paterson, G.R. 700(1995)105
Ottolina, G., see Chiari, M. 680(1994)571
Ottolina, G., see Nesi, M. 670(1994)215
Otvos, Jr., L., see Gorbics, L. 676(1994)169
Ou, Q., see Song, L. 657(1993)175
Ou, Q., see Song, L. 696(1995)307
Ou, Q., see Song, L. 699(1995)371
Ou, Q., see Wan, H. 673(1994)107
Overklift, G.T., see Damm, J.B.L. 678(1994)151
Owen, S.P., see Barnabas, I.J. 665(1994)307
Oxford, J., see Smith, M.S. 683(1994)402
Ozaki, H., Terabe, S. and Ichihara, A.
Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate–butyl methacrylate–methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117

P

Paama, L., see Mäeorg, U. 659(1994)213
Pacáková, V., see Novaković, J. 678(1994)359
Pacáková, V., Štulík, K., Hau, P.T., Jelínek, I., Vinš, I. and Sýkora, D.
Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187
Pace, M., Agnellini, D., Gardana, C., Mauri, P.L. and Pietta, P.G.
High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331
Pacheco, C.R., see Mao, J. 684(1994)103
Pacifici, R., see Pichini, S. 697(1995)383
Paeng, K.-J., see Kwon, K.-H. 688(1994)350
Paesen, J., Claeys, P., Cypers, W., Roets, E. and Hoogmartens, J.
Liquid chromatography of tylosin A and related substances on poly(styrene–divinylbenzene) 699(1995)93
Paesen, J., Cypers, W., Busson, R., Roets, E. and Hoogmartens, J.
Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99
Paesen, J., Quintens, I., Thoithi, G., Roets, E., Reybrouck, G. and Hoogmartens, J.
Quantitative analysis of quaternary ammonium antiseptics using thin-layer densitometry 677(1994)377
Páez, R., see Agraz, A. 672(1994)25
Paez, X., see Hernandez, L. 652(1993)393
Pagani, G., see Terreni, M. 688(1994)243
Pagani, R., see Terzuoli, L. 684(1994)350
Pagé, M., see Paquet, A. 667(1994)125
Pagé, M., see Perron, M.J. 662(1994)383
Pahlke, C., see Hartkopf, J. 672(1994)242
Pahlke, S., see Boden, J. 696(1995)321
Pais, P., see Galceran, M.T. 655(1993)101
Pakdel, H. and Roy, C.
Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203
Palamareva, M., Kozekov, I. and Jurova, I.
Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181
Pálinkó, I., see Török, B. 668(1994)353
Paliwal, S.K., see Nadler, T.K. 659(1994)317
Paliwal, S.K., see Nadler, T.K. 676(1994)331
Paliwal, S.K., see Regehr, M.F. 659(1994)247

Palladino, D.E.H., Hopkins, J.L., Ingraham, R.H., Warren, T.C., Kapadia, S.R., Van Moffaert, G.J., Grob, P.M., Stevenson, J.M. and Cohen, K.A.
High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99
Palma, F., see Piccoli, G. 676(1994)239
Pálmarsdóttir, S. and Edholm, L.-E.
Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337
Pálmarsdóttir, S. and Edholm, L.-E.
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131
Palmer, S. and Cox, S.
Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316
Pandolfi, M.L., see Terzuoli, L. 684(1994)350
Pang, G.-F., Fan, C.-L., Chao, Y.-Z. and Zhao, T.-S.
Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348
Paniagua, L., see Galceran, M.T. 657(1993)77
Panov, K.I.
Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229
Panzeter, P.L., Zweifel, B. and Althaus, F.R.
Fast protein liquid chromatographic purification of poly(ADP–ribose) polymerase and separation of ADP–ribose polymers 678(1994)35
Pap, E., see Erdélyi-Tóth, V. 668(1994)419
Papac, D.I., see Weinmann, W. 680(1994)353
Papadaki-Valiraki, A., see Loukas, Y.L. 677(1994)53
Papadaki-Valiraki, A., see Tsantili-Kakoulidou, A. 654(1993)43
Papenfuss, R., see Buzanowski, W.C. 677(1994)355
Papet, M.P., see Lagoutte, D. 684(1994)251
Paquet, A., Lévesque, A. and Pagé, M.
Rapid purification method for human recombinant tumor necrosis factor alpha 667(1994)125
Paquette, D.M., see Banks, P.R. 693(1995)145
Parcher, J.F., see Liu, Y. 679(1994)392
Parenteau, H., see Wainer, I.W. 694(1995)169
Pariat, Y.F., Berka, J., Heiger, D.N., Schmitt, T., Vilenchik, M., Cohen, A.S., Foret, F. and Karger, B.L.
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57
Parissi-Poulou, M., see Piperaki, S. 660(1994)339
Park, J., see Kim, Y. 689(1995)170
Park, J., see Yoo, Y.S. 652(1993)431
Park, J.H., Chae, J.J., Nah, T.H. and Jang, M.D.
Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149
Park, J.H., Dallas, A.J., Chau, P. and Carr, P.W.
Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1
Park, J.H., Jang, M.D., Chae, J.J., Kim, H.C. and Suh, J.K.
UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69
Park, S., see Kim, Y. 689(1995)170
Parker, C.E., see Weinmann, W. 664(1994)271
Parker, C.E., see Weinmann, W. 680(1994)353
Parmar, P., see Straub, J.A. 679(1994)85
Parreño, M., Castellote, A.I. and Codony, R.
High-performance liquid chromatographic determination of plasma triglyceride type composition in a normal population of Barcelona. Relationship with age, sex and other plasma lipid parameters 655(1993)89
Parvoli, G., see Sturaro, A. 688(1994)211
Pasch, H. and Rode, K.
Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21
Pascual, J.A., see Ventura, R. 655(1993)233
Pascual, M.L., see Ollero, M. 668(1994)173
Passa, A.R., see Pichini, S. 697(1995)383
Passell, T.O.
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331
Pastor, A., see Mongay, C. 683(1994)355
Patamia, M., see Castagnola, M. 694(1995)463
Paterson, G.R., Hill, J.P. and Otter, D.E.
Separation of β-lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105
Paterson, G.R., see Kinghorn, N.M. 700(1995)111
Patil, S.F. and Lonkar, S.T.
Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133
Patil, S.F. and Lonkar, S.T.
Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189
Patil, V.B. and Shingare, M.S.
Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181
Patonay, G., see Pullen, R.H. 691(1995)187
Patrickios, C.S. and Patrickios, E.S.
Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480
Patrickios, E.S., see Patrickios, C.S. 694(1995)480
Patterson, D.H., see Harmon, B.J. 657(1993)429

Patterson, D.H., Harmon, B.J. and Regnier, F.E.
Electrophoretically mediated microanalysis of calcium 662(1994)389
Patterson, Jr., D.G., see Liu, Z. 673(1994)125
Patthy, M.
Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17
Patton, W.F.
Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55
Pattuelli, M.E., Montalti, A., Viola, G.T. and Zazzetta, A.
Sequence distribution of styrene–butadiene copolymers by ozonolysis, high-performance liquid chromatographic and gas chromatographic–mass spectrometric techniques 665(1994)117
Paull, B., see Jones, P. 673(1994)173
Paulus, A., see Klockow, A. 680(1994)187
Pauly, M., see Alpert, A.J. 676(1994)191
Pauné, F., Rivera, J., Espadaler, I. and Caixach, J.
Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289
Pawliszyn, J., see Wu, J. 652(1993)295
Pawłowska, E., see Konopski, L. 669(1994)275
Pawlowska, M., Zukowski, J. and Armstrong, D.W.
Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485
Payne, M.S., see Hofman, Y.L. 692(1995)233
Pazourek, J., Urbánková, E. and Chmelík, J.
Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113
Pearce, D.W., Koshioka, M. and Pharis, R.P.
Chromatography of gibberellins (Review) 658(1994)91
Peart, T.E., see Lee, H.-B. 653(1993)83
Peart, T.E., see Lee, H.-B. 663(1994)87
Pedersen-Bjergaard, S. and Greibrokk, T.
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109
Pedrosa, M.M., see Legaz, M.E. 655(1993)21
Pedrosa, M.M., see Legaz, M.E. 697(1995)329
Pedrosa, M.M., Reyes, A., Vicente, C. and Legaz, M.E.
Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
Pelosi, P., see Di Muccio, A. 697(1995)145
Pelusio, F., see Bøwadt, S. 662(1994)424
Peña Heras, A., see De la Colina, C. 655(1993)127
Peng, C.T.
Retrieval of structure information from retention index (Review) 678(1994)189
Penn, S.G., Chiu, R.W. and Monnig, C.A.
Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233
Penn, S.G., Liu, G., Bergström, E.T., Goodall, D.M. and Loran, J.S.
Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography.. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147
Penn, S.G., see Piperaki, S. 700(1995)59
Pentchuk, J., see Haldna, U. 670(1994)51
Pentoney, Jr., S., see Chen, F.-T.A. 652(1993)355
Pentoney, Jr., S.L., see Chen, F.-T.A. 680(1994)425
Perakis, A., see Piperaki, S. 660(1994)339
Pérez, B., see García Regueiro, J.A. 655(1993)73
Perez, G., see Sybilska, D. 659(1994)389
Pérez, L., see Agraz, A. 672(1994)25
Pérez-Bustamante, J.A., see Guillén, D.A. 655(1993)227
Pérez-Camino, M.C., see Márquez-Ruiz, G. 662(1994)363
Pérez-Gilabert, M., see Sánchez-Ferrer, A. 668(1994)75
Pérez-Giménez, F., see Antón-Fos, G.M. 672(1994)203
Pérez Iglesias, J., see González Rodríguez, V. 673(1994)291
Pérez-Ilzarbe, F.J., see Bartolomé, B. 655(1993)119
Pérez-Ilzarbe, F.J., see Bartolomé, B. 664(1994)39
Periago, F., see Prado, C. 657(1993)131
Periago, J.F., Prado, C., Ibarra, I. and Tortosa, J.
Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147
Perjéssy, A., see Soják, L. 665(1994)169
Perjéssy, A., see Soják, L. 695(1995)57
Perrett, D., see Evans, M.D. 700(1995)151
Perrett, D. and Ross, G.A.
Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179
Perrin, S.R., see Welch, C.J. 690(1995)218
Perron, M.J. and Pagé, M.
Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383
Perrut, M.
Advances in supercritical fluid chromatographic processes (Review) 658(1994)293
Perrut, M., see Fuchs, G. 658(1994)437
Perry, R.L., see Tindall, G.W. 696(1995)349
Persson, B., see Wingren, C. 668(1994)65
Persson, B.-A., see Balmér, K. 660(1994)269
Pesek, J.J. and Matyska, M.T.
Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33
Pesek, J.J., see Montes, M.C. 688(1994)31
Pesliakas, H., Žutautas, V. and Baškevičiūtė, B.
Immobilized metal-ion affinity partitioning of NAD^+-dependent dehydrogenases in poly(ethylene glycol)–dextran two-phase systems 678(1994)25
Peter, A., see Körner, A. 689(1995)235
Péter, A., Tóth, G., Cserpán, E. and Tourwé, D.
Monitoring of optical isomers of β-methylphenylalanine in opioid peptides 660(1994)283

Péter, A., Tóth, G. and Tourwé, D.
Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331
Peters, R.J.B., De Leer, E.W.B. and Versteegh, J.F.M.
Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253
Petersen, J.S., see Mazzeo, J.R. 680(1994)125
Petersson, B., Podlaha, O. and Jirskog-Hed, B.
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25
Petersson, P., see Almquist, S.R. 679(1994)139
Petersson, P., Malmquist, J., Markides, K.E. and Sjöberg, S.
Determination of enantiomeric purity of (*S*)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239
Petersson, P. and Markides, K.E.
Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381
Petersson, P., Reese, S.L., Yi, G., Yun, H., Malik, A., Bradshaw, J.S., Rossiter, B.E., Lee, M.L. and Markides, K.E.
Evaluation of β-cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297
Petrík, J., see Kočan, A. 665(1994)139
Petrillo, K.L., see Hofman, Y.L. 692(1995)233
Petro, M., Gemeiner, P. and Berek, D.
Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37
Petry, S., see Läufer, K. 684(1994)370
Pettersson, C., see Luthman, K. 666(1994)527
Pezet, R., Pont, V. and Cuenat, P.
Method to determine resveratrol and pterostilbene in grape berries and wines using high-performance liquid chromatography and highly sensitive fluorimetric detection 663(1994)191
Pfäffli, P.
Determination of low concentrations of trimellitic anhydride in air 684(1994)269
Pfeffer, M., Gelbe, B., Woicke, B. and Wykhoff, B.
High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407
Pfeffer, W.D., see Andersson, P.E. 699(1995)323
Pfeiffer, C.D., see Nicholson, L.W. 687(1994)241
Pfeiffer, U., see Camilleri, P. 654(1993)207
Phan-Tan-Luu, R., see De Vanssay, E. 688(1994)161
Pharis, R.P., see Pearce. D.W. 658(1994)91
Phillips, D.J., see Capparella, M. 691(1995)141
Phillips, J.B., see Zhang, M. 689(1995)275
Phillips, J.G. and Simmonds, C.
Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123
Pianezzola, E., see Fontana, E. 660(1994)293
Pianezzola, E., see Frigerio, E. 660(1994)351
Piccoli, G., Fiorani, M., Biagiarelli, B., Palma, F., Potenza, L., Amicucci, A. and Stocchi, V.
Simultaneous high-performance capillary electrophoretic determination of reduced and oxidized glutathione in red blood cells in the femtomole range 676(1994)239
Piccoli, G., see Stocchi, V. 676(1994)51
Pichini, A., see Sinibaldi, M. 666(1994)471
Pichini, S., Altieri, I., Passa, A.R., Rosa, M., Zuccaro, P. and Pacifici, R.
Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383
Pichon, V. and Hennion, M.-C.
Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269
Picó, Y., see Escrivá, C. 676(1994)375
Picó, Y., Redondo, M.J., Font, G. and Mañes, J.
Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1994)339
Pidgeon, C., see Cai, S.-J. 696(1995)49
Pietrogrande, A., see Toniolo, R. 662(1994)185
Pietrzyk, D.J., see Chen, S. 671(1994)73
Pietta, P., Facino, R.M., Carini, M. and Mauri, P.
Thermospray liquid chromatography–mass spectrometry of flavonol glycosides from medicinal plants 661(1994)121
Pietta, P.G., Mauri, P.L., Zini, L. and Gardana, C.
Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175
Pietta, P.G., see Pace, M. 691(1995)331
Piggee, C.A., see Schmalzing, D. 652(1993)149
Piñeiro, A., see Lampreave, F. 698(1995)107
Pinho, R.T., see De Simon, S.G. 688(1994)357
Pini, D., see Uccello-Barretta, G. 666(1994)541
Pinilla, M., De la Fuente, J., García-Pérez, A.I., Jimeno, P., Sancho, P. and Luque, J.
Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165
Pinto, N.G., see Jen, S.C.D. 662(1994)396
Pinto, N.G., see Li, Y.-L. 658(1994)445
Pinza, M., see Camilleri, P. 654(1993)207
Piovetti, L., see Valls, R. 663(1994)114
Piperaki, S., Penn, S.G. and Goodall, D.M.
Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59
Piperaki, S., Perakis, A. and Parissi-Poulou, M.
Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β-cyclodextrin bonded-phase column 660(1994)339
Piras, P., see Koppenhoefer, B. 666(1994)557
Pirela, D., see Ledo de Medina, H. 671(1994)287
Pires, M.J., see Sarmento, M.J. 668(1994)117

Pirkle, W.H., Bowen, W.E. and Vuong, D.V.
Liquid chromatographic separation of the enantiomers of cyclic β-amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297
Pirkle, W.H., see Schleimer, M. 679(1994)23
Pirkle, W.H., Spence, P.L., Lamm, B. and Welch, C.J.
Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69
Pirkle, W.H., see Villani, C. 693(1995)63
Pirkle, W.H. and Welch, C.J.
Chromatographic and ^{1}H NMR support for a proposed chiral recognition model 683(1994)347
Píry, J. and Príbela, A.
Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105
Píš, J., Hykl, J., Vaisar, T. and Harmatha, J.
Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77
Pit, G.L., see Galushko, S.V. 660(1994)47
Pitsch, H., see Motellier, S. 660(1994)211
Pizzale, L., see Bortolomeazzi, R. 683(1994)75
Pizzichini, M., see Terzuoli, L. 684(1994)350
Planeta, J., see Vejrosta, J. 683(1994)407
Planeta, J., see Vejrosta, J. 685(1994)113
Plank, C. and Lorbeer, E.
On-line liquid chromatography–gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95
Plank, C. and Lorbeer, E.
Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461
Platt, K.L., see Funk, M. 659(1994)57
Pleil, J.D. and Stroupe, M.L.
Measurement of vapor-phase organic compounds at high concentrations 676(1994)399
Plomley, J.B., see Cormier, J.F. 662(1994)401
Plzák, Z., Polanská, M. and Suchánek, M.
Identification and determination of butyltin compounds in water by ion trap gas chromatography–mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241
Poblet, J.M., see Martorell, C. 655(1993)177
Pocurull, E., Sánchez, G., Borrull, F. and Marcé, R.M.
Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31
Podlaha, O., see Petersson, B. 653(1993)25
Podzimek, S.
Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21
Poh, Y.H., see Wan, H.B. 677(1994)255
Pohjola, J. and Harpf, M.
Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350
Polanská, M., see Plzák, Z. 699(1995)241
Polcaro, C., see Huynh, T.K.X. 663(1994)264
Polettini, A., Montagna, M., Hogendoorn, E.A., Dijkman, E., Van Zoonen, P. and Van Ginkel, L.A.
Applicability of coupled-column liquid chromatography to the analysis of β-agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19
Poliakoff, M., see Kaplan, M. 673(1994)231
Polissiou, M., see Tarantilis, P.A. 664(1994)55
Polissiou, M., see Tarantilis, P.A. 699(1995)107
Polonský, J.
Preface 665(1994)1
Polonský, J., see Karovičová, J. 665(1994)55
Polzer, J. and Bächmann, K.
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283
Pomfret, A., see Capparella, M. 691(1995)141
Ponde, D.E., see Wakharkar, R.D. 662(1994)420
Ponder, G.W., Butram, S.L., Adams, A.G., Ramanathan, C.S. and Stewart, J.T.
Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173
Ponder, G.W. and Stewart, J.T.
High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177
Pont, V., see Pezet, R. 663(1994)191
Poole, C.F., see Abraham, M.H. 688(1994)125
Poole, C.F., see Mayer, M.L. 695(1995)267
Poole, C.F., see Mayer, M.L. 697(1995)89
Poole, C.F., see Poole, S.K. 664(1994)229
Poole, C.F., see Poole, S.K. 697(1995)415
Poole, C.F., see Poole, S.K. 697(1995)429
Poole, S.K., see Abraham, M.H. 688(1994)125
Poole, S.K., Kollie, T.O. and Poole, C.F.
Influence of temperature on the mechanism by which compounds are retained in gas–liquid chromatography 664(1994)229
Poole, S.K., see Mayer, M.L. 697(1995)89
Poole, S.K. and Poole, C.F.
Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
Poole, S.K. and Poole, C.F.
Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Popp, P., Kalbitz, K. and Oppermann, G.
Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133
Poppe, H.
Distribution isotherms in reversed-phase systems (Review) 656(1993)19
Poppe, H., see Busch, M.H.A. 695(1995)287
Poppe, H., see Cifuentes, A. 680(1994)321
Poppe, H., see Stegeman, G. 657(1993)283
Poppe, H., see Swart, R. 670(1994)25
Poppe, H., see Swart, R. 689(1995)177
Poppe, H., see Van Asten, A.C. 676(1994)361
Poppe, H., see Wijnhoven, J.E.G.J. 699(1995)119
Porath, J., see Oscarsson, S. 689(1995)3
Porcar, I., see García, R. 655(1993)3
Porcar, I., see García, R. 655(1993)191
Porcar, I., see García, R. 662(1994)61
Porcar, I., García, R., Campos, A. and Soria, V.
Size-exclusion chromatographic and viscometric study of polymer solutions containing nicotine or silicic acid 673(1994)65
Porsch, B.
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1
Porsch, B.
Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179
Porsch, B. and Sundelöf, L.-O.
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21
Portillo, J.L., see Comellas, L. 657(1993)25
Poschenrieder, Ch., see Montero, E. 658(1994)83
Potaman, V.N. and Soyfer, V.N.
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65
Potenza, L., see Piccoli, G. 676(1994)239
Potschka, M., see Nave, R. 654(1993)229
Potter, G.A.
New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237
Potter, K.J., Allington, R.J.B. and Algaier, J.
Separation of estrogens and rodenticides using capillary electrophoresis with aqueous–methanolic buffers 652(1993)427
Pötzschke, H., see Barnikol, W.K.R. 685(1994)221
Poustka, J., see Hajšlová, J. 699(1995)231
Powell, B., see Tetler, L.W. 700(1995)21
Powell, M.W.
Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101
Prado, C., Periago, F., Ibarra, I. and Tortosa, J.
Evaluation of isoflurane in air by thermal desorption–gas chromatography 657(1993)131
Prado, C., see Periago, J.F. 657(1993)147
Pretsch, E., see Nann, A. 676(1994)437
Previtera, T., see Caccamese, S. 694(1995)355
Prevost, J., see Sebedio, J.L. 659(1994)101
Príbela, A., see Píry, J. 665(1994)105
Price, N.P.J., Firmin, J.L., Robins, R.J. and Gray, D.O.
High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161
Prieur, C., see Rigaud, J. 654(1993)255
Prince, I.G., see Mao, Q.-M. 691(1995)273
Principato, G., see Caccamese, S. 694(1995)355
Procopio, J.R., see Del Pilar da Silva, M. 653(1993)267
Prokai, A.M. and Ravichandran, R.K.
Simultaneous analysis of hydroxylamine, N-methylhydroxylamine and N,N-dimethylhydroxylamine by ion chromatography 667(1994)298
Prokisch, J., Kovács, B., Győri, Z. and Loch, J.
Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253
Proksa, B., Adamcová, J. and Fuska, J.
Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185
Prosen, H., see Marcé, R.M. 696(1995)63
Provost, L.R., see D'Agostino, P.A. 670(1994)127
Provost, L.R., see D'Agostino, P.A. 695(1995)65
Przybylski, M., see Weinmann, W. 664(1994)271
Przybylski, M., see Weinmann, W. 680(1994)353
Przyjazny, A., Hentz, N.G. and Bachas, L.G.
Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79
Psathaki, M., Manoussaridou, E. and Stephanou, E.G.
Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen–phosphorus or mass spectrometric detection 667(1994)241
Puchkova, Yu., see Kurganov, A. 663(1994)163
Puig, D. and Barceló, D.
Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples 673(1994)55
Puig-Deu, M. and Buxaderas, S.
Analytical conditions for the determination of 23 phenylthiocarbamyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21
Puignou, L., see Carneiro, M.C. 669(1994)217
Puignou, L., see Galceran, M.T. 655(1993)101
Pujol, V., see Agraz, A. 672(1994)25
Pullen, R.H., Brennan, J.J. and Patonay, G.
Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187
Purdy, W.C., see Tadey, T. 652(1993)131
Putra, D.P., see Devêvre, O. 679(1994)349

Pyell, U. and Garrigues, P.
Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223
Pyy, L., see Mäkelä, M. 699(1995)49

Q

Qiao, G., see Zhang, X. 684(1994)354
Qin, X.-Z., Tsai, E.W., Sakuma, T. and Ip, D.P.
Pharmaceutical application of liquid chromatography–mass spectrometry. II . Ion chromatography–ion spray mass spectrometric characterization of alendronate 686(1994)205
Quaglia, M.G., Desideri, N., Bossù, E., Farina, A. and Morrone, L.A.
Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2-blocker 666(1994)289
Quang, C. and Khaledi, M.G.
Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459
Quang, C. and Khaledi, M.G.
Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253
Quintanilla-López, J.E., see Lebrón-Aguilar, R. 697(1995)441
Quintens, I., see Paesen, J. 677(1994)377
Quintero, G., Vo, M., Farkas, G. and Vigh, G.
Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1
Quirijns, J., see Rietveld, R. 683(1994)151
Quitasol, J. and Krastins, L.
Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

R

Rabin, S. and Stillian, J.
Practical aspects on the use of organic solvents in ion chromatography 671(1994)63
Rabino, R., see Castagnola, M. 694(1995)463
Raffaelli, R., see Vitali, P. 660(1994)219
Rahko, E.-L., see Vuorela, P. 670(1994)191
Rajniaková, A., see Karovičová, J. 665(1994)55
Ramanathan, C.S., see Ponder, G.W. 692(1995)173
Ramlal, M.R., see Van der Velde, E.G. 683(1994)125
Ramlal, M.R., see Van der Velde, E.G. 683(1994)167
Ramos, L., Blanch, G.P., Hernández, L. and González, M.J.
Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation–solvent extraction at normal pressure 690(1995)243
Ramström, O., see Nicholls, I.A. 691(1995)349
Rang, S., see Orav, A. 659(1994)143
Rao, K.R.N., see Aldrich-Wright, J.R. 693(1995)366
Rao, R.N., see Husain, S. 687(1994)351
Rasanen, I., Ojanperä, I. and Vuori, E.
Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69
Rasmussen, J.K., see Johnson, P.R. 667(1994)1
Rasmussen, K.E., see Krogh, M. 674(1994)235
Raspor, P., see Strancar, A. 658(1994)475
Rastogi, S.C. and Johansen, S.S.
Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53
Raulin, F., see De Vanssay, E. 688(1994)161
Rauret, G., see Rigol, A. 664(1994)301
Ravichandran, R.K., see Prokai, A.M. 667(1994)298
Ravindranath, Y., see Stout, M.L. 692(1995)59
Rawjee, Y.Y., Williams, R.L., Buckingham, L.A. and Vigh, G.
Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273
Rawjee, Y.Y., Williams, R.L. and Vigh, G.
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233
Rawjee, Y.Y., Williams, R.L. and Vigh, G.
Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Ray, A., see Almudaris, A. 689(1995)31
Ray, R.K. and Kauffman, G.B.
Chromatographic studies of metal complexes. VII. Thin-layer chromatography of cobalt(III) complexes 675(1994)271
Raynor, M.W., see Blake, E. 683(1994)223
Read, R.W., see Black, R.M. 662(1994)301
Recanatini, M., see Biagi, G.L. 662(1994)341
Recanatini, M., see Biagi, G.L. 669(1994)246
Recanatini, M., see Biagi, G.L. 678(1994)127
Redden, P.R., Huang, Y.-S., Lin, X. and Horrobin, D.F.
Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381
Reddy, G., see Reddy, T.V. 655(1993)331
Reddy, G.R., Signs, M.W., Flores, H.E. and Curtis, W.R.
Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoscyamus muticus* "hairy" root cultures 657(1993)440
Reddy, K.S., Cloux, R. and Kováts, E.
Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181
Reddy, K.S., see Défayes, G. 699(1995)131
Reddy, T.V., Wiechman, B.E., Lin, E.L., Chang, L.W., Smith, M.K., Daniel, F.B. and Reddy, G.
Separation and quantitation of nitrobenzenes and their reduction products nitroanilines and phenylenediamines by reversed-phase high-performance liquid chromatography 655(1993)331
Redondo, A., Villanueva, M.J. and Rodríguez, M.D.
High-performance liquid chromatographic determination of dietary fibre in raw and processed carrots 677(1994)273
Redondo, M.J., see Picó, Y. 693(1994)339
Redondo, M.J., Ruiz, M.J., Boluda, R. and Font, G.
Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375
Reeder, D.J., see Srinivasan, K. 652(1993)83
Reemtsma, T. and Jekel, M.
Analysis of sulphonated polyphenols, synthetic tanning agents in heavily polluted tannery wastewaters 660(1994)199
Reese, C., see Lochmüller, C.H. 656(1993)3
Reese, S.L., see Petersson, P. 684(1994)297
Regehr, M.F., Paliwal, S.K. and Regnier, F.E.
Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247
Reglero, G., see Blanch, G.P. 655(1993)141
Reglero, G., see Ibáñez, E. 667(1994)249
Regnier, F.E.,
Foreword 676(1994)1
Regnier, F.E., see Harmon, B.J. 657(1993)429
Regnier, F.E., see Nadler, T.K. 659(1994)317
Regnier, F.E., see Nadler, T.K. 676(1994)331
Regnier, F.E., see Patterson, D.H. 662(1994)389
Regnier, F.E., see Regehr, M.F. 659(1994)247
Rehwald, A., Meier, B. and Sticher, O.
Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in Crataegus leaves and flowers 677(1994)25
Reichelová, V., Albertioni, F. and Liliemark, J.
Hydrophobicity parameters of 2-chloro-2'-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37
Reid III, G.L., see Armstrong, D.W. 688(1994)201
Reid, M.T.J., see Black, R.M. 662(1994)301
Reid, R.H.P.
Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151
Reid, R.H.P.
Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221
Reif, K. and Metzger, W.
Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131
Reif, O.-W. and Freitag, R.
Characterization and application of strong ion-exchange membrane adsorbers as stationary phases in high-performance liquid chromatography of proteins 654(1993)29
Reif, O.-W. and Freitag, R.
Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383
Reif, O.-W., see Lausch, R. 654(1993)190
Reif, O.-W., Nier, V., Bahr, U. and Freitag, R.
Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13
Reifsnyder, D.H., see Olson, C.V. 675(1994)101
Reijenga, J.C.
Isotachophoresis of polyols in borate buffer solutions 659(1994)223
Reijenga, J.C. and Kenndler, E.
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403
Reijenga, J.C. and Kenndler, E.
Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417
Reimer, G. and Suarez, A.
Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253
Reinhardt, R., see Steinborn, A. 697(1995)485
Reinhardt, R., Steinborn, A., Engewald, W., Anhalt, K. and Schulze, K.
Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475

Reinhoud, N.J., Tjaden, U.R. and Van der Greef, J.
Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303
Reinhoud, N.J., Tjaden, U.R. and van der Greef, J.
Correlation between zone velocity and current in automated single capillary isotachophoresis–zone electrophoresis 673(1994)239
Reinhoud, N.J., Tjaden, U.R. and Van der Greef, J.
Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255
Rella, R., see Sturaro, A. 688(1994)211
Renard, J. and Vidal-Madjar, C.
Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35
Renborg, A., see Figeys, D. 669(1994)205
Renstad, R., see Karlsson, S. 669(1994)97
Resch, M., see Just, U. 667(1994)354
Resham, K.S., see Chadwick, R.R. 671(1994)403
Reybrouck, G., see Paesen, J. 677(1994)377
Reyes, A., see Pedrosa, M.M. 697(1995)571
Reznikova, O.A., see Kataev, A.D. 660(1994)131
Rezzonico, R., see Bello, M.S. 659(1994)199
Rhemrev-Boom, M.M.
Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675
Rhoderick, G.C. and Miller, W.R.
Development of hydrocarbon gas standards 653(1993)71
Rhomberg, A., see Corradini, D. 661(1994)305
Ribot, E., see Sebedio, J.L. 659(1994)101
Richard-Forget, F., Goupy, P. and Nicolas, J.
New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141
Richards, K.L., Aguilar, M.I. and Hearn, M.T.W.
A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17
Richards, K.L., Aguilar, M.I. and Hearn, M.T.W.
Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33
Richards, M.P., see Beattie, J.H. 664(1994)129
Richards, M.P., see Beattie, J.H. 700(1995)95
Richardson, D.E., Ash, G.H. and Harden, P.E.
Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47
Richardson, H., see Andrews, R.W. 683(1994)3
Richheimer, S.L., Kent, M.C. and Bernart, M.W.
Reversed-phase high-performance liquid chromatographic method using a pentafluorophenyl bonded phase for analysis of tocopherols 677(1994)75
Richter, O., see Wiegel, D. 668(1994)107
Rickard, E.C. and Bopp, R.J.
Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609
Ricker, R.D., Sandoval, L.A., Justice, J.D. and Geiser, F.O.
Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67
Rico, I., see Madelaine-Dupuich, C. 653(1993)178
Riekkola, M.-L., see Jumppanen, J. 652(1993)441
Riekkola, M.-L., see Lukkari, P. 652(1993)451
Riekkola, M.-L., see Lukkari, P. 655(1993)317
Riekkola, M.-L., see Lukkari, P. 674(1994)241
Riekkola, M.-L., see Soini, H. 680(1994)623
Riemer, D.D., see Wells, M.J.M. 659(1994)337
Rietveld, R. and Quirijns, J.
On-line liquid chromatography–gas chromatography for determination of fenarimol in fruiting vegetables 683(1994)151
Rigaud, J., Escribano-Bailon, M.T., Prieur, C., Souquet, J.-M. and Cheynier, V.
Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255
Righetti, P.G.
Macroporous gels: facts and misfacts (Review) 698(1995)3
Righetti, P.G., see Bello, M.S. 652(1993)317
Righetti, P.G., see Bello, M.S. 652(1993)329
Righetti, P.G., see Bello, M.S. 659(1994)199
Righetti, P.G., see Bello, M.S. 684(1994)311
Righetti, P.G., see Bello, M.S. 693(1995)113
Righetti, P.G., see Bossi, A. 686(1994)121
Righetti, P.G., see Chiari, M. 652(1993)31
Righetti, P.G., see Chiari, M. 680(1994)571
Righetti, P.G., see Ermakov, S.V. 661(1994)265
Righetti, P.G., see Ermakov, S.V. 667(1994)257
Righetti, P.G., see Ermakov, S.V. 699(1995)297
Righetti, P.G., see Gelfi, C. 689(1995)97
Righetti, P.G., see Nesi, M. 670(1994)215
Righetti, P.G., see Simò-Alfonso, E. 689(1995)85
Righetti, P.G., see Weber, W. 679(1994)181
Righetti, P.G.
Gel electrophoresis: proteins (by M.J. Dunn) (Book Review) 662(1994)200
Righezza, M., see Haldna, U. 670(1994)51
Rigney, M.P., see Nawrocki, J. 657(1993)229
Rigol, A., López-Sánchez, J.F. and Rauret, G.
Capillary zone electrophoresis of humic acids 664(1994)301
Rimpler, M., see Steinert, J. 693(1995)281
Rinkema, F.D., Louter, A.J.H. and Brinkman, U.A.Th.
Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
Ríos, A.
Flow Injection Separation and Preconcentration (by Z. Fang) (Book Review) 685(1994)365
Rios, J.J., see Morales, M.T. 668(1994)455
Ripamonti, M., see Flaminio, L. 668(1994)403
Rippel, G., Alattyani, E. and Szepesy, L.
Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Rippel, G., Bede, A. and Szepesy, L.
Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17
Rippel, G. and Szepesy, L.
Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27
Rippel, G., see Szepesy, L. 668(1994)337
Rissler, K.
Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167
Rissler, K., Fuchslueger, U. and Grether, H.-J.
Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309
Ritchie, H.J., see Grieb, S.J. 697(1995)271
Ritchie, H.J., see Maher, K.M. 697(1995)247
Rivera, J., see Caixach, J. 675(1994)205
Rivera, J., see Pauné, F. 684(1994)289
Rivero-Urgell, M., see Rodríguez-Palmero, M. 672(1994)267
Riviello, J.M. and Harrold, M.P.
Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385
Ro, K.W., Choi, J.B., Lee, M.H. and Kim, J.W.
Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography–mass spectrometry 688(1994)375
Robecke, M., see Bettmer, J. 654(1993)177
Robert, E., Beboulene, J.-J., Codet, G. and Enache, D.
High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215
Roberts, D.J., see Ahmad, F. 693(1995)167
Roberts, D.M., see Weingarten, B. 696(1995)83
Roberts, J.K. and Smith. R.J.
Use of liquid chromatography–nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385
Robinett, R.S.R. and Herber, W.K.
Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315
Robinett, R.S.R., see Herber, W.K. 676(1994)287
Robins, R.J., see Price, N.P.J. 653(1993)161
Robins, W.H. and Wright, B.W.
Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667
Robinson, M.L., see Dyas, A.M. 660(1994)249
Roby, R.K., see Srinivasan, K. 652(1993)83
Roca, A., see Comellas, L. 655(1993)57
Rocca, J.L., see Cretier, G. 658(1993)195
Rocca, J.L., see Cretier, G. 670(1994)173
Roch, O., see Cordier, Y. 680(1994)479
Rocklin, R.D., Tullsen, T.R. and Marucco, M.G.
Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109
Rode, K., see Pasch, H. 699(1995)21
Röder, A. and Bächmann, K.
Simultaneous determination of organic and inorganic anions in the sub-μmol/l range in rain water by capillary zone electrophoresis 689(1995)305
Röder, W., see Macka, M. 675(1994)267
Rodrigues, A.E., Lu, Z.P., Loureiro, J.M. and Carta, G.
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
Rodriguez, A., see Lora-Tamayo, C. 674(1994)217
Rodriguez, A.F., see Carreras, D. 683(1994)195
Rodriguez, C., see Carreras, D. 683(1994)195
Rodriguez, I., see Turnes, M.I. 683(1994)21
Rodríguez, M.D., see Redondo, A. 677(1994)273
Rodriguez, R., see Zhu, M. 652(1993)119
Rodríguez Delgado, M.A., Sánchez, M.J., González, V. and García Montelongo, F.
Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71
Rodríguez-Palmero, M., De la Presa-Owens, S., Castellote-Bargallo, A.I., López Sabater, M.C., Rivero-Urgell, M. and De la Torre-Boronat, M.C.
Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267
Roeraade, J., see Emmer, Å. 662(1994)375
Roeraade, J., see Emmer, Å. 672(1994)231
Roeraade, J., see Hagman, G. 654(1993)287
Roessner, D. and Kulicke, W.-M.
On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249
Roets, E., Adams, E., Muriithi, I.G. and Hoogmartens, J.
Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131
Roets, E., see Paesen, J. 677(1994)377
Roets, E., see Paesen, J. 699(1995)93
Roets, E., see Paesen, J. 699(1995)99
Roets, E., see Thoithi, G. 689(1995)247
Roets, E., see Van Schepdael, A. 657(1993)208
Roets, E., see Van Schepdael, A. 687(1994)167
Rogers, R.P., see DiRusso, C. 677(1994)45
Rohlíček, V., Deyl, Z. and Mikšík, I.
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
Rohrer, J.S.
Improved fractionation of sialylated glycopeptides by pellicular anion-exchange chromatography 667(1994)75
Rohwer, E.R., see Havenga, W.J. 669(1994)139
Roinestad, K.S., see Kambhampati, I. 688(1994)67
Rolando, C., see Viriot, C. 662(1994)77
Rollmann, B., see Van Dyck, M.M.C. 697(1995)377
Romano, A., see Wirth, P.J. 698(1995)123
Romano, C., see Caruso, U. 661(1994)101
Romano, V.A., see Cai, C.-h. 693(1995)251
Romanová, D., see Brandšteterová, E. 665(1994)101

Rony, C., see Jacquier, J.C. 652(1993)337
Rony, C., Jacquier, J.C. and Desbène, P.L.
Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195
Rony, C.M., see Desbène, P.L. 689(1995)107
Roper, D.K. and Lightfoot, E.N.
Comparing steady counterflow separation with differential chromatography 654(1993)1
Rosa, M., see Pichini, S. 697(1995)383
Rosas Romero, A.J., Herrera, J.C., Martinez De Aparicio, E. and Molina Cuevas, E.A.
Thin-layer chromatographic determination of β-carotene, cantaxanthin, lutein, violaxanthin and neoxanthin on Chromarods 667(1994)361
Rosell, M.G., Obiols, J., Berenguer, M.J., Guardino, X., López, F. and Brosa, J.
Determination of chlorinated insecticides in blood samples of agricultural workers 655(1993)151
Roselló-Catafau, J., see Hotter, G. 655(1993)85
Rosen, J.D., see Kambhampati, I. 688(1994)67
Rosen, R.T., see Kambhampati, I. 688(1994)67
Rosen, W., see Mao, J. 684(1994)103
Rosenberg, I.E., see Liu, J. 680(1994)395
Rosenfeld, J.M. and Fang, X.
Simultaneous sorption and analytical derivatization on a polystyrene–divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231
Rosini, C., see Uccello-Barretta, G. 666(1994)541
Rosival, I., see Oriňák, A. 660(1994)67
Rösler, J., see Harfst, S. 678(1994)41
Rosnack, K.J., Stroh, J.G., Singleton, D.H., Guarino, B.C. and Andrews, G.C.
Use of capillary electrophoresis–electrospray ionization mass spectrometry in the analysis of synthetic peptides 675(1994)219
Ross, G.A., see Perrett, D. 700(1995)179
Rosseel, M.T. and Lefebvre, R.A.
Capillary gas chromatographic determination with nitrogen–phosphorus detection of the calcium antagonist nicardipine and its pyridine metabolite M-5 in plasma 668(1994)475
Rosset, R., see Menet, J.-M. 659(1994)3
Rossetti, D.V., see Castagnola, M. 694(1995)463
Rossiter, B.E., see Petersson, P. 684(1994)297
Rossiter, B.E., see Yi, G. 673(1994)219
Roston, D.A., see Sun, J.J. 673(1994)211
Roth, E., see Guse, A.H. 661(1994)13
Rothemund, S., Krause, E., Beyermann, M., Dathe, M., Engelhardt, H. and Bienert, M.
Recognition of α-helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219
Rothemund, S., Krause, E., Ehrlich, A., Bienert, M., Glusa, E. and Verhallen, P.
Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77
Roturier, J.M., Le Bars, D. and Gripon, J.C.
Separation and identification of hydrophilic peptides in dairy products using FMOC derivatization 696(1995)209
Round, A.J., Aguilar, M.I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61
Rounds, M.A. and Nielsen, S.S.
Anion-exchange high-performance liquid chromatography with post-column detection for the analysis of phytic acid and other inositol phosphates 653(1993)148
Roush, D.J., see Gill, D.S. 684(1994)55
Roush, D.J., Gill, D.S. and Willson, R.C.
Anion-exchange chromatographic behavior of recombinant rat cytochrome b_5. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter Z 653(1993)207
Roussel, C., see Koppenhoefer, B. 666(1994)557
Routledge, C., see Dawson, L.A. 700(1995)81
Rovida, C., see Bøwadt, S. 662(1994)424
Rowe, R.C., see McKillop, A.G. 700(1995)69
Roy, C., see Pakdel, H. 683(1994)203
Roy, M., see Speers, S.J. 674(1994)263
Ruan, Z. and Liu, H.
Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79
Ruana, J., Urbe, I. and Borrull, F.
Determination of phenols at the ng/l level in drinking and river waters by liquid chromatography with UV and electrochemical detection 655(1993)217
Rubio, C., see Nerín, C. 690(1995)230
Rudenko, B.A., see Litvina, M.L. 671(1994)29
Rudenko, B.A., see Voloschik, I.N. 671(1994)51
Rudenko, B.A., see Voloschik, I.N. 671(1994)205
Rudenko, B.A., see Voloschik, I.N. 671(1994)249
Rudnick, S.E., Hilser, Jr., V.J. and Worosila, G.D.
Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219
Ruhn, P.F., Garver, S. and Hage, D.S.
Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9
Ruiz, M.J., see Redondo, M.J. 678(1994)375
Rundlett, K.L., see Armstrong, D.W. 689(1995)285
Russell, I.M., see Shalliker, R.A. 664(1994)221
Russell, I.M., see Shalliker, R.A. 679(1994)105
Rustum, A.M.
Separation of the $R(-)$- and $S(+)$-enantiomers of the ethyl ester of tiagabine · HCl using a Chiralcel-OG column 684(1994)29
Rustum, A.M.
Determination of chiral purity of ethyl nipecotate using a Chiralcel-OG column 696(1995)75
Rutan, S.
Diode array detection in HPLC (edited by L. Huber and S.A. George) (Book Review) 657(1993)457

Rutan, S.C.
Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197
Rutan, S.C., see Snyder, L.R. 656(1993)537
Rutgeerts, P., see Ghoos, Y. 665(1994)333
Ruttkat, A. and Erbersdobler, H.F.
Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103
Ryan, P., see Lloyd, D.K. 694(1995)285
Ryerson, T.B., Barkley, R.M. and Sievers, R.E.
Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen–phosphorus detection for gas chromatography 670(1994)117
Rykowska, I., see Wasiak, W. 690(1995)83
Ryoo, J.-J., see Hyun, M.H. 684(1994)189
Ryoo, J.-J., see Hyun, M.H. 692(1995)91
Ryoo, J.-J., see Hyun, M.H. 696(1995)173
Ryu, B.-H., see Greenspan, P. 698(1995)333

S

Saari-Nordhaus, R., see Nair, L.M. 671(1994)43
Saari-Nordhaus, R., see Nair, L.M. 671(1994)309
Saari-Nordhaus, R., Nair, L.M. and Anderson, Jr., J.M.
Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159
Sablik, M.A., see Harman, A.D. 652(1993)525
Saburov, V.V., see Kataev, A.D. 660(1994)131
Sacchero, G., Apone, S., Sarzanini, C. and Mentasti, E.
Chromatographic behaviour of triazine compounds 668(1994)365
Sacchero, G., Sarzanini, C. and Mentasti, E.
On-line preconcentration and ion chromatography of triazine compounds 671(1994)151
Safranski, K., see Morré, D.J. 668(1994)201
Sagar, K., Smyth, M.R., Wilson, J.G. and McLaughlin, K.
High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329
Saint-Jalm, Y., see Lagoutte, D. 684(1994)251
Saito, K., see Tsuneda, S. 689(1995)211
Saito, K., see Yamazaki, S. 662(1994)219
Saito, Y., see Jinno, K. 691(1995)91
Saito, Y., see Takagi, K. 659(1994)127
Saitoh, K., Awaka, I. and Suzuki, N.
Separation of chlorophyll c_1 and c_2 by reversed-phase high-performance liquid chromatography 653(1993)247
Saitoh, K., Awaka, I. and Suzuki, N.
Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176
Saitoh, K., Kato, H. and Teramae, N.
Separation of chlorophyll-c_1 and -c_2 by micellar electrokinetic capillary chromatography 687(1994)149
Šajbidor, J., Čertík, M. and Grego, J.
Lipid analysis of baker's yeast 665(1994)191
Sakagami, H., Sakagami, T., Takeda, M., Iwaki, K. and Takeda, K.
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37
Sakagami, T., see Sakagami, H. 653(1993)37
Sakaguchi, F. and Kawamura, K.
Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography–mass spectrometry 687(1994)315
Sakaguchi, K., see Mizukami, F. 697(1995)279
Sakai, T., see Kumagai, H. 671(1994)15
Sakai, T., see Miyamoto, E. 653(1993)135
Sakaki, S., see Fukumoto, T. 672(1994)237
Sakata, M., see Hirayama, C. 676(1994)267
Sakellariou, P., see Abraham, M.H. 688(1994)125
Saklatvala, R., see Allen, D.W. 679(1994)285
Sakuma, T., see Qin, X.-Z. 686(1994)205
Salabert-Salvador, M.T., see Antón-Fos, G.M. 672(1994)203
Salafranca, J., see Ferreira, V. 655(1993)257
Salafranca, J., see Nerín, C. 690(1995)230
Saletti, R., see Fisichella, S. 693(1995)33
Salmona, M., see Gianazza, E. 698(1995)351
Salomies, H., Lautala, P. and Toppila, M.
High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597
Salomon, K. and Buttrill, Jr., S.E.
Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139
Salvadori, P., see Bertucci, C. 666(1994)535
Salvadori, P., see Uccello-Barretta, G. 666(1994)541
Sam, P., see Liu, Z. 673(1994)125
Samata, K., see Baba, Y. 653(1993)329
Samata, K., see Sumita, C. 661(1994)297
San Andrés, M.P., Vera, S. and Marina, M.L.
Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271
Sanchez, E.I., see Alvarez, C. 686(1994)333
Sánchez, G., see Pocurull, E. 696(1995)31
Sanchez, J., see Galceran, M.T. 655(1993)275
Sánchez, M.J., see Rodríguez Delgado, M.A. 697(1995)71

Sánchez-Brunete, C., García-Valcárcel, A.I. and Tadeo, J.L.
Determination of residues of phenoxy acid herbicides in soil and cereals by gas chromatography–ion trap detection 675(1994)213
Sánchez-Ferrer, A., Pérez-Gilabert, M., Núñez, E., Bru, R. and García-Carmona, F.
Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75
Sánchez Muñoz, G., see García Romero, E. 655(1993)111
Sanchez-Perez, A., see Delgado-Zamarreño, M.M. 694(1995)399
Sánchez Rasero, F., see De la Colina, C. 655(1993)127
Sanchis-Mallols, J.M., see Torres-Lapasió, J.R. 677(1994)239
Sancho, J.V., López, F.J., Hernández, F., Hogendoorn, E.A. and Van Zoonen, P.
Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59
Sancho, P., see Pinilla, M. 668(1994)165
Sandberg, M., see Orwar, O. 696(1995)139
Sander, L.C. and Wise, S.A.
Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335
Sanderson, K., Thörnwall, M., Nyberg, G., Glämsta, E.-L. and Nyberg, F.
Reversed-phase high-performance liquid chromatography for the determination of haemorphin-like immunoreactivity in human cerebrospinal fluid 676(1994)155
Sandoval, J.E., see Montes, M.C. 688(1994)31
Sandoval, L.A., see Ricker, R.D. 691(1995)67
Sandra, P., see Jaques, K. 666(1994)131
Sandra, P., see Krupčík, J. 665(1994)163
Sandra, P., see Krupčík, J. 665(1994)175
Sandra, P., see Lalljie, S.P.D. 652(1993)563
Sandra, P., see Sippola, E. 683(1994)45
Sänger-van de Griend, C.E., Kientz, Ch.E. and Brinkman, U.A.Th.
Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299
Santamaría, J., see Morcillo, M.A. 655(1993)77
Santana, M., see Morales, J.A. 671(1994)193
Santini, S.A., see Destro-Bisol, G. 698(1995)33
Santiuste, J.M.
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177
Santos-Buelga, C., see Treutter, D. 667(1994)290
Santos, F.J., see Caixach, J. 675(1994)205
Santos, F.J., see Galceran, M.T. 655(1993)275
Santos, J.M., see Cifuentes, A. 652(1993)161
Santos, J.M., see Cifuentes, A. 655(1993)63
Santos, R., see De Simon, S.G. 688(1994)357
Sanz, J., see Esteban, J.L. 657(1993)155
Sanz, J., Jiménez, M.I. and Martínez-Castro, I.
Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103
Sanz-Medel, A., Aizpun, B., Marchante, J.M., Segovia, E., Fernandez, M.L. and Blanco, E.
Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233
Sapone, A., see Biagi, G.L. 662(1994)341
Sapone, A., see Biagi, G.L. 669(1994)246
Sares, C., see Karlsson, S. 669(1994)97
Sargenti, S.R. and Lanças, F.M.
Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213
Sarin, J.P.S., see Dwivedi, A.K. 663(1994)187
Sarker, M. and Guiochon, G.
Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293
Sarmento, M.J., Pires, M.J., Cabral, J.M.S. and Aires-Barros, M.R.
Liquid–liquid extraction of a recombinant protein, cytochrome b_5, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117
Sarna, L.P., Webster, G.R.B., Friesen-Fischer, M.R. and Sri Ranjan, R.
Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201
Sarzanini, C., Mentasti, E. and Nerva, M.
Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259
Sarzanini, C., see Sacchero, G. 668(1994)365
Sarzanini, C., see Sacchero, G. 671(1994)151
Sasa, K., see Suzuki, S. 680(1994)541
Sasagawa, H., see Suzuki, S. 680(1994)541
Sasaki, H., see Hiraoka, A. 680(1994)243
Sass, J.O. and Nau, H.
Single-run analysis of isomers of retinoyl-β-D-glucuronide and retinoic acid by reversed-phase high-performance liquid chromatography 685(1994)182
Sass, P., see Tisza, S. 676(1994)461
Sastre, A., see Baraj, B. 695(1995)103
Sato, H., see Ogino, K. 699(1995)59
Sato, H., see Ogino, K. 699(1995)67
Sato, K., Kumazawa, T. and Katsumata, Y.
On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127
Sato, K., Nakano, H. and Hobo, T.
Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463
Sato, T., see Hirota, T. 673(1994)37
Sato, T., see Ishihama, Y. 666(1994)193
Sato, T., see Ishii, K. 686(1994)93
Sato, T., see Mano, N. 687(1994)223
Sato, T., see Nishi, H. 659(1994)449

Sato, T., see Nishi, H. 672(1994)125
Sato, T., see Nishi, H. 678(1994)333
Satoh, T., see Takagi, K. 659(1994)127
Satow, T., Akiyama, T., Machida, A., Utagawa, Y. and Kobayashi, H.
Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23
Sauer, B. and Matusch, R.
High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247
Saurina, J. and Hernández-Cassou, S.
Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311
Sauve, A., see Humayoun Akhtar, M. 696(1995)123
Sawa, T., see Baba, Y. 652(1993)93
Sawada, E., see Hosoya, K. 662(1994)37
Sawada, H., see Fujimoto, C. 680(1994)33
Sawada, T., see Shibukawa, A. 697(1995)337
Saz, J.M., Krattiger, B., Bruno, A.E., Díez-Masa, J.C. and Widmer, H.M.
Thermo-optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μm I.D. tubes 699(1995)315
Saz, J.M. and Marina, M.L.
Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1
Scalbert, A., see Viriot, C. 662(1994)77
Scanlan, G.F., see Tomlinson, A.J. 652(1993)417
Scarborough, A., see Jones, D. 661(1994)1
Scartozzi, M., see Nicoll-Griffith, D. 653(1993)253
Schaapman, S., see De Zeeuw, R.A. 664(1994)263
Schachterle, S., Brittain, R.D. and Mills, J.D.
Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185
Schaufelberger, D., see Yan, C. 670(1994)15
Scheepers, P.T.J., Velders, D.D., Martens, M.H.J., Noordhoek, J. and Bos, R.P.
Gas chromatographic–mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107
Scheller, R.H., see Fishman, H.A. 680(1994)99
Schenk, T., Schuphan, I. and Schmidt, B.
High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7
Scheper, T., see Lausch, R. 654(1993)190
Schepky, A.G., Schulz-Knappe, P. and Forssmann, W.-G.
High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255
Scheuring, M., see Läufer, K. 684(1994)370
Schiffer, R.H.N.A., see Hesselink, W. 697(1995)165
Schlegel, D., Mattusch, J. and Dittrich, K.
Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261
Schleimer, M., Pirkle, W.H. and Schurig, V.
Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23
Schlösser, J., see Lausch, R. 654(1993)190
Schmalzing, D., Piggee, C.A., Foret, F., Carrilho, E. and Karger, B.L.
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149
Schmeer, K., Khalifa, M., Császár, J., Farkas, G., Bayer, E. and Molnár-Perl, I.
Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography–atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285
Schmekel, B., see Johansson, I.M. 652(1993)487
Schmerr, M.J. and Goodwin, K.R.
Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199
Schmerr, M.J., Goodwin, K.R. and Cutlip, R.C.
Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447
Schmid, B., see Andersson, J.T. 693(1995)325
Schmid, E., see Küsters, E. 666(1994)421
Schmid, J., Albert, K. and Bayer, E.
Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
Schmidli, H., see Grize, Y.-L. 686(1994)1
Schmidt, A.S., see Asenjo, J.A. 668(1994)47
Schmidt, B., see Mohnke, M. 667(1994)334
Schmidt, B., see Schenk, T. 693(1995)7
Schmidt, Jr., D.E., see Wheatley, J.B. 663(1994)53
Schmidt, Jr., D.E., see Wheatley, J.B. 676(1994)65
Schmidt, Jr., D.E., see Wheatley, J.B. 676(1994)81
Schmidt, L.W., see Fritz, J.S. 691(1995)133
Schmidt, R., see Mohnke, M. 667(1994)334
Schmidt, T.G.M. and Skerra, A.
One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337
Schmidt, T.J., Merfort, I. and Willuhn, G.
Gas chromatography–mass spectrometry of flavonoid aglycones. II. Structure–retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236
Schmidt-Schuchardt, M., see Läufer, K. 684(1994)370
Schmieding, J., see Kasche, V. 660(1994)137
Schmitt, P., see Garrison, A.W. 688(1994)317
Schmitt, T. and Engelhardt, H.
Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
Schmitt, T., see Pariat, Y.F. 652(1993)57

Schmutz, A., see Wolfisberg, H. 652(1993)407
Schneede, J., Mortensen, J.H., Kvalheim, G. and Ueland, P.M.
Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185
Schneider, S., see Bringmann, G. 670(1994)153
Schoefs, B., Bertrand, M. and Lemoine, Y.
Separation of photosynthetic pigments and their precursors by reversed-phase high-performance liquid chromatography using a photodiode-array detector 692(1995)239
Schoel, B., Welzel, M. and Kaufmann, S.H.E.
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131
Schoenke, M.P., see Talasek, R.T. 667(1994)205
Schoenmakers, P.J., see Tijssen, R. 656(1993)135
Schoenmakers, P.J. and Tijssen, R.
Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577
Schoenmakers, P.J., see Vanbel, P.F. 697(1995)3
Schöler, H.F., see Falter, R. 675(1994)253
Scholten, A.B., De Haan, J.W., Claessens, H.A., Van de Ven, L.J.M. and Cramers, C.A.
29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25
Schomburg, G., see Belder, D. 666(1994)351
Schrøder, M.-B., see Michaelsen, S. 652(1993)503
Schuberth, J.
Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63
Schuette, J., see Srivatsa, G.S. 680(1994)469
Schügerl, K.
Principles and practices of solvent extraction (edited by J. Rydberg, C. Musikas and G.R. Choppin) (Book Review) 657(1993)455
Schügerl, K.
Separations for Biotechnology 3 (edited by D.L. Pyle) (Book Review) 690(1995)256
Schügerl, K., see Sziele, D. 669(1994)254
Schulze, K., see Reinhardt, R. 697(1995)475
Schulze, K., see Steinborn, A. 697(1995)485
Schulze-Koops, H., see Guse, A.H. 661(1994)13
Schulz-Knappe, P., see Schepky, A.G. 691(1995)255
Schumacher, K., see Frank, C. 653(1993)385
Schunk, T.C.
Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591
Schunk, T.C.
Composition distribution separation of methyl methacrylate–methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215
Schunk, T.C., Balke, S.T. and Cheung, P.
Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227
Schunk, T.C. and Burke, M.F.
Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289
Schunk, T.C. and Long, T.E.
Compositional distribution characterization of poly(methyl methacrylate)–graft-polydimethylsiloxane copolymers 692(1995)221
Schuphan, I., see Schenk, T. 693(1995)7
Schurig, V.
Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111
Schurig, V., see Gil-Av, E. 666(1994)519
Schurig, V. and Grosenick, H.
Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617
Schurig, V., Jung, M., Mayer, S., Fluck, M., Negura, S. and Jakubetz, H.
Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
Schurig, V., see Schleimer, M. 679(1994)23
Schütz, R., see Strancar, A. 658(1994)475
Schütz, S., Hummel, H.E., Duhr, A. and Wollnik, H.
Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry–time-of-flight mass spectrometry for pesticide analysis 683(1994)141
Schwarz, U., see Chen, Y. 680(1994)63
Schwarz, U., see Chen, Y. 685(1994)121
Schwarz, U., see Chen, Y. 700(1995)35
Schwarzenbach, R.
Perfumery—Practice and Principles (by R.R. Calkin and J.S. Jellinek) (Book Review) 689(1995)175
Schwarzer, F., see Stan, H.-J. 653(1993)45
Schwinn, H., see Strancar, A. 658(1994)475
Scopes, R.K.
Recovery Processes for Biological Materials (edited by J.F. Kennedy and J.M.S. Cabral) (Book Review) 690(1995)254
Scott, R.P.W.
Control of retention by molecular interactions in reversed-phase chromatography (Review) 656(1993)51
Scouten, W.H., see Konecny, P. 673(1994)45
Scouten, W.H., see Liu, X.-C. 687(1994)61
Scribe, P., see Chiron, S. 665(1994)295
Seaman, S.W., see Sen, N.P. 673(1994)77
Sebastião, M.J., Cabral, J.M.S. and Aires-Barros, M.R.
Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol–aqueous salt solution two-phase systems 668(1994)139

Sebedio, J.L., Prevost, J., Ribot, E. and Grandgirard, A.
Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101
Sebille, B., see Agnus, B. 663(1994)27
Sebille, B., see Thuaud, N. 685(1994)15
Seco Lago, H.M., see González Rodríguez, V. 673(1994)291
Sedmíková, A., see Gasparič, J. 665(1994)197
Seech, A., see Onuska, F.I. 665(1994)125
Segovia, E., see Sanz-Medel, A. 683(1994)233
Segura, J., see Ventura, R. 655(1993)233
Seidel, V., see Lindner, W. 697(1995)549
Sekar, R., see Husain, S. 687(1994)351
Seki, T., Orita, Y., Yamamoto, S., Ueda, N., Yanagihara, Y. and Noguchi, K.
Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113
Sellergren, B.
Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133
Sellergren, B., see Nilsson, K. 680(1994)57
Sellergren, B. and Shea, K.J.
Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17
Sellergren, B. and Shea, K.J.
Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29
Semenova, O.P., see Timerbaev, A.R. 671(1994)419
Semenova, O.P., see Timerbaev, A.R. 690(1995)141
Semenova, O.P., Timerbaev, A.R. and Bonn, G.K.
Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327
Sen, N.P., Baddoo, P.A. and Seaman, S.W.
Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77
Senior, L.A., see Camilleri, P. 654(1993)207
Sentell, K.B.
Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231
Šepič, E., Leskovšek, H. and Trier, C.
Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515
Sereda, T.J., Mant, C.T. and Hodges, R.S.
Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205
Sereda, T.J., Mant, C.T., Sönnichsen, F.D. and Hodges, R.S.
Reversed-phase chromatography of synthetic amphipathic α-helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139
Sergent, M., see De Vanssay, E. 688(1994)161
Serrano, J., see Kuehl, D.W. 684(1994)113
Serwer, P., Khan, S.A. and Griess, G.A.
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251
Seth, R.K., see Dwivedi, A.K. 663(1994)187
Seto, Y.
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25
Ševčík, J.G.K., see Havelec, P. 677(1994)319
Seyama, C., see Haginaka, J. 660(1994)275
Seyama, C., see Haginaka, J. 666(1994)203
Seyama, C., see Haginaka, J. 677(1994)229
Shah, G. and Dubin, P.L.
Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197
Shahi, P., Hu, Y.-f. and Chakma, A.
Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121
Shahtaheri, S.J., Katmeh, M.F., Kwasowski, P. and Stevenson, D.
Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131
Shalliker, R.A., Kavanagh, P.E. and Russell, I.M.
Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane–acetonitrile 664(1994)221
Shalliker, R.A., Kavanagh, P.E. and Russell, I.M.
Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105
Shamsi, S.A. and Danielson, N.D.
Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153
Shanbhag, V.P., see Jensen, P.E.H. 668(1994)101
Shang, D.Y., Grandmaison, J.L. and Kaliaguine, S.
Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185
Shang, Z., see Guo, W. 685(1994)344
Shao, X., O'Neill, K., Zhao, Z., Anderson, S., Malik, A. and Lee, M.
Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463
Sharma, J.L., see Buldini, P.L. 654(1993)113
Sharma, J.L., see Buldini, P.L. 654(1993)123
Sharma, J.L., see Buldini, P.L. 654(1993)129
Sharma, S., see Buldini, P.L. 654(1993)113
Shaw, P.N., see Wan, Q.H. 697(1995)219
Shea, K.J., see Sellergren, B. 654(1993)17

Shea, K.J., see Sellergren, B. 690(1995)29
Sheikh, J., see Fronek, R. 658(1994)483
Shelly, D.C., see Abbas, A.A. 691(1995)37
Shelly, D.C., see Siddiqui, A. 691(1995)55
Shen, Y., see Grönberg, L. 655(1993)207
Shephard, G.S., Thiel, P.G. and Sydenham, E.W.
Liquid chromatographic determination of the mycotoxin fumonisin B_2 in physiological samples 692(1995)39
Sheu, S.-J., see Chen, H.-R. 653(1993)184
Sheu, S.-J., see Chuang, W.-C. 685(1994)243
Sheu, S.-J., see Liu, Y.-M. 663(1994)239
Shi, B. and Davis, B.H.
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319
Shi, B., Keogh, R.A. and Davis, B.H.
Gas chromatographic separation of deuterated and optical isomers of di-2-butyl ethers 678(1994)97
Shi, H., Zhang, R., Chandrasekher, G. and Ma, Y.
Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653
Shi, J.Y. and Goffe, R.A.
Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61
Shi, Y. and Fritz, J.S.
New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429
Shibamoto, T., see Miyake, T. 693(1995)376
Shibamoto, T., see Yasuhara, A. 672(1994)261
Shibukawa, A., Kadohara, M., He, J., Nishimura, M., Naito, S. and Nakagawa, T.
Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81
Shibukawa, A., see Nakatani, M. 672(1994)213
Shibukawa, A., Sawada, T., Nakao, C., Izumi, T. and Nakagawa, T.
High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337
Shibukawa, M.
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199
Shibukawa, M.
Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165
Shieh, P., see Guttman, A. 676(1994)227
Shieh, P.C.H., Hoang, D., Guttman, A. and Cooke, N.
Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219
Shieh, P.C.H., see Huang, T.-L. 685(1994)313
Shiffer, K., see Zhu, M. 652(1993)119
Shihabi, Z.K.
Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471
Shihabi, Z.K., see Garcia, L.L. 652(1993)465
Shihabi, Z.K., Kute, T., Garcia, L.L. and Hinsdale, M.
Analysis of isoflavones by capillary electrophoresis 680(1994)181
Shihomatsu, H.M., see Moraes, N.M.P. 679(1994)387
Shijo, M., see Oi, S. 679(1994)35
Shimada, E. and Nakamura, K.T.
Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephacryl gel chromatography 685(1994)172
Shimazu, H., see Ito, K. 670(1994)99
Shimizu, M., see Takagi, K. 659(1994)127
Shin, T.-S. and Godber, J.S.
Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49
Shindoh, S., see Kataoka, H. 695(1995)142
Shingare, M.S., see Patil, V.B. 653(1993)181
Shinoda, T., see Izumi, T. 652(1993)41
Shinohara, Y., see Baba, S. 663(1994)35
Shiosaki, A., Goto, M. and Hirose, T.
Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1
Shirao, M., Furuta, R., Suzuki, S., Nakazawa, H., Fujita, S. and Maruyama, T.
Determination of organic acids in urine by capillary zone electrophoresis 680(1994)247
Shirao, M., see Suzuki, S. 680(1994)541
Shishkina, I.P., see Galushko, S.V. 661(1994)51
Shitangkoon, A., see Staerk, D.U. 663(1994)79
Shitangkoon, A., see Staerk, D.U. 677(1994)133
Shitangkoon, A., Staerk, D.U. and Vigh, G.
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387
Shoji, H., see Murata, H. 693(1995)263
Shoji, M., Kato, M. and Hashizume, S.
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145
Shortt, D.W.
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11
Shosenji, H., see Fukumoto, T. 672(1994)237
Shoto, E., see Ito, K. 670(1994)99
Shriver, Z.H., see Benson, L.M. 693(1995)162
Shuely, W.J., see Abraham, M.H. 688(1994)125
Shukla, A.K., see Alpert, A.J. 676(1994)191
Shukla, M., see Alpert, A.J. 676(1994)191
Shukla, Y.N., see Kapadia, G.J. 673(1994)142
Shvets, V.I., see Menzeleev, R.F. 678(1994)183
Sibole, J., see Montero, E. 658(1994)83
Siddiqui, A. and Shelly, D.C.
Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55
Siebrands, T., see Fischer, C.-H. 670(1994)89
Siehr, D.J., see Tongta, A. 686(1994)21
Sievers, R.E., see Ryerson, T.B. 670(1994)117
Signs, M.W., see Reddy, G.R. 657(1993)440
Siiteri, P.K., see Chan, K.C. 690(1995)149
Silks, L.A. III, see Harris, S.E. 657(1993)395

Silveston, R. and Kronberg, B.
Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43
Sim, P.G., see Thomas, D. 695(1995)1
Simanov, A.L.
High-performance liquid chromatographic analysis of low-molecular-mass products synthesized by polynucleotide phosphorylase in polymerization reaction 685(1994)39
Simat, T., Meyer, K. and Steinhart, H.
Synthesis and analysis of oxidation and carbonyl condensation compounds of tryptophan 661(1994)93
Šimek, P., Jegorov, A. and Dusbábek, F.
Determination of purine bases and nucleosides by conventional and microbore high-performance liquid chromatography and gas chromatography with an ion-trap detector 679(1994)195
Šimek, P., see Zahradníčková, H. 688(1994)383
Šimek, Z. and Vespalec, R.
Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
Šimenc, T., see Stibilj, V. 668(1994)449
Simmer, B., see Guse, A.H. 661(1994)13
Simmonds, C., see Phillips, J.G. 675(1994)123
Simmonds, P.G., see O'Doherty, S.J. 657(1993)123
Simmonds, P.G., see Trigg, D.P. 690(1995)197
Simms, P.J., Hicks, K.B., Haines, R.M., Hotchkiss, Jr., A.T. and Osman, S.F.
Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67
Simo, R., Grimalt, J.O. and Albaiges, J.
Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301
Simò-Alfonso, E., Conti, M., Gelfi, C. and Righetti, P.G.
Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85
Simonsen, H., see Bjergegaard, C. 680(1994)561
Simpson, C.F., see McCrossen, S.D. 697(1995)53
Simpson, R.C.
Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163
Šimuničová, E., see Hutta, M. 689(1995)123
Şimuničová, E., Kaniansky, D. and Lokšíková, K.
Separation of alkali and alkaline earth metal and ammonium cations by capillary zone electrophoresis with indirect UV absorbance detection 665(1994)203
Singaram, B., see Nicholson, L.W. 687(1994)241
Singh, H., see Aue, W.A. 687(1994)283
Singh, H., Chen, L. and Aue, W.A.
Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153
Singh, H., Millier, B. and Aue, W.A.
Dual-channel response ratios from an integrative algorithm 687(1994)291
Singh, H., Millier, B. and Aue, W.A.
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45
Singh, H., Millier, B. and Aue, W.A.
Constant-current a.c. electron-capture detector 690(1995)103
Singh, H., see Sun, X.-Y. 687(1994)259
Singh, R.K.P., see Mishra, U. 667(1994)371
Singh, S., see Dwivedi, A.K. 663(1994)187
Singhal, R.P. and Xian, J.
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47
Singhvi, R., see Nadler, T.K. 659(1994)317
Singla, A.K., see Jindal, K.C. 685(1994)195
Singleton, D.H., see Rosnack, K.J. 675(1994)219
Sinibaldi, M., Flieger, M., Cvak, L., Messina, A. and Pichini, A.
Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471
Siouffi, A.M.
Thin Layer Chromatography: Reagents and Detection Methods (by H. Jork, W. Funk, W. Fisher and H. Wimmer) (Book Review) 687(1994)357
Siouffi, A.M., see Benmoussa, A. 694(1995)486
Sippola, E., Himberg, K., David, F. and Sandra, P.
Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45
Siregar, C.J.P., see De Zeeuw, R.A. 664(1994)263
Sirén, H., see Jumppanen, J. 652(1993)441
Siridewa, K., see Gilljam, G. 675(1994)89
Sirimanne, S.R., see Liu, Z. 673(1994)125
Sirkar, K.P., see Dwivedi, A.K. 663(1994)187
Sita Rama Rao, K., see Husain, S. 685(1994)356
Sitrin, R., see DePhillips, P. 663(1994)43
Sivils, L.D., Kapila, S., Yan, Q. and Elseewi, A.A.
Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221
Sjöberg, S., see Petersson, P. 670(1994)239
Skačáni, I., see Krupčík, J. 665(1994)175
Skarping, G., Dalene, M. and Lind, P.
Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199
Skerra, A., see Essen, L.-O. 657(1993)55
Skerra, A., see Schmidt, T.G.M. 676(1994)337
Skibukawa, A., see Nakatani, M. 661(1994)315
Skoršepa, J., see Oriňák, A. 660(1994)67
Skorupowa, E., see Madaj, J. 655(1993)267

Škrabáková, S., Matisová, E., Benická, E., Novák, I. and Berek, D.
Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27
Skurić, M., see Varga-Defterdarović, L. 687(1994)101
Skurić, M., see Varga-Defterdarović, L. 687(1994)107
Skurský, L., see Dolník, V. 680(1994)455
Šlais, K.
Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335
Šlais, K.
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149
Šlais, K., see Caslavska, J. 680(1994)549
Šlais, K. and Friedl, Z.
Low-molecular-mass p*I* markers for isoelectric focusing 661(1994)249
Šlais, K. and Friedl, Z.
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113
Šlais, K., see Horká, M. 660(1994)187
Šlais, K., see Horká, M. 697(1995)45
Ślebioda, M., see Wodecki, Z. 696(1995)149
Slegers, G., see De Vos, F. 692(1995)97
Šlesárová, L., see Oriňák, A. 660(1994)67
Slobodník, J., see Minnaard, W.A. 696(1995)333
Smalley, R.E., see Heymann, D. 689(1995)157
Smetena, I., see Yang, S.S. 664(1994)289
Smets, K., see Van Schepdael, A. 687(1994)167
Smeyers-Verbeke, J., see Yang, Q. 673(1994)275
Smeyers-Verbeke, J., see Yang, Q. 688(1994)339
Šmigol, V., see Fréchet, J.M.J. 667(1994)284
Smisek, D.L., see Belenky, A. 700(1995)137
Smit, H.C.
Statistical methods in analytical chemistry (by P.C. Meier and R.E. Zünd) (Book Review) 670(1994)245
Smith, B.D., see Westmark, P.R. 664(1994)123
Smith, C.G., see Buzanowski, W.C. 677(1994)355
Smith, C.G., see Cutié, S.S. 693(1995)371
Smith, J.T. and El Rassi, Z.
Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
Smith, L.L., see Teng, J.I. 691(1995)247
Smith, M.K., see Reddy, T.V. 655(1993)331
Smith, M.S., Oxford, J. and Evans, M.B.
Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402
Smith, N.W.
Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259
Smith, R.D., see Wahl, J.H. 659(1994)217
Smith, R.G., see Lamb, J.D. 671(1994)55
Smith, R.G. and Lamb, J.D.
Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89
Smith, R.J., see Roberts, J.K. 677(1994)385
Smith, R.J., Taylor, D.R. and Wilkins, S.M.
Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591
Smith, R.J., see Wilkins, S.M. 697(1995)587
Smith, R.M.
Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381
Smith, R.M. and Briggs, D.A.
Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161
Smith, R.M. and Briggs, D.A.
Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261
Smith, R.M., see Cocks, S. 697(1995)115
Smith, R.M. and Deasy, J.B.
Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63
Smith, R.M., see McKillop, A.G. 700(1995)69
Smits, R.
Preface 683(1994)1
Smolarz, H.D., see Dzido, T.H. 679(1994)59
Smyth, F., see Nice, E. 660(1994)169
Smyth, M.R., see Deacon, M. 652(1993)377
Smyth, M.R., see Deacon, M. 657(1993)69
Smyth, M.R., see Deacon, M. 659(1994)349
Smyth, M.R., see Malone, M.A. 700(1995)73
Smyth, M.R., see Sagar, K. 659(1994)329
Snider, N., see Wigfield, Y.Y. 657(1993)219
Snyder, L.R., see Carr, P.W. 656(1993)1
Snyder, L.R., Carr, P.W. and Rutan, S.C.
Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537
Snyder, L.R., see Chloupek, R.C. 686(1994)45
Snyder, L.R., see Hancock, W.S. 686(1994)31
Snyder, L.R., see Valkó, K. 656(1993)501
Soane, D., see Bae, Y.C. 652(1993)17
Soane, D.S., see Barron, A.E. 652(1993)3
Sochacki, M., see Kudzin, Z.H. 655(1993)346
Sochacki, M., see Kudzin, Z.H. 678(1994)299
Soentjens-Werts, V., Dubois, J.G., Atassi, G. and Hanocq, M.
High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255
Sogomo, W., see Griffin, R.M.E. 674(1994)271
Soini, H., Riekkola, M.-L. and Novotny, M.V.
Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623
Soják, L., see Kraus, G. 677(1994)197
Soják, L., see Kubinec, R. 653(1993)363
Soják, L., see Kuráň, P. 665(1994)133

Soják, L., Perjéssy, A., Kubinec, R., Giumanini, A.G. and Strazzolini, P.
Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169
Soják, L., Perjéssy, A., Kubinec, R., Giumanini, A.G. and Strazzolini, P.
Identification of the isomers from mono- and dinitration of α-hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57
Sokołowski, J., see Madaj, J. 655(1993)267
Sokol, J. and Matisova, E.
Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75
Sokolosky, E., see Ma, Y. 685(1994)259
Soloshonok, V.A., see Galushko, S.V. 661(1994)51
Soltani, N., see Bohnenstengel, F. 655(1993)249
Song, C.E., Lee, S.G., Lee, K.C., Kim, I.O and Jeong, J.H.
Chromatographic resolution of racemic α-halocarboxylic acids and O-substituted α-hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303
Song, L., Ou, Q. and Yu, W.
Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175
Song, L., Ou, Q., Yu, W. and Li, G.
Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371
Song, L., Ou, Q., Yu, W. and Xu, G.
Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307
Sönnichsen, F.D., see Sereda, T.J. 676(1994)139
Sonntag, C., see Dross, K. 673(1994)113
Sopok, S.
Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265
Sørensen, H., see Arentoft, A.M. 652(1993)189
Sørensen, H., see Arentoft, A.M. 652(1993)517
Sørensen, H., see Bjergegaard, C. 652(1993)477
Sørensen, H., see Bjergegaard, C. 653(1993)99
Sørensen, H., see Bjergegaard, C. 680(1994)561
Sørensen, H., see Frøkiær, H. 680(1994)437
Sørensen, H., see Michaelsen, S. 652(1993)503
Sørensen, H., see Michaelsen, S. 680(1994)299
Sørensen, S., see Arentoft, A.M. 652(1993)189
Sørensen, S., see Frøkiær, H. 680(1994)437
Soria, V., see García, R. 655(1993)3
Soria, V., see García, R. 655(1993)191
Soria, V., see García, R. 662(1994)61
Soria, V., see Porcar, I. 673(1994)65
Sosa, M.E., Valdés, J.R. and Martinez, J.A.
Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251
Soule, S., see Ferreira, F. 653(1993)380
Souquet, J.-M., see Rigaud, J. 654(1993)255
Soussan-Marchal, F., see Deruaz, D. 677(1994)345
Soyfer, V.N., see Potaman, V.N. 690(1995)65
Spanedda, L., see Cherchi, A. 669(1994)59
Špánik, I., see Krupčík, J. 665(1994)163
Speers, S.J., Doolan, K., McQuillan, J. and Wallace, J.S.
Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319
Speers, S.J., see Griffin, R.M.E. 674(1994)271
Speers, S.J., Little, B.H. and Roy, M.
Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263
Spelsberg, T.C., see Landers, J.P. 652(1993)109
Spelsberg, T.C., see Oda, R.P. 680(1994)85
Spelsberg, T.C., see Oda, R.P. 680(1994)341
Spence, P.L., see Pirkle, W.H. 659(1994)69
Spencer, J.L., Hendricks, J.P. and Kerr, D.
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143
Spencer, W.F., see Gan, J. 684(1994)121
Spertini, F., see Tissot, J.-D. 698(1995)225
Spieksma, W., Luijk, R. and Govers, H.A.J.
Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141
Spöhrer, U. and Eyer, P.
Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55
Springfield, J., see Levitt, M.D. 695(1995)324
Sri Ranjan, R., see Sarna, L.P. 677(1994)201
Srinivasan, K., Girard, J.E., Williams, P., Roby, R.K., Weedn, V.W., Morris, S.C., Kline, M.C. and Reeder, D.J.
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83
Srivatsa, G.S., Batt, M., Schuette, J., Carlson, R.H., Fitchett, J., Lee, C. and Cole, D.L.
Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469
Staerk, D.U., see Shitangkoon, A. 657(1993)387
Staerk, D.U., Shitangkoon, A. and Vigh, G.
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79
Staerk, D.U., Shitangkoon, A. and Vigh, G.
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

Stafford, A.E., see Lin, J.-T. 699(1995)85
Stafford, J.D., see Larew, L.A. 692(1995)183
Stafiej, J., see Głód, B.K. 654(1993)197
Stahl, R.
Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143
Ståhlberg, J., see Bartha, Á. 668(1994)255
Stålberg, O. and Arvidsson, T.
Liquid chromatographic determination of ethylenediaminetetraacetic acid as metal complexes on a porous graphitic carbon column 684(1994)213
Stalcup, A.M. and Williams, K.L.
Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185
Stan, H.-J., see Butz, S. 677(1994)63
Stan, H.-J. and Heberer, Th.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography–mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. II. Application to pesticides in groundwater samples 653(1993)55
Stan, H.-J., see Kirsch, N.H. 684(1994)277
Stan, H.-J. and Schwarzer, F.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography–mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. I. Description of the macro program AUTARG 653(1993)45
Stan, H.-J., see Zapf, A. 694(1995)453
Stanislawski, B., see Ito, M. 661(1994)143
Stanley, B.J., see Guan, H. 659(1994)27
Staroverov, S.M., see Nesterenko, P.N. 667(1994)19
Stashenko, E.E., see Blanco Tirado, C. 697(1995)501
Stathakis, C. and Cassidy, R.M.
Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353
Stathakis, C., Warburton, P.L. and Cassidy, R.M.
Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443
Stearns, S., see Wentworth, W.E. 688(1994)135
Stefánsson, H., Wollenberger, L. and Albertsson, P.-A.
Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191
Stefansson, M., see Lu, B. 697(1995)317
Stegeman, G., Kraak, J.C., Poppe, H. and Tijssen, R.
Hydrodynamic chromatography of polymers in packed columns 657(1993)283
Steghens, J.P., see Belinga, H.F. 695(1995)33
Steinborn, A., see Reinhardt, R. 697(1995)475
Steinborn, A., Reinhardt, R., Engewald, W., Wyssuwa, K. and Schulze, K.
Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485
Steinert, J., Khalaf, H. and Rimpler, M.
HPLC separation and determination of naphtho[2,3-b]-furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281
Steinhart, H., see Simat, T. 661(1994)93
Steinmetz, C., see Kuhn, R. 666(1994)367
Stekar, J.M., see Stibilj, V. 668(1994)449
Stensen, W. and Jensen, E.
High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87
Stephanou, E.G., see Psathaki, M. 667(1994)241
Sterin, M., see Abu-Lafi, S. 664(1994)159
Sterin, M., see Abu-Lafi, S. 679(1994)47
Stern, D.A., see Demkowicz, M.P. 671(1994)351
Stern, N.J., see Johnson, P.R. 667(1994)1
Sternberg, J., see Chen, F.-T.A. 652(1993)355
Sternberg, R., see De Vanssay, E. 688(1994)161
Stevenson, D.
Foreword 665(1994)215
Stevenson, D., see Shahtaheri, S.J. 697(1995)131
Stevenson, J.M., see Palladino, D.E.H. 676(1994)99
Stewart, J.T., see Ponder, G.W. 659(1994)177
Stewart, J.T., see Ponder, G.W. 692(1995)173
Stibilj, V., Dermelj, M., Byrne, A.R., Šimenc, T. and Stekar, J.M.
Determination of trace amounts of selenium in poultry feedstuffs by gas chromatography 668(1994)449
Sticher, O., see Rehwald, A. 677(1994)25
Stigbrand, T., see Jensen, P.E.H. 668(1994)101
Stil, G.H., see Kootstra, P.R. 697(1995)123
Stillian, J., see Rabin, S. 671(1994)63
Stocchi, V., Cardoni, P., Ceccaroli, P., Piccoli, G., Cucchiarini, L., De Bellis, R. and Dachà, M.
High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51
Stocchi, V., see Piccoli, G. 676(1994)239
Stortz, C.A., see Cases, M.R. 662(1994)293
Stotzer, R., see Wolfisberg, H. 652(1993)407
Stout, M.L. and Ravindranath, Y.
Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1-β-D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59
Stover, F.S., Bulmahn, J.A. and Gard, J.K.
Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection 688(1994)89
Stover, F.S. and Keffer, S.S.
Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450
Stow, J.M., see Dawson, L.A. 700(1995)81
Strancar, A., Raspor, P., Schwinn, H., Schütz, R. and Josic, D.
Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent–detergent method 658(1994)475
Strasters, J.K., see Madamba-Tan, L.S. 683(1994)321
Strasters, J.K., see Madamba-Tan, L.S. 683(1994)335

Straub, J.A., Akiyama, A., Parmar, P. and Musso, G.F.
Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85
Straub, J.A., see Wu, C. 684(1994)243
Straub, M.H.C., see Kootstra, P.R. 697(1995)123
Strazzolini, P., see Soják, L. 665(1994)169
Strazzolini, P., see Soják, L. 695(1995)57
Streater, M., see Levison, P.R. 658(1994)419
Stred'anský, M., Tomáška, M., Tomašková, A. and Šturdík, E.
Lactose hydrolysis in an aqueous two-phase system by whole-cell β-galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179
Strege, M.A. and Lagu, A.L.
Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179
Stringfield, W.B., see Carta, G. 658(1994)407
Stroh, J.G., see Rosnack, K.J. 675(1994)219
Strolin Benedetti, M., see Fontana, E. 660(1994)293
Strolin Benedetti, M., see Frigerio, E. 660(1994)351
Strömqvist, M.
Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304
Stroupe, M.L., see Pleil, J.D. 676(1994)399
Strumia, M., see Alvarez, C. 686(1994)333
Strumpf, Th., see Mellor, F. 679(1994)147
Strydom, D.J.
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227
Strydom, D.J.
Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17
Štulík, K., see Pacáková, V. 700(1995)187
Stumpf, C.L., see Oehrle, S.A. 680(1994)645
Sturaro, A., Parvoli, G., Rella, R. and Doretti, L.
Gas chromatographic–mass spectrometric, high-performance liquid chromatographic–UV and gas chromatographic–Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211
Šturdík, E., see Stred'anský, M. 668(1994)179
Stuting, H.H., see Dou, L. 679(1994)367
Suarez, A., see Reimer, G. 699(1995)253
Subramanian, A., Van Cott, K.E., Milbrath, D.S. and Velander, W.H.
Role of local antibody density effects on immunosorbent efficiency 672(1994)11
Suchánek, M., see Plzák, Z. 699(1995)241
Suehiro, N., see Yashima, E. 654(1993)151
Suehiro, N., see Yashima, E. 654(1993)159
Suen, S.-Y. and Etzel, M.R.
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179
Suen, T.-T., see Lee, Y.-C. 660(1994)299
Suen, T.-T., see Lee, Y.-C. 692(1995)137
Sugawara, K., see Ohkubo, T. 659(1994)467
Sugimoto, Y., see Ihara, T. 694(1995)49
Sugo, T., see Tsuneda, S. 689(1995)211
Suh, J.K., see Park, J.H. 656(1993)69
Sullivan, G.R., see Olsen, B.A. 692(1995)147
Sullivan, J. and Douek, M.
Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339
Sumita, C., Baba, Y., Hide, K., Ishimaru, N., Samata, K., Tanaka, A. and Tsuhako, M.
Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297
Sumiyoshi, K., Yagi, T. and Nakamura, H.
Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77
Sun, J.J. and Roston, D.A.
Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211
Sun, L., see Cassidy, R.M. 654(1993)105
Sun, L., McCormick, A.V. and Carr, P.W.
Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465
Sun, P., Barker, G.E., Hartwick, R.A., Grinberg, N. and Kaliszan, R.
Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247
Sun, P. and Hartwick, R.A.
On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279
Sun, P., see Landman, A. 669(1994)259
Sun, P., Landman, A., Barker, G.E. and Hartwick, R.A.
Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303
Sun, S.-W., see Ma, Y.-P. 695(1995)259
Sun, X.-Y. and Aue, W.A.
Constancy of spectral response ratios in the flame photometric detector 667(1994)191
Sun, X.-Y., see Aue, W.A. 687(1994)283
Sun, X.-Y., see Millier, B. 675(1994)155
Sun, X.-Y., Singh, H., Millier, B., Warren, C.H. and Aue, W.A.
Noise, filters and detection limits 687(1994)259
Sun, Y., Zhang, R., Wang, Q. and Xu, B.
Programmed-temperature gas chromatographic retention index (Review) 657(1993)1
Sun, Z.-P., see Zhang, C.-X. 655(1993)309
Sunahara, H., see Ito, K. 670(1994)99
Sundahl, M., see Orwar, O. 696(1995)139
Sundara Rao, V.S., see Muralidharan, D. 675(1994)257

Sundaram, K.M.S. and Curry, J.
High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
Sundaram, K.M.S., Nott, R. and Lewin, E.E.
Comparative study of the determination of tebufenozide in formulated products by gas chromatographic and liquid chromatographic methods 687(1994)323
Sundelöf, L.-O., see Porsch, B. 669(1994)21
Sunesson, A.-L., Nilsson, C.-A. and Andersson, B.
Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption–gas chromatography 699(1995)203
Susami, A., see Kakehi, K. 680(1994)209
Sushchik, N.N., Gladyshev, M.I., Kalachova, G.S. and Guseynova, V.E.
Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223
Sutherland, J.B., see Wilkes, J.G. 695(1995)319
Suzuki, E.Y. and Early, R.J.
High-performance liquid chromatographic separation of phenylthiocarbamyl derivatives of amino acids from protein hydrolysates using a Partisphere C_{18} column 657(1993)204
Suzuki, H., see Ogino, K. 699(1995)59
Suzuki, H., see Ogino, K. 699(1995)67
Suzuki, M., see Asukabe, H. 657(1993)349
Suzuki, M., see Murata, H. 693(1995)263
Suzuki, M., see Nishida, F. 664(1994)195
Suzuki, M., see Oka, H. 674(1994)301
Suzuki, N., see Saitoh, K. 653(1993)247
Suzuki, N., see Saitoh, K. 693(1995)176
Suzuki, O., see Hattori, H. 674(1994)15
Suzuki, S., see Kakehi, K. 680(1994)209
Suzuki, S., see Shirao, M. 680(1994)247
Suzuki, S., Shirao, M., Aizawa, M., Nakazawa, H., Sasa, K. and Sasagawa, H.
Determination of synthetic food dyes by capillary electrophoresis 680(1994)541
Suzuki, T.
High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301
Suzuki, T., Yaguchi, K., Ohnishi, K. and Yamagishi, T.
Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139
Švec, F., see Fréchet, J.M.J. 667(1994)284
Svec, F., see Hosoya, K. 690(1995)21
Švec, F., see Wang, Q.C. 669(1994)230
Swart, C.P., see Van der Velde, E.G. 683(1994)167
Swart, K.J., Hundt, H.K.L. and Groenewald, A.M.
Automated high-performance liquid chromatographic method for the determination of acyclovir in plasma 663(1994)65
Swart, R., Kraak, J.C. and Poppe, H.
Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25
Swart, R., Kraak, J.C. and Poppe, H.
Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177
Swartz, M.E., see Mazzeo, J.R. 680(1994)125
Sybilska, D., Asztemborska, M., Kowalczyk, J., Ochocka, R.J., Ossicini, L. and Perez, G.
Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389
Sybilska, D., Kowalczyk, J., Asztemborska, M., Ochocka, R.J. and Lamparczyk, H.
Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67
Sydenham, E.W., see Shephard, G.S. 692(1995)39
Sýkora, D., see Pacáková, V. 700(1995)187
Sýkora, D., Vinš, I., Hermann, P. and Kesner, F.
Reversed-phase high-performance liquid chromatography of diastereomers of some phosphonodipeptides 665(1994)59
Synovec, R.E., see Bahowick, T.J. 663(1994)135
Synovec, R.E., see Lima III, L.R. 691(1995)195
Synovec, R.E., see Taylor, D.B. 659(1994)133
Sypniewski, S. and Bald, E.
Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321
Szegletes, Z., see Török, B. 668(1994)463
Szemán, J. and Ganzler, K.
Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509
Szepesy, L.
Foreword 668(1994)253
Szepesy, L., see Rippel, G. 664(1994)27
Szepesy, L., see Rippel, G. 668(1994)301
Szepesy, L. and Rippel, G.
Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337
Szepesy, L., see Rippel, G. 697(1995)17
Szépvölgyi, J., see Gelencsér, A. 654(1993)269
Sziele, D., Brüggemann, O., Döring, M., Freitag, R. and Schügerl, K.
Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254
Sznitowska, M., see Nasal, A. 692(1995)83
Szulc, M.E. and Krull, I.S.
Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

T

Tabacchi, R., see Hägglund, I. 673(1994)93
Tabera, J., see Blanch, G.P. 655(1993)141
Tabera, J., see Ibáñez, E. 667(1994)249
Tadeo', J.L., see Sánchez-Brunete, C. 675(1994)213
Tadey, T. and Purdy, W.C.
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131
Taga, A., see Kakehi, K. 680(1994)209
Taga, M., see Kaneta, T. 653(1993)313
Tagliaro, F., Antonioli, C., De Battisti, Z., Ghielmi, S. and Marigo, M.
Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207
Takagi, K., Toyoda, M., Shimizu, M., Satoh, T. and Saito, Y.
Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127
Takagi, T., see Watanabe, Y. 653(1993)241
Takahashi, H., see Inoue, Y. 675(1994)149
Takahashi, K.-I., see Okamoto, M. 675(1994)244
Takahashi, M., see Kamata, K. 667(1994)113
Takahashi, S., see Nakamura, Y. 655(1993)355
Takao, N., see Yamagami, C. 662(1994)49
Takase, H., see Nakamura, Y. 655(1993)355
Takata, Y., see Ito, M. 661(1994)143
Takatsuto, S.
Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography–mass spectrometry (Review) 658(1994)3
Takatsuto, S., see Gamoh, K. 658(1994)17
Takatsuto, S., see Motegi, C. 658(1994)27
Takayama, Y. and Takeichi, T.
Preparation of deactivated metal capillary for gas chromatography 685(1994)61
Takeda, K., see Sakagami, H. 653(1993)37
Takeda, M., see Sakagami, H. 653(1993)37
Takeda, M., see Yasuhara, F. 694(1995)227
Takeda, S., Wakida, S.-i., Yamane, M., Kawahara, A. and Higashi, K.
Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109
Takei, S., see Moriguchi, S. 686(1994)101
Takeichi, T., see Takayama, Y. 685(1994)61
Takeo, K.
Advances in affinity electrophoresis (Review) 698(1995)89
Takeshita, Y., see Yarita, T. 679(1994)329
Takeuchi, T. and Miwa, T.
Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β-cyclodextrin as mobile phase additive 666(1994)439
Takeuchi, T. and Miwa, T.
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185
Talasek, R.T. and Schoenke, M.P.
Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205
Tallarek, U., Baumeister, E., Albert, K., Bayer, E. and Guiochon, G.
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1
Tamaki, M., Akabori, S. and Muramatsu, I.
Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237
Tamaru, T., see Iida, T. 689(1995)77
Tambe, A.S., Biswas, S.S. and Zubaidha, P.K.
Gas chromatographic analysis of diastereomers and enantiomers of β,γ-unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397
Tambuté, A., see Bargmann-Leyder, N. 666(1994)27
Tambuté, A., see Camel, V. 693(1995)101
Tan, H.S.I., Xu, J. and Zheng, Y.
Cation-exchange high-performance liquid chromatographic assay of piperazine in some pharmaceutical formulations 693(1994)307
Tan, L.C., see Carr, P.W. 656(1993)113
Tan, L.C. and Carr, P.W.
Extra-thermodynamic relationships in chromatography—study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521
Tanaka, A., see Sumita, C. 661(1994)297
Tanaka, H., see Oi, S. 659(1994)75
Tanaka, H., see Oi, S. 679(1994)35
Tanaka, I., see Hirokawa, T. 663(1994)245
Tanaka, K., Ohta, K., Fritz, J.S., Matsushita, S. and Miyanaga, A.
Simultaneous ion-exclusion chromatography–cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239
Tanaka, M., see Yoshinaga, M. 679(1994)359
Tanaka, N., Fukutome, T., Tanigawa, T., Hosoya, K., Kimata, K., Araki, T. and Unger, K.K.
Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331
Tanaka, N., see Hosoya, K. 662(1994)37
Tanaka, N., see Hosoya, K. 666(1994)449
Tanaka, N., see Hosoya, K. 690(1995)21
Tanaka, N., Kimata, K., Hosoya, K., Miyanishi, H. and Araki, T.
Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

Tanaka, S., see Kaneta, T. 653(1993)313
Tanaka, S., see Matsui, K. 694(1995)209
Tanaka, Y., see Kobayashi, M. 678(1994)351
Tanaka, Y. and Terabe, S.
Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277
Tang, Y., Zhou, Y. and Armstrong, D.W.
Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147
Tanigawa, T., see Tanaka, N. 699(1995)331
Tanimura, T., see Yamazaki, S. 662(1994)219
Tarantilis, P.A., Polissiou, M. and Manfait, M.
Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55
Tarantilis, P.A., Tsoupras, G. and Polissiou, M.
Determination of saffron (*Crocus sativus* L.) components in crude plant extract using high-performance liquid chromatography–UV–visible photodiode-array detection–mass spectrometry 699(1995)107
Tardif, B., see Bounine, J.P. 677(1994)87
Tasi, Gy., see Török, B. 668(1994)353
Tatár, E., Khalifa, M., Záray, G. and Molnár-Perl, I.
Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109
Tauler, R., see Lacorte, S. 697(1995)345
Tavares, M.F.M. and McGuffin, V.L.
Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129
Tawabini, B.S., see Iob, A. 661(1994)245
Taylor, D.B. and Synovec, R.E.
Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133
Taylor, D.R., see Al-Bajjari, T.I. 683(1994)367
Taylor, D.R., see Al-Bajjari, T.I. 683(1994)377
Taylor, D.R., see Maher, K.M. 697(1995)247
Taylor, D.R., see Smith, R.J. 697(1995)591
Taylor, D.R., see Wilkins, S.M. 697(1995)587
Taylor, G.E., see Dawson, J.R. 700(1995)163
Taylor, L.T., see Jedrzejewski, P.T. 677(1994)365
Taylor, M.R. and Westwood, S.A.
Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389
Tazawa, S., see Iida, T. 689(1995)77
Tchapla, A. and Héron, S.
Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175
Tchapla, A., Héron, S., Lesellier, E. and Colin, H.
General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81
Teasdale, R., see Khoshab, A. 660(1994)195
Tehrani, J., see Lopez-Avila, V. 672(1994)167
Tello, A.M., see Lebrón-Aguilar, R. 697(1995)441
Tempst, P., see Elicone, C. 676(1994)121
Tena, T., see Lora-Tamayo, C. 674(1994)217
Teng, J.I. and Smith, L.L.
High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4-3-ketone derivatives 691(1995)247
Terabe, S., see Chen, N. 678(1994)327
Terabe, S., see Matsubara, N. 680(1994)311
Terabe, S., see Nishi, H. 694(1995)245
Terabe, S., see Otsuka, K. 652(1993)253
Terabe, S., see Otsuka, K. 680(1994)317
Terabe, S., Otsuka, K. and Nishi, H.
Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295
Terabe, S., see Ozaki, H. 680(1994)117
Terabe, S., see Tanaka, Y. 694(1995)277
Terabe, S.
Foreword 680(1994)1
Teramae, N., see Saitoh, K. 687(1994)149
Terao, T., see Toyo'oka, T. 661(1994)105
Terasima, K., see Kamata, K. 667(1994)113
Terazawa, Y., see Baba, S. 663(1994)35
Terhechte, A. and Blaschke, G.
Investigation of the stereoselective metabolism of the chiral H_1-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219
Terreni, M., Benfenati, E., Natangelo, M., Facchini, G. and Pagani, G.
Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243
Terry, K.A., see Onuska, F.I. 665(1994)125
Terzuoli, L., Pizzichini, M., Arezzini, L., Pandolfi, M.L., Marinello, E. and Pagani, R.
Separation and determination of allantoin, uric acid, hydantoin and urea 684(1994)350
Tetler, L.W., Cooper, P.A. and Powell, B.
Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21
Tetler, L.W., see Lord, G.A. 700(1995)27
Thamer, D., see Trathnigg, B. 657(1993)365
Thamer, D., see Trathnigg, B. 665(1994)47
Thanh, H.H.
Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343
Thatcher, D.R., see Alderton, W.K. 677(1994)289
Thebtaranonth, Y., see Nishida, F. 664(1994)195
Thede, R., Haberland, D. and Below, E.
Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

Thede, R., Haberland, D., Deng, Z. and Langer, S.H.
Second-order kinetics in the liquid chromatographic reactor 683(1994)279
Theil, F., see Kunath, A. 684(1994)162
Thibault, P., see Buzy, A. 688(1994)301
Thiebaut, D., see Menet, J.-M. 659(1994)3
Thiede, S., see Benedek, K. 676(1994)209
Thiel, P.G., see Shephard, G.S. 692(1995)39
Thierfelder, J.M., see Kraus, G. 677(1994)197
Thies, F. and Grimme, L.H.
In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168
Thoithi, G., see Paesen, J. 677(1994)377
Thoithi, G., Van Schepdael, A., Herdewijn, P., Roets, E. and Hoogmartens, J.
Liquid chromatographic separation of diamino analogues of 2′- or 3′-deoxyadenosine from adenine on a poly(styrene–divinylbenzene) polymer column 689(1995)247
Thomas, A.W., see Narum, D.L. 657(1993)357
Thomas, D., Crain, S.M., Sim, P.G. and Benoit, F.M.
Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1
Thomas, J., see Martinez, B. 655(1993)45
Thömmes, J., see Dos Reis Coimbra, J. 668(1994)85
Thompson, C.O., Trenerry, V.C. and Kemmery, B.
Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507
Thompson, J.D., see Hagen, S.R. 692(1995)167
Thompson, Jr., H.C., see Billedeau, S.M. 688(1994)55
Thompson, W.C., see Dasgupta, A. 685(1994)279
Thomsen, U.G., Cornett, C., Tjørnelund, J. and Hansen, S.H.
Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175
Thormann, W., see Caslavska, J. 680(1994)549
Thormann, W., see Wolfisberg, H. 652(1993)407
Thörnwall, M., see Sanderson, K. 676(1994)155
Thuaud, N. and Sebille, B.
Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15
Thurbide, K.B. and Aue, W.A.
Reactive-flow luminescence detector for gas chromatography 684(1994)259
Thurbide, K.B. and Aue, W.A.
Quenching-free reactive-flow photometry 694(1995)433
Thurbide, K.B., see Aue, W.A. 699(1995)183
Tichý, M., Holanová, J. and Závada, J.
6,6′-Dinitrobiphenyl-2,2′-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11
Tiebach, R., see Brinkmann, E. 693(1995)271
Tier, C.M., see Jones, D. 661(1994)1
Tijssen, R., see Schoenmakers, P.J. 656(1993)577
Tijssen, R., Schoenmakers, P.J., Böhmer, M.R., Koopal, L.K. and Billiet, H.A.H.
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135
Tijssen, R., see Stegeman, G. 657(1993)283
Tijssen, R., see Van Asten, A.C. 676(1994)361
Tilio, R., Kapila, S., Nam, K.S., Bossi, R. and Facchetti, S.
Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191
Tilotta, D.C., see Wittkamp, B.L. 670(1994)145
Tilquin, B.L., see Vanbel, P.F. 697(1995)3
Timerbaev, A.R., see Semenova, O.P. 667(1994)327
Timerbaev, A.R. and Semenova, O.P.
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141
Timerbaev, A.R., Semenova, O.P., Jandik, P. and Bonn, G.K.
Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419
Tindall, G.W. and Perry, R.L.
Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349
Ting, K.-C. and Lee, C.-S.
Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
Tissot, J.-D. and Spertini, F.
Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225
Tisza, S., Sass, P. and Molnár-Perl, I.
Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography–mass spectrometry and determination of the composition of six apple varieties 676(1994)461
Titon, M.C. and Nardillo, A.M.
Separation of low-boiling pyridine bases by gas chromatography 699(1995)403
Tivesten, A., see Orwar, O. 696(1995)139
Tjaden, U.R., see Buscher, B.A.P. 678(1994)145
Tjaden, U.R., see Mazereeuw, M. 677(1994)151
Tjaden, U.R., see Reinhoud, N.J. 653(1993)303
Tjaden, U.R., see Reinhoud, N.J. 673(1994)239
Tjaden, U.R., see Reinhoud, N.J. 673(1994)255
Tjaden, U.R., see Van Der Vlis, E. 665(1994)233
Tjaden, U.R., see Van der Vlis, E. 687(1994)333
Tjell, J.C., see Harrison, I. 688(1994)181

Tjerneld, F., see Alred, P.A. 659(1994)289
Tjerneld, F., see Lu, M. 668(1994)215
Tjerneld, F., see Modlin, R.F. 668(1994)229
Tjørnelund, J., see Thomsen, U.G. 697(1995)175
Toda, T. and Ohashi, M.
Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41
Todd, B., see Zhao, J. 673(1994)167
Todd, G.D., see Green, M.D. 695(1995)237
Todd, N., see Griffin, R.M.E. 674(1994)271
Todd, R.J., Johnson, R.D. and Arnold, F.H.
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13
Todoulou, O., see Tsantili-Kakoulidou, A. 654(1993)43
Tokuma, Y. and Noguchi, H.
Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
Tollaksen, S.L., see Giometti, C.S. 698(1995)341
Tomás-Barberán, F.A., see Ferreres, F. 669(1994)268
Tomáška, M., see Stred'anský, M. 668(1994)179
Tomašková, A., see Stred'anský, M. 668(1994)179
Tomer, K.B., see Weinmann, W. 664(1994)271
Tomer, K.B., see Weinmann, W. 680(1994)353
Tominaga, I., see Hiraoka, A. 680(1994)243
Tomlinson, A.J., Benson, L.M., Landers, J.P., Scanlan, G.F., Fang, J., Gorrod, J.W. and Naylor, S.
Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417
Tomlinson, A.J., Landers, J.P., Lewis, I.A.S. and Naylor, S.
Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171
Tongta, A., Liapis, A.I. and Siehr, D.J.
Equilibrium and kinetic parameters of the adsorption of α-chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21
Toniolo, R., Bontempelli, G., Zancato, M. and Pietrogrande, A.
Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185
Tønnesen, F., see Krogh, M. 674(1994)235
Toome, D.W., see Levison, P.R. 658(1994)419
Toppila, M., see Salomies, H. 697(1995)597
Tornés, A.R., see Nerín, C. 672(1994)159
Torniainen, K. and Mäki, E.
Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397
Török, B., Pálinkó, I., Tasi, Gy., Nyerges, L. and Bogár, F.
Gas chromatographic–mass spectrometric determination of α-phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353
Török, B., Szegletes, Z. and Molnár, A.
Separation and identification of stereoisomeric cyclobutanediols by gas chromatography–mass spectrometry 668(1994)463
Torres-Lapasió, J.R., Villanueva-Camañas, R.M., Sanchis-Mallols, J.M., Medina-Hernández, M.J. and García-Alvarez-Coque, M.C.
Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239
Tortosa, J., see Periago, J.F. 657(1993)147
Tortosa, J., see Prado, C. 657(1993)131
Tóth, G., see Péter, A. 660(1994)283
Tóth, G., see Péter, A. 668(1994)331
Toth, I., see Korakas, D. 659(1994)307
Tourwé, D., see Péter, A. 660(1994)283
Tourwé, D., see Péter, A. 668(1994)331
Toyoda, M., see Takagi, K. 659(1994)127
Toyo'oka, T., Ishibashi, M. and Terao, T.
Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105
Toyo'oka, T. and Liu, Y.-M.
High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23
Toyo'oka, T. and Liu, Y.-M.
Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11
Toyo'oka, T., Liu, Y.-M., Hanioka, N., Jinno, H., Ando, M. and Imai, K.
Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79
Tracy, R.P., see Young, D.S. 698(1995)163
Traficante, D.D., see Mao, J. 684(1994)103
Tran, P., see Armstrong, D.W. 688(1994)201
Trathnigg, B., Thamer, D., Yan, X., Maier, B., Holzbauer, H.-R. and Much, H.
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365
Trathnigg, B., Thamer, D., Yan, X., Maier, B., Holzbauer, H.-R. and Much, H.
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. II. Quantification in liquid chromatography under critical conditions 665(1994)47
Trathnigg, B. and Yan, X.
Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199
Treffry, T.E., see Guan, Y. 668(1994)31
Treiber, L.R.
Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193
Trenerry, V.C., see Thompson, C.O. 694(1995)507

Trettin, U., see Koppenhoefer, B. 666(1994)557
Treutter, D., Santos-Buelga, C., Gutmann, M. and Kolodziej, H.
Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290
Trier, C., see Šepič, E. 697(1995)515
Trigg, D.P., Simmonds, P.G. and Nickless, G.
Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197
Trinajstić, N., see Amić, D. 653(1993)115
Tříska, J., see Jegorov, A. 673(1994)286
Tříska, J., see Zahradníčková, H. 688(1994)383
Trivedi, P., see Kumar, N. 678(1994)259
Trnka, T., see Jegorov, A. 673(1994)286
Trocewicz, J., see Jönsson, J.A. 665(1994)259
Truelove, J.F., see Lawrence, J.F. 662(1994)173
Truffert, J.-C., see Bargmann-Leyder, N. 666(1994)27
Tsai, E.W., see Bell, C. 675(1994)248
Tsai, E.W., see Qin, X.-Z. 686(1994)205
Tsai, F.Y., Chen, C.J. and Chien, C.S.
Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309
Tsantili-Kakoulidou, A., Filippatos, E., Todoulou, O. and Papadaki-Valiraki, A.
Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol–water partition coefficients 654(1993)43
Tsikas, D., Böger, R.H., Bode-Böger, S.M., Brunner, G. and Frölich, J.C.
Formation of S-nitroso compounds from sodium nitroprusside, nitric oxide or nitrite and reduced thiols: analysis by capillary isotachophoresis 699(1995)363
Tsonis, P.A. and Del Rio-Tsonis, K.
Protein separation techniques in the study of tissue regeneration 698(1995)361
Tsoupras, G., see Tarantilis, P.A. 699(1995)107
Tsuchiya, K., see Ogino, K. 699(1995)59
Tsueda, M.S., see Hayes, F.J. 692(1995)73
Tsuhako, M., see Baba, Y. 652(1993)93
Tsuhako, M., see Baba, Y. 653(1993)329
Tsuhako, M., see Sumita, C. 661(1994)297
Tsuji, A., see Arakawa, H. 664(1994)89
Tsuji, A., see Arakawa, H. 680(1994)517
Tsuji, K.
Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139
Tsuji, K.
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257
Tsukamoto, T. and Ushio, T.
Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]-heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69
Tsuneda, S., Saito, K., Furusaki, S. and Sugo, T.
High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211
Tu, G., see Liao, J. 669(1994)225
Tuberoso, C., see Cherchi, A. 669(1994)59
Tucci, S., see Hernandez, L. 652(1993)393
Tucker, R.C., see Chang, J.P. 675(1994)113
Tuinstra, L.G.M.Th., see Deacon, M. 657(1993)69
Tuinstra, L.G.M.Th., see Deacon, M. 659(1994)349
Tullsen, T.R., see Rocklin, R.D. 671(1994)109
Turiák, G. and Volicer, L.
Stability of *o*-phthalaldehyde–sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323
Turner, M., see Buchberger, W. 671(1994)375
Turner, R.E., see Asenjo, J.A. 668(1994)129
Turnes, M.I., Rodriguez, I., Mejuto, M.C. and Cela, R.
Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection 683(1994)21
Turni, L.A., see Marino, M.A. 676(1994)185
Turni, L.A., see Williams, P.E. 680(1994)525
Tusak, A., see Chen, F.-T.A. 652(1993)355
Tusak, A., see Chen, F.-T.A. 685(1994)331
Tutschku, S., Mothes, S. and Dittrich, K.
Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269
Tuvim, Y., see Capparella, M. 691(1995)141
Tvrzická, E., see Novaković, J. 678(1994)359
Tzanakakis, G.N., see Karamanos, N.K. 696(1995)295

U

Uccello-Barretta, G., Pini, D., Rosini, C. and Salvadori, P.
Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7′-bis(1-propen-3-oxy)-2,2′-dihydroxy-1,1′-binaphthyl and quinine 666(1994)541
Uchida, A., see Onodera, S. 699(1995)291
Uchida, K., see Nakamura, Y. 655(1993)355
Uden, P.C., see Ho, Y.-S. 688(1994)107

Ueda, J., Miyamoto, K. and Kamisaka, S.
Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review) 658(1994)129
Ueda, K., see Michigami, Y. 663(1994)255
Ueda, K., see Michigami, Y. 664(1994)117
Ueda, N., see Seki, T. 661(1994)113
Ueda, N., see Yoza, N. 664(1994)111
Ueland, P.M., see Schneede, J. 669(1994)185
Uetanaka, K., see Arakawa, H. 664(1994)89
Uetanaka, K., see Arakawa, H. 680(1994)517
Uiji, N., see Mizukami, F. 697(1995)279
Umesato, F., see Ito, M. 661(1994)143
Unger, K., see Kurganov, A. 660(1994)97
Unger, K., see Kurganov, A. 666(1994)99
Unger, K.K.
Foreword 660(1994)1
Unger, K.K., see Hanson, M. 656(1993)369
Unger, K.K., see Tanaka, N. 699(1995)331
Uno, T., see Ohkubo, T. 659(1994)467
Uray, G., Maier, N.M. and Lindner, W.
Diphenylethanediamine derivatives as chiral selectors. III . Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41
Urbánek, J., see Jandera, P. 689(1995)255
Urbánková, E., see Pazourek, J. 660(1994)113
Urbas, E., see Kaljurand, M. 660(1994)147
Urbe, I., see Ruana, J. 655(1993)217
Urge, L., see Gorbics, L. 676(1994)169
Ushio, T., see Tsukamoto, T. 678(1994)69
Ushio, T. and Yamamoto, K.
High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235
Usui, T., see Okada, T. 676(1994)355
Utagawa, Y., see Satow, T. 652(1993)23
Uzawa, H., see Kim, J.-H. 677(1994)35

V

Vaccher, C., Berthelot, P. and Debaert, M.
Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213
Vacík, J., see Hirokawa, T. 663(1994)245
Vagg, R.S., see Aldrich-Wright, J.R. 693(1995)366
Vaisar, T., see Píš, J. 658(1994)77
Valachovičová, M., see Krupčík, J. 665(1994)111
Valdés, J.R., see Sosa, M.E. 662(1994)251
Valencia, L.S., see Westmark, P.R. 664(1994)123
Valkó, I.E., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Effect of the degree of substitution of (2-hydroxy)propyl-β-cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139
Valko, K., see Almudaris, A. 689(1995)31
Valkó, K., see Korakas, D. 659(1994)307
Valkó, K., Snyder, L.R. and Glajch, J.L.
Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501
Vallhonrat, R., see Comellas, L. 655(1993)57
Valls, R., Artaud, J., Amade, P., Vincente, N. and Piovetti, L.
Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114
Valverde, A., see Fernandez-Alba, A.R. 686(1994)263
Van Aerschot, A., see Van Schepdael, A. 687(1994)167
Van Amen, C., see Montes, M.C. 688(1994)31
Van Asten, A.C., Kok, W.Th., Tijssen, R. and Poppe, H.
Thermal field flow fractionation of polytetrahydrofuran 676(1994)361
Vanatta, L.E.
Use of combined sodium hydroxide and carbonate–bicarbonate eluents with various anion-exchange columns 671(1994)83
Vanbel, P.F., Tilquin, B.L. and Schoenmakers, P.J.
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3
Van Beuzekom, A.C., see Van der Velde, E.G. 683(1994)125
Van Cott, K.E., see Subramanian, A. 672(1994)11
Van Damme, F. and Oomens, A.C.
Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium N,N-diethyldithiocarbamate and liquid chromatography 696(1995)41
Van de Goor, T.A.A.M., see Keely, C.A. 652(1993)283
Van de Goor, T.A.A.M., see Wanders, B.J. 652(1993)291
Vande Gucht, I.
Determination of chelating agents in fertilizers by ion chromatography 671(1994)359
Vandendriessche, F., see Van Schepdael, A. 687(1994)167
Van de Ven, L.J.M., see Scholten, A.B. 688(1994)25
Van de Ven, L.J.M., see Verhulst, H.A.M. 687(1994)213
Van der Greef, J., see Buscher, B.A.P. 678(1994)145
Van der Greef, J., see Mazereeuw, M. 677(1994)151
Van der Greef, J., see Reinhoud, N.J. 653(1993)303
Van der Greef, J., see Reinhoud, N.J. 673(1994)239
Van der Greef, J., see Reinhoud, N.J. 673(1994)255
Van Der Greef, J., see Van Der Vlis, E. 665(1994)233
Van der Greef, J., see Van der Vlis, E. 687(1994)333
Van der Heiden, C., see Lopez-Avila, V. 672(1994)167
Van der Schans, M.J., Allen, J.K., Wanders, B.J. and Guttman, A.
Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Van der Velde, E.G., Dietvorst, M., Swart, C.P., Ramlal, M.R. and Kootstra, P.R.
Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167
Van der Velde, E.G., see Kootstra, P.R. 697(1995)123
Van der Velde, E.G., Ramlal, M.R., Van Beuzekom, A.C. and Hoogerbrugge, R.
Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125
Van Der Vlis, E., Irth, H., Tjaden, U.R. and Van Der Greef, J.
Potential of receptor–ligand interactions for sample handling in liquid and gas chromatography 665(1994)233
Van der Vlis, E., Mazereeuw, M., Tjaden, U.R., Irth, H. and Van der Greef, J.
Combined liquid–liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
Van Dongen, W., see Chauvaux, N. 657(1993)337
Van Dyck, M.M.C., Rollmann, B. and De Meester, C.
Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377
Van Ginkel, L.A., see Polettini, A. 695(1995)19
Van Halem, M., see De Zeeuw, R.A. 664(1994)263
Van Herk, A.M., see Eleveld, J.T. 677(1994)211
Vanky, P., see Karamanos, N.K. 696(1995)295
Van Langenhove, H., see Görgényi, M. 693(1995)181
Van Langenhove, H., see Keymeulen, R. 699(1995)223
Van Moffaert, G.J., see Palladino, D.E.H. 676(1994)99
Van Onckelen, H.A., see Chauvaux, N. 657(1993)337
Vanoosthuyze, K., see Daeseleire, E. 674(1994)247
Van Peteghem, C., see Croubels, S. 673(1994)267
Van Peteghem, C., see Daeseleire, E. 674(1994)247
Van Schepdael, A., Macken, E., Busson, R., Janssen, G., Herdewijn, P., Roets, E. and Hoogmartens, J.
Stability study of 2′-deoxyuridine by liquid chromatography 657(1993)208
Van Schepdael, A., Smets, K., Vandendriessche, F., Van Aerschot, A., Herdewijn, P., Roets, E. and Hoogmartens, J.
Comparative stability study of thymidine and (dideoxy-D-*erythro*-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167
Van Schepdael, A., see Thoithi, G. 689(1995)247
Van Straten, M.A., see Kirkland, J.J. 691(1995)3
Van Tilburg, A.F.P., see Duchateau, A.L.L. 664(1994)169
Van Vyncht, G., Gaspar, P., DePauw, E. and Maghuin-Rogister, G.
Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67
Van Zoonen, P., see Polettini, A. 695(1995)19
Van Zoonen, P., see Sancho, J.V. 678(1994)59
Vaquero, M.T., see Codina, G. 673(1994)21
Vaquero, M.T., see Comellas, L. 657(1993)25
Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101
Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107
Varga-Puchony, Z., see Gelencsér, A. 693(1995)217
Varga-Puchony, Z., see Gelencsér, A. 693(1995)227
Varghese, J. and Cole, R.B.
Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis–electrospray mass spectrometry 652(1993)369
Varghese, J., see Cole, R.B. 680(1994)363
Vasconcelos, M.T. and Gomes, C.A.R.
Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227
Vasconcelos, M.T.S.D., Gomes, C.A.R. and Machado, A.A.S.C.
Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53
Vasileva, E., see Agapova, N.N. 654(1993)299
Vasquez, F.G., see Demkowicz, M.P. 671(1994)351
Vast, P., see Yoza, N. 664(1994)111
Vauthier, C., see Huve, P. 675(1994)129
Vázquez, A., see Ferreira, F. 653(1993)380
Večeřa, Z., see Zdráhal, Z. 668(1994)371
Végh, Z., see Nagy-Turák, A. 668(1994)501
Veide, A., see Hassinen, C. 668(1994)121
Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Evaluation of silica gel-based brush type chiral cation exchangers with (*S*)-N-(3,5-dinitrobenzoyl)tyrosine as chiral selector: attempt to interpret the discouraging results 694(1995)151
Veigl, E. and Lindner, W.
Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255
Vejrosta, J., Ansorgová, A., Mikešová, M. and Bartle, K.D.
Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209
Vejrosta, J., Ansorgová, A., Planeta, J., Breen, D.G., Bartle, K.D. and Clifford, A.A.
Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Vejrosta, J., see Janda, V. 669(1994)241
Vejrosta, J., Planeta, J., Mikešová, M., Ansorgová, A., Karásek, P., Fanta, J. and Janda, V.
Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113
Vela, N.P., see Carey, J.M. 662(1994)329
Vela, N.P., see Kumar, U.T. 655(1993)340
Velander, W.H., see Subramanian, A. 672(1994)11
Velásquez, H., see Morales, J.A. 671(1994)193
Velayudhan, A. and Horváth, C.
Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1
Velders, D.D., see Scheepers, P.T.J. 677(1994)107
Velthorst, N.H., see Mank, A.J.G. 695(1995)165
Velthorst, N.H., see Mank, A.J.G. 695(1995)175
Venema, A., see Jaques, K. 666(1994)131
Ventriglia, M., see Di Muccio, A. 697(1995)145
Ventura, R., Nadal, T., Alcalde, P., Pascual, J.A. and Segura, J.
Fast screening method for diuretics, probenecid and other compounds of doping interest 655(1993)233
Venturini, E., see Vitali, P. 660(1994)219
Vera, S., see San Andrés, M.P. 685(1994)271
Vera-Avila, L.E., see Contreras Martinez, S. 667(1994)119
Verchère, J.-F., see Dona, A.-M. 689(1995)13
Verdeguer, P., see Hernandez, L. 652(1993)399
Veress, T.
Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285
Verhallen, P., see Rothemund, S. 661(1994)77
Verhoeven, J.T.H., see Hendriks, P.J.M. 655(1993)325
Verhulst, H.A.M., Van de Ven, L.J.M., De Haan, J.W., Claessens, H.A., Eisenbeiss, F. and Cramers, C.A.
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213
Vermeulen, D.M. and Cantwell, F.F.
Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205
Vermillion-Salsbury, R., see Hardcastle, J.E. 691(1995)225
Verpoorte, R., see Hermans-Lokkerbol, A.C.J. 664(1994)45
Verpoorte, R., see Hermans-Lokkerbol, A.C.J. 669(1994)65
Verrall, M.S., see Bartle, K.D. 697(1995)579
Verrecchia, T., see Huve, P. 675(1994)129
Versteegh, J.F.M., see Peters, R.J.B. 686(1994)253
Vervoort, R.J.M., Derksen, M.W.J. and Maris, F.A.
Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1
Verweij, A.M.A. and Lipman, P.J.L.
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359
Vespalec, R., see Šimek, Z. 685(1994)7
Vetter, W. and Luckas, B.
Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173
Vetter, W. and Walther, W.
Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149
Veverka, K.A., see Benson, L.M. 693(1995)162
Vezzani, S., see Castello, G. 677(1994)95
Vezzani, S., Moretti, P. and Castello, G.
Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331
Viana, E., see Escrivá, C. 676(1994)375
Viana, E., Moltó, J.C., Mañes, J. and Font, G.
Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285
Viana, E., Moltó, J.C., Mañes, J. and Font, G.
Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
Viard, V., see Lameloise, M.-L. 679(1994)255
Vicari, A., see Dinelli, G. 700(1995)195
Vicari, A., see Dinelli, G. 700(1995)201
Vicente, C., see Legaz, M.E. 697(1995)329
Vicente, C., see Pedrosa, M.M. 697(1995)571
Vidal-Madjar, C., see Renard, J. 661(1994)35
Videira, M. and Aires-Barros, M.R.
Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237
Vigh, G., see Irgens, L.H. 666(1994)603
Vigh, G., see Quintero, G. 693(1995)1
Vigh, G., see Rawjee, Y.Y. 652(1993)233
Vigh, G., see Rawjee, Y.Y. 680(1994)599
Vigh, G., see Rawjee, Y.Y. 688(1994)273
Vigh, G., see Shitangkoon, A. 657(1993)387
Vigh, G., see Staerk, D.U. 663(1994)79
Vigh, G., see Staerk, D.U. 677(1994)133
Vigh, Gy., see Biggin, M.E. 692(1995)319
Vigh, Gy., see Camacho-Torralba, P.L. 691(1995)213
Vilanova, R., see Fernandez, P. 688(1994)363
Vilaplana, J., López, J. and Jiménez, A.
Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133
Vilenchik, M., Belenky, A. and Cohen, A.S.
Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105
Vilenchik, M., see Pariat, Y.F. 652(1993)57
Villani, C., see Galli, B. 666(1994)77
Villani, C., see Gasparrini, F. 694(1995)163
Villani, C. and Pirkle, W.H.
Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6-arene)–chromium(0) complexes 693(1995)63
Villanueva, M.J., see Redondo, A. 677(1994)273

Villanueva-Camañas, R.M., see Torres-Lapasió, J.R. 677(1994)239
Villaseñor, S.R.
"Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11
Vincente, N., see Valls, R. 663(1994)114
Vindevogel, J., see Lalljie, S.P.D. 652(1993)563
Vinš, I., see Čoupek, J. 658(1994)391
Vinš, I., see Pacáková, V. 700(1995)187
Vinš, I., see Sýkora, D. 665(1994)59
Viola, G.T., see Pattuelli, M.E. 665(1994)117
Viriot, C., Scalbert, A., Hervé du Penhoat, C.L.M., Rolando, C. and Moutounet, M.
Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77
Visser, S., see de Jong, N. 652(1993)207
Visser, T., Vredenbregt, M.J. and De Jong, A.P.J.M.
Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303
Vitali, P., Venturini, E., Bonora, C., Calori, R. and Raffaelli, R.
Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219
Vivilecchia, R.V., see Yowell, G.G. 652(1993)215
Vo, M., see Quintero, G. 693(1995)1
Voelkel, A. and Janas, J.
Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89
Voelkel, A. and Janas, J.
Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315
Voelkel, A., Janas, J. and Garcia-Dominguez, J.A.
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135
Voelkel, A., see Wasiak, W. 690(1995)83
Vogt, C. and Werner, G.
Speciation of heavy metals by capillary electrophoresis 686(1994)325
Voicu, A., see Anghel, D.F. 668(1994)375
Volicer, L., see Turiák, G. 668(1994)323
Volk, K.J., see Liu, J. 680(1994)395
Volmer, D., Levsen, K. and Wünsch, G.
Thermospray liquid chromatographic–mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231
Voloschik, I.N., see Litvina, M.L. 671(1994)29
Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51
Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205
Voloschik, I.N., Litvina, M.L. and Rudenko, B.A.
Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249
Voorhees, K.J., see Murugaverl, B. 657(1993)223
Vorstenbosch, E.L.H., see Mesters, J.R. 679(1994)93
Voutetaki, A., see Keymeulen, R. 699(1995)223
Vredenbregt, M.J., see Visser, T. 687(1994)303
Vreeken, R.J., Ghijsen, R.T., Frei, R.W., De Jong, G.J. and Brinkman, U.A.Th.
Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65
Vreuls, J.J., see Minnaard, W.A. 696(1995)333
Vrkočová, P., see Koutek, B. 679(1994)307
Vuong, D.V., see Pirkle, W.H. 676(1994)297
Vuorela, H., see Lukkari, P. 652(1993)451
Vuorela, H., see Lukkari, P. 655(1993)317
Vuorela, H., see Vuorela, P. 670(1994)191
Vuorela, P., Rahko, E.-L., Hiltunen, R. and Vuorela, H.
Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191
Vuori, E., see Ojanperä, I. 674(1994)147
Vuori, E., see Rasanen, I. 693(1995)69

W

Wachholz, S., Keidel, F., Just, U., Geissler, H. and Käppler, K.
Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry 693(1995)89
Wächter, H., see Guse, A.H. 661(1994)13
Wada, H., see Haginaka, J. 660(1994)275
Wada, H., Matsushita, M., Yasui, T., Yuchi, A., Yamada, H., Nakagawa, G. and Ohtsuka, C.
Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87
Wada, H., see Nakamura, K. 694(1995)111
Wada, H., see Yasui, T. 659(1994)359
Wada, K., see Oikawa, K. 671(1994)211

Wagner, J., see Kugel, C. 667(1994)29
Wagner, J., see Kunath, A. 684(1994)162
Wagner, J., see Walbroehl, Y. 680(1994)253
Wagner, J., see Walbroehl, Y. 685(1994)321
Wahab, F.A., see El-Yazigi, A. 690(1995)71
Wahl, H.G., Chrzanowski, A., Müller, C., Liebich, H.M. and Hoffmann, A.
Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography–mass spectrometry 697(1995)453
Wahl, J.H., Gale, D.C. and Smith, R.D.
Sheathless capillary electrophoresis–electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217
Wainer, I.W.
Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221
Wainer, I.W., see Alebić-Kolbah, T. 653(1993)122
Wainer, I.W., see Aubry, A.-F. 685(1994)1
Wainer, I.W., Ducharme, J., Granvil, C.P., Parenteau, H. and Abdullah, S.
Using chirality as a unique probe of pharmacological properties 694(1995)169
Wainer, I.W., see Hage, D.S. 693(1995)23
Wakharkar, R.D., Biswas, S.S., Borate, H.B. and Ponde, D.E.
Monitoring the conversion of cycloheptanone to methyl 7-oxoheptanoate by gas chromatography 662(1994)420
Wakida, S.-i., see Takeda, S. 653(1993)109
Walbroehl, Y. and Wagner, J.
Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253
Walbroehl, Y. and Wagner, J.
Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321
Walbroehl, Y.M., see Cleveland, Jr., J.A. 652(1993)301
Walker, D.G., see Boyes, B.E. 691(1995)337
Walker, T.A., see Bunton, B.M. 699(1995)389
Walkup, R.G., see Ye, M.Y. 662(1994)323
Wallace, J.S., see Speers, S.J. 674(1994)319
Walsh, M.E., see Jenkins, T.F. 662(1994)178
Walter, H. and Widen, K.E.
Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185
Walther, W., see Almquist, S.R. 679(1994)139
Walther, W., see Vetter, W. 686(1994)149
Wan, H., Zhou, X. and Ou, Q.
Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated-γ-cyclodextrin capillary column 673(1994)107
Wan, H.B., Lan, W.G., Wong, M.K., Mok, C.Y. and Poh, Y.H.
Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255
Wan, H.B., Wong, M.K., Lim, P.Y. and Mok, C.Y.
Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147
Wan, H.B., Wong, M.K. and Mok, C.Y.
Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123
Wan, Q.H., Shaw, P.N., Davies, M.C. and Barrett, D.A.
Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219
Wanders, B.J., van de Goor, T.A.A.M. and Everaerts, F.M.
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291
Wanders, B.J., see van der Schans, M.J. 680(1994)511
Wang, D.I.C., see Nadler, T.K. 659(1994)317
Wang, E., see Liu, A. 699(1995)39
Wang, H., see Hackett, M. 695(1995)243
Wang, H.-Y., see Weingarten, B. 696(1995)83
Wang, J., see Ding, H. 694(1995)425
Wang, J., Huang, Z.-H., Gage, D.A. and Watson, J.T.
Analysis of amino acids by gas chromatography–flame ionization detection and gas chromatography–mass spectrometry: Simultaneous derivatization of functional groups by an aqueous-phase chloroformate-mediated reaction 663(1994)71
Wang, Q., see Sun, Y. 657(1993)1
Wang, Q.C., Švec, F. and Fréchet, J.M.J.
Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene–co-divinylbenzene) 669(1994)230
Wang, R., see Huddleston, J.G. 668(1994)3
Wang, S., see Belew, M. 679(1994)67
Warburton, P.L., see Stathakis, C. 659(1994)443
Wardencki, W., see Janicki, W.C. 654(1993)279
Warner, I.M., see Husain, N. 699(1995)73
Warner, I.M., see Zhang, Y. 688(1994)293
Warren, C.H., see Sun, X.-Y. 687(1994)259
Warren, T.C., see Palladino, D.E.H. 676(1994)99
Warrol, C., see Galaev, I.Yu. 684(1994)37
Warthen, Jr., J.D., see DeMilo, A.B. 673(1994)295
Wasels, R. and Belleville, F.
Gas chromatographic–mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 674(1994)225
Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63
Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93
Wasiak, W., Voelkel, A. and Rykowska, I.
Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Watanabe, Y. and Takagi, T.
Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241
Waterhouse, K.S., see Cao, X.-L. 679(1994)115
Watson, J.T., see Wang, J. 663(1994)71
Watson, N.D., see Cheng, J. 677(1994)169
Wätzig, H.
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1
Wätzig, H., see Baumann, K. 700(1995)9
Wätzig, H., see Dette, C. 700(1995)89
Weatherell, C.J. and Lai, E.P.C.
Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31
Weber, K., see Nave, R. 654(1993)229
Weber, P.L., Bramich, C.J. and Lunte, S.M.
Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225
Weber, S.G., see Chen, J.-G. 656(1993)549
Weber, S.G., see Chen, J.-G. 691(1995)301
Weber, S.G., see Orwar, O. 696(1995)139
Weber, T.P., see Whitman, D.A. 691(1995)205
Weber, W., Wenisch, E., Günther, N., Marnitz, U., Betzel, C. and Righetti, P.G.
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181
Webster, G.R.B., see Sarna, L.P. 677(1994)201
Weder, J.K.P. and Kaiser, K.-P.
Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181
Weedn, V.W., see Srinivasan, K. 652(1993)83
Wehr, T., see Zhu, M. 652(1993)119
Weinberg, H.
Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141
Weinbrenner, W.F. and Etzel, M.R.
Competitive adsorption of α-lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414
Weingarten, B., Wang, H.-Y. and Roberts, D.M.
Determination of codeine in human plasma by high-performance liquid chromatography with fluorescence detection 696(1995)83
Weinmann, W., Maier, C., Baumeister, K., Przybylski, M., Parker, C.E. and Tomer, K.B.
Isolation of hydrophobic lipoproteins in organic solvents by pressure-assisted capillary electrophoresis for subsequent mass spectrometric characterization 664(1994)271
Weinmann, W., Parker, C.E., Deterding, L.J., Papac, D.I., Hoyes, J., Przybylski, M. and Tomer, K.B.
Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353
Weir, S., see Law, B. 657(1993)17
Weir, S.I., Butler, E.C.V. and Haddad, P.R.
Ion chromatography with UV detection for the determination of thiosulfate and polythionates in saline waters 671(1994)197
Weis, U., see Andersson, J.T. 659(1994)151
Weiss, E., see Guse, A.H. 661(1994)13
Weisz, A., Andrzejewski, D., Highet, R.J. and Ito, Y.
Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505
Weisz, A., Andrzejewski, D. and Ito, Y.
Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77
Weisz, A., see Denekamp, C. 685(1994)253
Welch, C.J.
Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3
Welch, C.J.
Imprintable brush-type chiral stationary phase 689(1995)189
Welch, C.J. and Perrin, S.R.
Improved chiral stationary phase for β-blocker enantioseparations 690(1995)218
Welch, C.J., see Pirkle, W.H. 659(1994)69
Welch, C.J., see Pirkle, W.H. 683(1994)347
Welling, G.W., see Damhof, R.A. 676(1994)43
Welling, G.W., see Lasonder, E. 676(1994)91
Welling, G.W., see Narum, D.L. 657(1993)357
Welling-Wester, S., see Damhof, R.A. 676(1994)43
Wells-Knecht, M.C., see Wells, M.J.M. 659(1994)337
Wells, M.J.M., Riemer, D.D. and Wells-Knecht, M.C.
Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
Wells, R.J., see Amijee, M. 662(1994)123
Wells, R.J., see Aumatell, A. 686(1994)293
Wells, R.J., see Aumatell, A. 688(1994)329
Welzel, M., see Schoel, B. 667(1994)131
Wen, K.-C., see Lee, Y.-C. 660(1994)299
Wen, K.-C., see Lee, Y.-C. 692(1995)137
Wenclawiak, B.W. and Hees, T.
Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61
Wenisch, E., see Weber, W. 679(1994)181
Wentworth, W.E., Cai, H. and Stearns, S.
Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Werner, A., Nassauer, T., Kiechle, P. and Erni, F.
Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host–guest complexation with cyclodextrins 666(1994)375
Werner, G., see Vogt, C. 686(1994)325
Westerholm, R., see Li, H. 664(1994)177
Westerlund, D., see Lu, B. 697(1995)317
Westhauser, T., see Brückner, H. 666(1994)259
Westhauser, T., see Brückner, H. 697(1995)229
Westmark, P.R., Valencia, L.S. and Smith, B.D.
Influence of eluent anions in boronate affinity chromatography 664(1994)123
Westwood, S.A., see Taylor, M.R. 697(1995)389
Weyker, C., see Miller, L. 653(1993)219
Whang, C.-W., see Chao, Y.-C. 663(1994)229
Whatley, J.
Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251
Whatley, J.A.
Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257
Whatley, J.A.
Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263
Wheatley, J.B., Hughes, B., Bauer, K. and Schmidt, Jr., D.E.
Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81
Wheatley, J.B., Kelley, M.K., Montali, J.A., Berry, C.O.A. and Schmidt, Jr., D.E.
Examination of glutathione S-transferase isoenzyme profiles in human liver using high-performance affinity chromatography 663(1994)53
Wheatley, J.B., Montali, J.A. and Schmidt, Jr., D.E.
Coupled affinity–reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65
Wheeler, J.F., Beck, T.L., Klatte, S.J., Cole, L.A. and Dorsey, J.G.
Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317
White, L., see Lai, F. 692(1995)11
White, L.B., see Wu, R. 692(1995)1
Whitman, D.A., Weber, T.P. and Blackwell, J.A.
Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205
Widen, K.E., see Walter, H. 668(1994)185
Widmer, H.M., see Klockow, A. 680(1994)187
Widmer, H.M., see Saz, J.M. 699(1995)315
Wiebe, D.A., see Lensmeyer, G.L. 691(1995)239
Wiechman, B.E., see Reddy, T.V. 655(1993)331
Wiegel, D., Richter, O. and Arnold, K.
Partitioning of chemically modified low-density lipoprotein in aqueous polymer two-phase systems 668(1994)107
Wieland, D.M., see Gildersleeve, D.L. 667(1994)183
Wiesiollek, R. and Bächmann, K.
Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277
Wigfield, Y.Y., Grant, R. and Snider, N.
Gas chromatographic and mass spectrometric investigation of seven carbamate insecticides and one metabolite 657(1993)219
Wijnhoven, J.E.G.J., Koorn, J.P., Poppe, H. and Kok, W.Th.
Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119
Wildenburg, S.H.J., see Zegers, B.N. 677(1994)141
Wilderink, A.H.C.M., see Zweipfenning, P.G.M. 674(1994)87
Wiley, J.P.
Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267
Wilhelm, M.V., see Larew, L.A. 692(1995)183
Wilkes, J.G., see Billedeau, S.M. 688(1994)55
Wilkes, J.G., Sutherland, J.B., Churchwell, M.I. and Williams, A.J.
Determination of fumonisins B_1, B_2, B_3 and B_4 by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319
Wilkins, C.L., see Krock, K.A. 678(1994)265
Wilkins, S.M., see Smith, R.J. 697(1995)591
Wilkins, S.M., Taylor, D.R. and Smith, R.J.
Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587
Williams, A.J., see Wilkes, J.G. 695(1995)319
Williams, K.L., see Stalcup, A.M. 695(1995)185
Williams, K.M., see Marshall, T. 662(1994)167
Williams, P., see Srinivasan, K. 652(1993)83
Williams, P.A., see Aldrich-Wright, J.R. 693(1995)366
Williams, P.E., see Marino, M.A. 676(1994)185
Williams, P.E., Marino, M.A., Del Rio, S.A., Turni, L.A. and Devaney, J.M.
Analysis of DNA restriction fragments and polymerase chain reaction products by capillary electrophoresis 680(1994)525
Williams, R.L., see Biggin, M.E. 692(1995)319
Williams, R.L., see Rawjee, Y.Y. 652(1993)233
Williams, R.L., see Rawjee, Y.Y. 680(1994)599
Williams, R.L., see Rawjee, Y.Y. 688(1994)273
Willson, R.C., see Gill, D.S. 684(1994)55
Willson, R.C., see Roush, D.J. 653(1993)207
Willuhn, G., see Schmidt, T.J. 669(1994)236
Wilson, I.D., see Albert, K. 665(1994)253
Wilson, I.D., see Lafont, R. 658(1994)31
Wilson, I.D., see Lafont, R. 658(1994)55
Wilson, J.G., see Sagar, K. 659(1994)329
Wilson, W.H., see Anton, K. 666(1994)395
Windisch, M., see Wintersteiger, R. 660(1994)205

Windisch, V., see Kumar, N. 678(1994)259
Windischhofer, W., see Gleispach, H. 665(1994)155
Wingren, C., Persson, B. and Hansson, U.-B.
Supports for liquid–liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65
Winkler, F.J., Medina, R., Winkler, J. and Krause, H.
Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549
Winkler, J., see Winkler, F.J. 666(1994)549
Winna, K., see Buchberger, W. 671(1994)375
Wintersteiger, R., Ofner, B., Juan, H. and Windisch, M.
Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205
Winzor, D.J.
Measurement of binding constants by capillary electrophoresis 696(1995)160
Winzor, D.J., see Munro, P.D. 659(1994)267
Wirth, P.J. and Romano, A.
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123
Wise, S.A., see Sander, L.C. 656(1993)335
Wiśniewski, A., see Madaj, J. 655(1993)267
Witte, D.T., Någård, S. and Larsson, M.
Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155
Wittkamp, B.L. and Tilotta, D.C.
Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145
Wittner, R., see Brückner, H. 666(1994)259
Wodecki, Z., Ślebioda, M. and Kołodziejczyk, A.M.
Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149
Woicke, B., see Pfeffer, M. 662(1994)407
Wojtusik, M.J. and Harrold, M.P.
Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411
Wojtusik, M.J., see Kaiser, E. 671(1994)253
Wolfe, J.T., see Evans, M.D. 700(1995)151
Wolfisberg, H., Schmutz, A., Stotzer, R. and Thormann, W.
Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407
Wollenberger, L., see Stefánsson, H. 668(1994)191
Wollnik, H., see Schütz, S. 683(1994)141
Wolnik, K.A., see Flurer, C.L. 663(1994)259
Wolnik, K.A., see Flurer, C.L. 674(1994)153
Wolnik, K.A., see Heitkemper, D.T. 671(1994)101
Wolnik, K.A., see Heitkemper, D.T. 671(1994)323
Wolnik, K.A., see Kaine, L.A. 671(1994)303
Wolnik, K.A., see Kaine, L.A. 674(1994)255
Wolska, L., see Janicki, W.C. 654(1993)279
Woltman, S.J., see Chen, J.-G. 691(1995)301
Wong, D.K.Y., see Aumatell, A. 686(1994)293
Wong, M.K., see Wan, H.B. 662(1994)147
Wong, M.K., see Wan, H.B. 663(1994)123
Wong, M.K., see Wan, H.B. 677(1994)255
Wong, T.M., Carey, C.M. and Lin, S.H.C.
Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413
Woo, K.-L. and Lee, S.-H.
Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105
Wood, I., see Korakas, D. 659(1994)307
Woodward, C. and Geiser, F.O.
Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11
Woolf, E., Au, T., Haddix, H. and Matuszewski, B.
Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45
Woolf, E.J., Au, T., Kasper, M., Constanzer, M. and Matuszewski, B.
Simultaneous determination of L-693,612, a topical carbonic anhydrase inhibitor, and two potential metabolites in human whole blood by ion-pair high-performance liquid chromatography 660(1994)307
Worosila, G.D., see Rudnick, S.E. 672(1994)219
Worsfold, P.J., see Lewis, S.W. 667(1994)91
Wren, S.A.C., see McKillop, A.G. 700(1995)69
Wright, B.W., see Robins, W.H. 680(1994)667
Wrigley, S.K., see Cocks, S. 697(1995)115
Wroński, M.
Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165
Wroński, M.
Determination of thiols as sulphonic acids by capillary isotachophoresis 672(1994)273
Wu, C., Akiyama, A. and Straub, J.A.
High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243
Wu, C.-T., Huang, T.-L. and Lee, C.S.
Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277
Wu, C.-Y., see Li, L. 653(1993)354
Wu, C.-Y., see Zhou, X.-C. 662(1994)203
Wu, D.-R. and Lohse, K.
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381
Wu, H.-L., see Liu, K.-R. 676(1994)455
Wu, J. and Pawliszyn, J.
In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Wu, N., Barker, G.E. and Huie, C.W.
Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant–bovine serum albumin buffer systems 659(1994)435
Wu, R. and White, L.B.
Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1
Wu, S.-M., see Liu, K.-R. 676(1994)455
Wu, W., see Yang, Q. 688(1994)339
Wulfeck, D.L., see Oehrle, S.A. 680(1994)645
Wulfson, A.N., see Klyushnichenko, V.E. 661(1994)83
Wünsch, G., see Eisert, R. 683(1994)175
Wünsch, G., see Volmer, D. 660(1994)231
Wurl, M., see Fritsch, H. 684(1994)65
Wutte, A., see Gübitz, G. 666(1994)91
Wutte, A., Gübitz, G., Friebe, S. and Krauss, G.-J.
High-performance liquid chromatography of *cis–trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186
Wyatt, J.R., see Barger, W.R. 680(1994)659
Wykhoff, B., see Pfeffer, M. 662(1994)407
Wyssuwa, K., see Steinborn, A. 697(1995)485

X

Xia, J. and Dubin, P.L.
Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311
Xia, J. and Gilmer, P.J.
Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203
Xia, W., see Hirokawa, T. 663(1994)245
Xia, W., see Hirokawa, T. 689(1995)149
Xian, J., see Singhal, R.P. 652(1993)47
Xie, J., Aguilar, M.-I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263
Xu, B., see Sun, Y. 657(1993)1
Xu, G., see Song, L. 696(1995)307
Xu, J., see Tan, H.S.I. 693(1994)307
Xu, L., see Liu, A. 699(1995)39
Xu, W., see Fu, R. 653(1993)173
Xu, X., see Erim, F.B. 694(1995)471
Xu, Y.H. and Mitra, S.
Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system 688(1994)171
Xuan, H.T.K. and Lederer, M.
Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191
Xue, Q. and Yeung, E.S.
Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Y

Yagi, A., see Okamura, N. 679(1994)381
Yagi, T., see Sumiyoshi, K. 690(1995)77
Yaguchi, K., see Suzuki, T. 662(1994)139
Yajima, K., see Hoshino, M. 664(1994)104
Yakimov, S.A., see Klyushnichenko, V.E. 661(1994)83
Yamada, H., see Itoh, T. 694(1995)195
Yamada, H., see Wada, H. 657(1993)87
Yamada, H., see Yasui, T. 659(1994)359
Yamada, K., see Murakami, R. 678(1994)180
Yamada, M., see Yashima, E. 694(1995)347
Yamada, T., see Hattori, H. 674(1994)15
Yamada, Y., see Miyamoto, E. 653(1993)135
Yamagami, C., Yokota, M. and Takao, N.
Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49
Yamagishi, T., see Suzuki, T. 662(1994)139
Yamaguchi, M., see Izumi, T. 652(1993)41
Yamaguchi, M., see Kanda, T. 672(1994)51
Yamaguchi, S., see Yasuhara, F. 694(1995)227
Yamaguchi, Y., see Esaka, Y. 652(1993)225
Yamamoto, A., Matsunaga, A., Mizukami, E., Hayakawa, K. and Miyazaki, M.
Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85
Yamamoto, K., see Ushio, T. 684(1994)235
Yamamoto, S., see Jungbauer, A. 658(1994)399
Yamamoto, S., see Seki, T. 661(1994)113
Yamane, M., see Takeda, S. 653(1993)109
Yamasaki, K., see Nishi, H. 672(1994)125
Yamashita, H., see Inoue, H. 679(1994)99
Yamashita, T., Haraguchi, K., Kido, A. and Matushita, H.
Determination of chlordane in air by gas chromatography–mass spectrometry with selected ion monitoring 657(1993)405

Yamazaki, M., see Iwaki, K. 662(1994)87
Yamazaki, S., see DePhillips, P. 663(1994)43
Yamazaki, S., Nagaya, S., Saito, K. and Tanimura, T.
Enantiomeric separation of underivatized aliphatic β-amino alcohols by ligand-exchange chromatgraphy using barbital as an additive to the mobile phase 662(1994)219
Yan, C., Schaufelberger, D. and Erni, F.
Electrochromatography and micro high-performance liquid chromatography using 320 μm I.D. packed columns 670(1994)15
Yan, Q., see Sivils, L.D. 688(1994)221
Yan, X., see Trathnigg, B. 653(1993)199
Yan, X., see Trathnigg, B. 657(1993)365
Yan, X., see Trathnigg, B. 665(1994)47
Yanagihara, Y., see Seki, T. 661(1994)113
Yang, D.H., see Hyun, M.H. 684(1994)189
Yang, H.-C., see Farooqui, A.A. 673(1994)149
Yang, M.-H., see Lin, J.-Y. 684(1994)13
Yang, Q., Jimidar, M., Hamoir, T.P., Smeyers-Verbeke, J. and Massart, D.L.
Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275
Yang, Q., Smeyers-Verbeke, J., Wu, W., Khots, M.S. and Massart, D.L.
Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis 688(1994)339
Yang, S. and Khaledi, M.G.
Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301
Yang, S. and Khaledi, M.G.
Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311
Yang, S., Kruk, L.F.R. and Khaledi, M.G.
Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1
Yang, S.K., see Lu, X.-L. 666(1994)249
Yang, S.S. and Smetena, I.
Determination of aldicarb, aldicarb sulfoxide and aldicarb sulfone in tobacco using high-performance liquid chromatography with dual post-column reaction and fluorescence detection 664(1994)289
Yang, Y., Hawthorne, S.B. and Miller, D.J.
Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131
Yang, Y., Hawthorne, S.B. and Miller, D.J.
Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265
Yao, Y.J., Khoo, K.S., Chung, M.C.M. and Li, S.F.Y.
Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431
Yao, Y.J. and Li, S.F.Y.
Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97
Yao, Z.J., Kao, M.C.C., Loh, K.C. and Chung, M.C.M.
Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190
Yarita, T., Nomura, A., Abe, K. and Takeshita, Y.
Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329
Yarovsky, I., Aguilar, M.-I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75
Yashima, E., see Chankvetadze, B. 670(1994)39
Yashima, E., see Chankvetadze, B. 694(1995)101
Yashima, E., Fukaya, H. and Okamoto, Y.
3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11
Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151
Yashima, E., Suehiro, N., Miyauchi, N. and Akashi, M.
Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel 654(1993)159
Yashima, E., Yamada, M., Kaida, Y. and Okamoto, Y.
Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347
Yasuda, K., see Ito, M. 661(1994)143
Yasuhara, A.
Determination of tris(2-chloroethyl) phosphate in leachates from landfills by capillary gas chromatography using flame photometric detection 684(1994)366
Yasuhara, A., see Kawata, K. 653(1993)369
Yasuhara, F., Yamaguchi, S., Takeda, M., Ochiai, Y. and Miyano, S.
Gas chromatographic separation of enantiomeric amino acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
Yasuhara, A. and Shibamoto, T.
Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261
Yasui, T., see Wada, H. 657(1993)87
Yasui, T., Yuchi, A., Yamada, H. and Wada, H.
Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359
Yates, M.V., see Gan, J. 684(1994)121
Yates, S.R., see Gan, J. 684(1994)121
Ye, B., Hadjmohammadi, M. and Khaledi, M.G.
Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon–hydrocarbon anionic surfactants 692(1995)291

Ye, J. and Baldwin, R.P.
Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141
Ye, L., see Lucy, C.A. 671(1994)121
Ye, M.Y., Hill, K.D. and Walkup, R.G.
Separation of T-MAZ ethoxylated sorbitan fatty acid esters by supercritical fluid chromatography 662(1994)323
Yeung, E.S., see McGregor, D.A. 652(1993)67
Yeung, E.S., see McGregor, D.A. 680(1994)491
Yeung, E.S., see Xue, Q. 661(1994)287
Yew, C.H., see Abdullah, M.P. 697(1995)363
Yi, G., Bradshaw, J.S., Rossiter, B.E., Malik, A., Li, W., Yun, H. and Lee, M.L.
Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219
Yi, G., see Petersson, P. 684(1994)297
Yin, D., Khanolkar, A.D., Makriyannis, A. and Froimowitz, M.
Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176
Yinon, J., Yost, R.A. and Bulusu, S.
Thermal decomposition characterization of explosives by pyrolysis–gas chromatography–mass spectrometry 688(1994)231
Yokogi, J., see Hara, T. 652(1993)361
Yokota, M., see Yamagami, C. 662(1994)49
Yon, R.J., see Dowd, V. 693(1995)15
Yoneda, K., see Izumi, T. 652(1993)41
Yoo, Y.S., Kim, Y.S., Jhon, G.-J. and Park, J.
Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431
Yoshida, Y., see Ishihama, Y. 666(1994)193
Yoshida, Y., see Mano, N. 687(1994)223
Yoshinaga, M. and Tanaka, M.
Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359
Yoshioka, N., see Inoue, H. 679(1994)99
Yoshizako, K., see Hosoya, K. 666(1994)449
Yost, R.A., see Yinon, J. 688(1994)231
Yotsuyanagi, T., see Iki, N. 652(1993)539
Young, D.S. and Tracy, R.P.
Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163
Young, J.C. and Games, D.E.
Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374
Young, J.C. and Games, D.E.
Analysis of *Fusarium* mycotoxins by gas chromatography–Fourier transform infrared spectroscopy 663(1994)211
Young, R., see Lopez-Avila, V. 672(1994)167
Yowell, G.G., Fazio, S.D. and Vivilecchia, R.V.
Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215
Yoza, K.-I., see Nogata, Y. 667(1994)59
Yoza, N., Nakashima, S., Ueda, N., Miyajima, T., Nakamura, T. and Vast, P.
High-performance liquid chromatographic characterization of monofluorophosphate, difluorophosphate and hexafluorophosphate 664(1994)111
Yu Ip, C.C., see Hepler, R.W. 680(1994)201
Yu, W., see Song, L. 657(1993)175
Yu, W., see Song, L. 696(1995)307
Yu, W., see Song, L. 699(1995)371
Yu, Y., see Guo, W. 685(1994)344
Yuchi, A., see Wada, H. 657(1993)87
Yuchi, A., see Yasui, T. 659(1994)359
Yuen, S.W., see Alpert, A.J. 676(1994)191
Yugawa, Y., see Hirayama, C. 676(1994)267
Yuki, H., see Matsumoto, K. 678(1994)241
Yun, H., see Petersson, P. 684(1994)297
Yun, H., see Yi, G. 673(1994)219
Yun, K.S., see Liu, Y. 679(1994)392
Yun, T. and Guiochon, G.
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1
Yun, Z., see Liu, X. 653(1993)348
Yunes, R.A., see Heinzen, V.E.F. 654(1993)183

Z

Zaghouani, H., see Brumeanu, T.-D. 696(1995)219
Zahalka, J., see Levin, S. 654(1993)53
Zahradníčková, H., Šimek, P., Hořicová, P. and Tříska, J.
Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383
Zancato, M., see Toniolo, R. 662(1994)185
Zanette, M., see Lemr, K. 686(1994)219
Zapf, A., Heyer, R. and Stan, H.-J.
Rapid micro liquid–liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453
Zappalà, C., see Caccamese, S. 694(1995)355
Záray, G., see Tatár, E. 672(1994)109
Zare, R.N., see Fishman, H.A. 680(1994)99
Zare, R.N., see Lin, B.L. 680(1994)263
Zarzycki, P.K., see Lamparczyk, H. 668(1994)413
Závada, J., see Tichý, M. 667(1994)11

Zazzetta, A., see Pattuelli, M.E. 665(1994)117
Zdráhal, Z. and Večeřa, Z.
Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371
Zedde, C., see Baltas, M. 123(1994)123
Zegers, B.N., De Geus, H.-J., Wildenburg, S.H.J., Lingeman, H. and Brinkman, U.A.Th.
Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141
Zemann, A.J., see Masselter, S.M. 693(1995)359
Zeng, J.-N., see Dou, L. 679(1994)367
Zeng, Z.-R., see Li, L. 653(1993)354
Zerbinati, O., Aigotti, R. and Daniele, P.G.
Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281
Zerbinati, O. and Ostacoli, G.
Determination of aromatic sulphonates in surface waters by high-performance liquid chromatography with coupled fluorescence and UV detection 671(1994)217
Zhang, C.-X., Sun, Z.-P. and Ling, D.-K.
Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309
Zhang, H., see Hu, Z. 653(1993)275
Zhang, H.-W., Chen, X.-G. and Hu, Z.-D.
Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159
Zhang, M. and Phillips, J.B.
Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275
Zhang, R., see Hjertén, S. 676(1994)409
Zhang, R., see Liao, J.-L. 676(1994)421
Zhang, R., see Liao, J.-L. 684(1994)143
Zhang, R., see Shi, H. 680(1994)653
Zhang, R., see Sun, Y. 657(1993)1
Zhang, T.Y., see Du, Q. 687(1994)174
Zhang, X. and Jiang, X.
Low-pressure ion chromatography 671(1994)23
Zhang, X., Lin, C., Liu, L. and Qiao, G.
Determination of platinum by ion-pair reversed-phase high-performance liquid chromatography with 4,4′-bis(dimethylamino)thiobenzophenone 684(1994)354
Zhang, Y., see Chen, N. 678(1994)327
Zhang, Y. and Warner, I.M.
Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293
Zhao, J., Todd, B. and Fleet, G.H.
Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167
Zhao, M. and Bada, J.L.
Determination of α-dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthaldialdehyde 690(1995)55
Zhao, Q., see McNeff, C. 684(1994)201
Zhao, T.-S., see Pang, G.-F. 667(1994)348
Zhao, Z., see Shao, X. 680(1994)463
Zheng, M., Liu, H.-Y., Hall, S.F., Kitts, D.D. and McErlane, K.M.
High-performance liquid chromatographic analysis of Romet-30 in Chinook salmon (*Oncorhynchus tshawytscha*): wash-out time, tissue distribution in muscle, liver and skin, and metabolism of sulfadimethoxine 670(1994)77
Zheng, Y., see Tan, H.S.I. 693(1994)307
Zhong, G. and Guiochon, G.
Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1
Zhong, G.M., Meunier, F. and Guiochon, G.
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355
Zhou, B., see Jing, G. 685(1994)31
Zhou, J., see Jing, G. 685(1994)31
Zhou, J., O'Shea, T.J. and Lunte, S.M.
Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271
Zhou, L., see Guan, Y. 655(1993)243
Zhou, L., see Guo, W. 685(1994)344
Zhou, N.E., see Hodges, R.S. 676(1994)3
Zhou, W., Fu, R., Dai, R., Huang, Z. and Chen, Y.
Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477
Zhou, X., see Wan, H. 673(1994)107
Zhou, X.-C., Wu, C.-Y., Lu, X.-R. and Chen, Y.-Y.
Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203
Zhou, Y., see Belew, M. 679(1994)67
Zhou, Y., see Tang, Y. 666(1994)147
Zhou, Z.H., see Giometti, C.S. 698(1995)341
Zhu, B.-Y., see Hodges, R.S. 676(1994)3
Zhu, D., see Guan, Y. 655(1993)243
Zhu, J. and Guiochon, G.
Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15
Zhu, J., Mulvihill, M.J. and Norstrom, R.J.
Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103
Zhu, M., Wehr, T., Levi, V., Rodriguez, R., Shiffer, K. and Cao, Z.A.
Capillary electrophoresis of abnormal hemoglobins associated with α-thalassemias 652(1993)119
Zhukov, M.Yu., see Bello, M.S. 693(1995)113
Zhukov, M.Yu., see Ermakov, S.V. 699(1995)297
Zieske, L.R., see Alpert, A.J. 676(1994)191
Zilli, D., see Bøwadt, S. 675(1994)189

Zimmer, D. and Muschalek, V.
Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography–mass spectrometry 666(1994)241
Zimmerman, P.R., see Greenberg, J.P. 676(1994)389
Zini, L., see Pietta, P.G. 680(1994)175
Zubaidha, P.K., see Tambe, A.S. 683(1994)397
Zubov, V.P., see Ivanov, A.E. 673(1994)159
Zubov, V.P., see Kataev, A.D. 660(1994)131
Zubrzycki, S., see De Vanssay, E. 688(1994)161
Zuccaro, P., see Pichini, S. 697(1995)383
Zukowski, J., see Armstrong, D.W. 666(1994)445
Zukowski, J., see Pawlowska, M. 666(1994)485
Zuo, H., see Malone, M.A. 700(1995)73
Žutautas, V., see Pesliakas, H. 678(1994)25
Zvonkova, E.N., see Menzeleev, R.F. 678(1994)183
Zweifel, B., see Panzeter, P.L. 678(1994)35
Zweipfenning, P.G.M., Wilderink, A.H.C.M., Horsthuis, P., Franke, J.-P. and De Zeeuw, R.A.
Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen–phosphorus detection 674(1994)87

SUBJECT INDEX

J. CHROMATOGR. A VOLS. 651–700

A

Abrahams solvation parameter model
Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Absorbance
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Absorbance profiles
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Absorbance ratio
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Absorbance spectrometry
Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167

Acid deposition
Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Acid rain
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Simultaneous ion-exclusion chromatography–cation-exchange chromatography with conductimetric detection of anions and cations in acid rain waters 671(1994)239

Acid snow
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Acrylic fibres
An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271

Activation energy
Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Activity coefficients
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Determination of infinite dilution activity coefficients and second virial coefficients using gas–liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Adamson–Ling numerical method
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1

Additives
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Adsorbents
see also Affinity adsorbents

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Cross-linked N,N-dimethylaminopropylacrylamide spherical particles for selective removal of endotoxin 676(1994)267

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333

Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography–flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486

Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption–gas chromatography 699(1995)203

Adsorption
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1995)197

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Competitive adsorption of α-lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414

Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27

Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α-cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Adsorption, nonspecific
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Adsorption capacity
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Adsorption–desorption behaviour
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Adsorption effects
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Adsorption energy distribution function
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1

Adsorption equilibria
Equilibrium and kinetic parameters of the adsorption of α-chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Adsorption isotherms
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Recycling in preparative liquid chromatography 687(1994)13

Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Displacement chromatography in biotechnological downstream processing 691(1995)101

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153

Adsorption kinetics
Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Adsorption models
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Adsorption processes
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Aerosol interface
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Aerosols
Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133

Affinity adsorbents
Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Preparative affinity chromatography of proteins (Review) 658(1994)237

Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Influence of eluent anions in boronate affinity chromatography 664(1994)123

Purification of glutamine synthetase by adenosine-affinity chromatography 664(1994)280

Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Coupled affinity–reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

One-step affinity purification of bacterially produced proteins by means of the "Strep tag" and immobilized recombinant core streptavidin 676(1994)337

Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Affinity capillary electrophoresis
Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405

Affinity chromatography
Preparative affinity chromatography of proteins (Review) 658(1994)237

Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Affinity displacing ligand
Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Affinity electrokinetic chromatography
Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277

Affinity electrophoresis
Advances in affinity electrophoresis (Review) 698(1995)89

Affinity emulsions
Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Affinity gels
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel 654(1993)159

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Affinity interactions
Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Affinity ligands
Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel 654(1993)159

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

New ligands for boronate affinity chromatography 687(1994)61

Affinity membranes
Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Affinity partitioning
Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α-macroglobulins 668(1994)101

Immobilized metal-ion affinity partitioning of NAD^+-dependent dehydrogenases in poly(ethylene glycol)–dextran two-phase systems 678(1994)25

Affinity precipitation
Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Affinoimmunoelectrophoresis
Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Agarose gel electrophoresis
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Air analysis
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Airborne particles
Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375

Air samples
Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Algorithm, reaction chromatograms
Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

Algorithms
Numerical algorithms for capillary electrophoresis 661(1994)265

Dual-channel response ratios from an integrative algorithm 687(1994)291

Alkaline treatment
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Alkyl-bonded phases
Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate 688(1994)31

Alkylglycoside surfactants
Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Alkylsilane ligands
29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Alternating current plasma emission detector
Determination of (methylcyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319

Alumina
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Ames assay
Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

Amidoxim column
Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Amino-bonded phases
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77

α-Amino group
Importance of the α-amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Amperometric detector
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Amperostatic–potentiometric detector
Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Amphiphiles, fluorescent
Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Ampholytes
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Amylose, substituted phenylcarbamate derivatives
Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101

Analyte zone
Electrophoretically mediated microanalysis of calcium 662(1994)389

Ancistrocladus korupensis
Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Anion exchangers
see also Ion exchangers

Optimization of the anion-exchange separation of metal–oxalate complexes 654(1993)105

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Methods and materials for solid-phase extraction 691(1995)133

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Anisotropy
Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

Antibacterial agents
Interactions between fluoroquinolones, Mg^{2+}, DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Antibody–antigen reactions
Analysis of structural specificity in antibody–antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Antigen–antibody interactions
Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405

Antibody density
Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Antigen–immobilized antibody reaction
Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Antibody-mimics
Molecular imprinting used for chiral separations (Review) 694(1995)3

Apple juice
Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Apples
Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography–mass spectrometry and determination of the composition of six apple varieties 676(1994)461

Aquatic ecosystems
Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223

Aqueous polymer solutions
Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Aqueous two-phase partitioning
Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Aqueous two-phase systems
Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Supports for liquid–liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Protein refolding using aqueous two-phase systems 668(1994)95

Polyethylene glycol–potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129

Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Interactions between fluoroquinolones, Mg^{2+}, DNA and DNA gyrase, studied by phase partitioning in an aqueous two-phase system and by affinity chromatography 668(1994)241

Aqueous vesicular media
Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Argentation chromatography
Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178

Argentation constant
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Artifacts
Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography–flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Artificial sweeteners
Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Aspergillus ficuum
Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Association constants
Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Atmospheric aerosols
Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Atmospheric pressure chemical ionization
Liquid chromatographic–atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

Atomic absorption spectrometry
Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Atomic emission detector
Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection 683(1994)21

Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Determination of polychlorinated biphenyls in biotic matrices using gas chromatography–microwave-induced plasma atomic emission spectrometry 699(1995)231

Atomic emission spectrometry, inductively coupled plasma
Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Atomistic molecular modeling
Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Atractylis gummifera
High-performance liquid chromatographic determination of atractyloside and carboxyatractyloside from *Atractylis gummifera* L 663(1994)119

Autoinjector
Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163

Automated biodetermination
Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β-receptor blocking agents 665(1994)87

Automation
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Process monitoring of the production of γ-interferon in recombinant Chinese hamster ovary cells 659(1994)317

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Fully automated gas chromatograph–flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Automated in situ gas chromatographic–mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123

Displacement chromatography in biotechnological downstream processing 691(1995)101

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Automobile exhaust
Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261

Gas–solid chromatographic analysis of automobile tailpipe emissions as a function of different engine and exhaust system modifications 688(1994)201

Autosampler
Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309

Avid AL
Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Axial compression columns
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Axial diffusion
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Axial dispersion
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Axial-illumination flow cell
Optical properties of axial-illumination flow cells for simultaneous absorbance–fluorescence detection in micro liquid chromatography 691(1995)37

Azlactone-based supports
Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

B

Background electrolyte composition
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis 688(1994)339

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Bacterial toxins
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Bacteriophages
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Ballpoint ink
Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119

Band broadening
Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Band profiles
see also Peak shape

Modeling of preparative liquid chromatography (Review) 658(1994)149

Rapid simulation of chromatographic band profiles on personal computers 658(1994)511

Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Band spacing
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Band width
Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Calculation of programmed temperature gas chromatography characteristics from isothermal data. IV. Prediction of peak widths 683(1994)367

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Banknotes
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Bark
HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Baseline fluctuations
Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317

Basicity
Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Bayer liquor
Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Beef
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377

Bee venom
Ion-exchange chromatography with a soft sorbent operating in a pressurized column 657(1993)199

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187

Biased reptation model
Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Bidirectional isotachophoresis
Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

Bidisperse porous adsorbents
Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Bile salt micelles
Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Binary mixtures
Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Binary parameters
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Bindi adhesive
High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263

Binding capacity
Comprehensive study on binding capacity of human immunoglobulin G to Avid AL affinity gel 686(1994)61

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Binding constants
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Measurement of binding constants by capillary electrophoresis 696(1995)160

Binding equilibria
Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Binding sites
Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Binding studies
Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Binodal model
Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Bioactivity
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Bioaffinity adsorbents
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Biochemical reactions
On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Biocompatible trapping column
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Biomass pyrolysis oil
Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195

Biosensors
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor 660(1994)169

Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Biosludge
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Biospecific adsorbents
Synthesis and characterization of biospecific adsorbents containing glucose, usable to retain concanavalin A 686(1994)333

Biospecific interactions
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Bipolar, constant-frequency drive
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Bitter principles
Application of high-performance liquid chromatography to the determination of bitter principles of pharmaceutical relevance 667(1994)327

Bitumen
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363

Biuret reaction
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Blackcurrant buds
Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

Blood gas composition
Chromatomembrane method for the continuous separation of substances 669(1994)81

Blotting
Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Bonded phase conformation
Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Bonded phases
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Bonded phases, multilegged
Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Bonded silica phases
High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Bond orders
Gas chromatographic–mass spectrometric determination of α-phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Book reviews
High performance liquid chromatography in food control and research (edited by R. Matissek and R. Wittowski) 653(1993)385

Advances in mass spectrometry) Proceedings of the 12th International Mass Spectrometry Conference, Amsterdam, August 26–30, 1992) (edited by P.J. Kistemaker and N.M.M. Nibbering) 653(1993)387

Process gas chromatography—Fundamentals and applications (by R. Annino and R. Villalobos 655(1993)359

Gas–liquid–solid chromatography (by V.G. Berezkin) 657(1993)227

Principles and practices of solvent extraction (edited by J. Rydberg, C. Musikas and G.R. Choppin) 657(1993)455

Diode array detection in HPLC (edited by L. Huber and S.A. George) 657(1993)457

Volammetric determination of molecules of biological significance (by W.F. Smyth) 657(1993)458

HPLC detection: newer methods (edited by G. Patonay) 659(1994)225

Handbook of derivatives for chromatography (by K. Blau and J.M. Halket) 659(1994)226

Chromatography of polymers —Characterization by SEC and FFF (edited by T. Provder) 659(1994)228

Chromatography of mycotoxins —Techniques and applications (edited by V. Betina) 662(1994)198

Gel electrophoresis: proteins (by M.J. Dunn) 662(1994)200

Capillary electrophoresis technology (by N.A. Guzman) 662(1994)437

Practical HPLC Methodology and Applications (by B.A. Bidlingmeyer) 663(1994)132

Chromatography today (by C.F. Poole and S.K. Poole) 664(1994)135

Environmental analysis —Techniques, applications and quality assurance (edited by D. Barceló) 670(1994)243

Statistical methods in analytical chemistry (by P.C. Meier and R.E. Zünd) 670(1994)245

Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) 672(1994)278

Capillary zone electrophoresis (by F. Foret, L. Křivánková and P. Boček) 675(1994)286

Manual of Pesticide Residue Analysis (edited by H.-P. Thier and J. Kirchhoff) 677(1994)206

Applications of Supercritical Fluids in Industrial Analysis (edited by J.R. Dean) 677(1994)208

Practical High-Performance Liquid Chromatography (by V.R. Meyer) 679(1994)212

Electrophoresis in Practice —A Guide to Theory and Practice (by R. Westermeier) 679(1994)402

Mass Spectrometry for the Characterization of Microorganisms (edited by C. Fenselau) 679(1994)404

Advances in Lipid Methodology (edited by W.W. Christie) 683(1994)411

Modern Methods and Applications in Analysis of Explosives (by J. Yinon and S. Zitrin) 685(1994)200

Flow Injection Separation and Preconcentration (by Z. Fang) 685(1994)365

Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) 687(1994)356

Thin Layer Chromatography: Reagents and Detection Methods (by H. Jork, W. Funk, W. Fischer and H. Wimmer) 687(1994)357

Basic Relationships of Gas Chromatography (by L.S. Ettre and J.V. Hinshaw) 688(1994)390

Perfumery—Practice and Principles (by R.R. Calkin and J.S. Jellinek) 689(1995)175

Aqueous Two-Phase Systems (Methods in Enzymology, Vol. 228) (edited by H. Walter and G. Johansson) 689(1995)312

Introduction to Open-Tubular Column Gas Chromatography (by J.V. Hinshaw and L.S. Ettre) 689(1995)313

Recovery Processes for Biological Materials (edited by J.F. Kennedy and J.M.S. Cabral) 690(1995)254

Separations for Biotechnology 3 (edited by D.L. Pyle) 690(1995)256

Basic Protein and Peptide Protocols (edited by J.M. Walker) 694(1995)515

Liquid Chromatography for the Analyst (by R.P.W. Scott) 694(1995)517

Fractionation by Packed-Column SFE and SFC, Principles and Applications (edited by M. Saito, Y. Yamauchi and T. Okuyama) 696(1995)353

Directory of Capillary Electrophoresis (edited by D. Coleman) 699(1995)408

Thin-Layer Chromatography —Techniques and Applications (by B. Fried and J. Sherma) 699(1995)409

Analytical Applications of Immobilized Enzyme Reactors (edited by S. Lam and G. Malikin) 699(1995)411

Advances in Electrophoresis (edited by A. Chrambach, M.J. Dunn and B.J. Radola) 699(1995)413

Borage oil
Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381

Borate esterification
Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667

Boronate affinity adsorbents
Influence of eluent anions in boronate affinity chromatography 664(1994)123

Bovine serum albumin-bonded columns
Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Brain microdialysates
Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Brain tissue
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis–gas chromatography–mass spectrometry 657(1993)395

Breakthrough curves
Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Competitive adsorption of α-lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Breakthrough volumes
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Bromination
Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Brush-type stationary phases
Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Buffer capacity
Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Buffer composition
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein–capillary wall interactions 652(1993)161

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis–electrospray mass spectrometry 652(1993)369

Effect of buffer solution pH on the elution and separation of β-blockers by micellar electrokinetic capillary chromatography 652(1993)451

Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant–bovine serum albumin buffer systems 659(1994)435

Chiral separations on cellulose in electrophoresis 663(1994)264

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Effect of the degree of substitution of (2-hydroxy)propyl-β-cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

α,ω-Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667

Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319

Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Separation of β-lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105

Determination of impurities in a novel analogue of adenosine 5′-triphosphate by capillary electrophoresis 700(1995)163

Buffer temperature
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Bulk drugs
Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Butteroil
Reversed-phase liquid chromatography–mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87

C

Calculation algorithm
Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173

Calibration
Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Calibration, universal
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Calibration functions
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Capacitively coupled plasmas
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269

Capacity factors
Influence of the chromatographic capacity factor (log k') as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177

Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103

Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Capillary, fused silica
Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Capillary, gel-filled
Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Capillary, open tubular
Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Capillary, polymer-coated
Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Capillary, tapered
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Capillary column, copper(II)-saturated
Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Capillary columns
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Preparation of deactivated metal capillary for gas chromatography 685(1994)61

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343

Capillary columns, anionic polymer coated
Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Capillary columns, chitosan-modified
Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97

Capillary columns, coated
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Capillary columns, concentric
The use of a microconcentric column in capillary electrophoresis 680(1994)33

Capillary columns, packed
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Capillary columns, polyacrylamide-filled
Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Capillary columns, surface modified
Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

Capillary columns, uncoated
Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Capillary edge
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323

Capillary electrochromatography
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Capillary electrofocusing
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Capillary electrokinetic chromatography
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Capillary electrophoresis
see also Micellar electrokinetic chromatography

Capillary electrophoresis of abnormal hemoglobins associated with α-thalassemias 652(1993)119

Capillary electrophoresis of DNA in uncross-linked polymer solutions 652(1993)3

Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23

Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57

Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Effect of urea concentration on the base-specific separation of oligodeoxynucleotides in capillary affinity gel electrophoresis 652(1993)93

Capillary gel electrophoresis and the analysis of DNA phosphorothioates 652(1993)101

Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109

Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139

Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein–capillary wall interactions 652(1993)161

Buffer conditions affecting the separation of Maillard reaction products by capillary electrophoresis 652(1993)171

Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179

High-performance capillary electrophoresis for the determination of trypsin and chymotrypsin inhibitors and their association with trypsin, chymotrypsin and monoclonal antibodies 652(1993)189

Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Determination of milk proteins by capillary electrophoresis 652(1993)207

Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215

Separation of amino acid–oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225

Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Timescales of transient processes in capillary electrophoresis 652(1993)263

Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291

Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317

Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis–electrospray mass spectrometry 652(1993)369

Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

In vivo monitoring of glutamate in the brain by microdialysis and capillary electrophoresis with laser-induced fluorescence detection 652(1993)393

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407

Investigation of the metabolism of the neuroleptic drug haloperidol by capillary electrophoresis 652(1993)417

Separation of estrogens and rodenticides using capillary electrophoresis with aqueous–methanolic buffers 652(1993)427

Separation of gangliosides using cyclodextrin in capillary zone electrophoresis 652(1993)431

Screening for diuretics in urine and blood serum by capillary zone electrophoresis 652(1993)441

Validation of a capillary electrophoresis method for the determination of a quinolone antibiotic and its related impurities 652(1993)459

Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465

Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471

Determination of theophylline in plasma using different capillary electrophoretic systems 652(1993)487

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Determination of oligosaccharides by capillary zone electrophoresis 652(1993)517

Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

Ion-association capillary electrophoresis. New separation mode for equally and highly charged metal chelates 652(1993)539

Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563

Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93

Determination of glycyrrhizin and glycyrrhetinic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184

Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329

Capillary electrophoretic analysis of inorganic cations. Role of complexing agent and buffer pH 654(1993)167

Rapid capillary gel electrophoresis of proteins 654(1993)190

Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison 655(1993)21

Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives 655(1993)63

Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185

Electrophoretically mediated microanalysis of ethanol 657(1993)429

Separation of condensed phosphates using capillary zone electrophoresis with indirect UV detection 657(1993)450

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant–bovine serum albumin buffer systems 659(1994)435

Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1

Recombinant human insulin. III. High-performance liquid chromatography and high-performance capillary electrophoresis control in the analysis of step-by-step production of recombinant human insulin 661(1994)83

Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Numerical algorithms for capillary electrophoresis 661(1994)265

Analysis of derivatized peptides by capillary electrophoresis 661(1994)279

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315

System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)153

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383

Electrophoretically mediated microanalysis of calcium 662(1994)389

pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434

Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier 663(1994)97

Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105

Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Quantitation of gentamicin sulfate in injectable solutions by capillary electrophoresis 663(1994)259

Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89

Capillary zone electrophoresis of humic acids 664(1994)301

Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271

Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367

Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host–guest complexation with cyclodextrins 666(1994)375

Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304

Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein 670(1994)199

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Capillary electrophoresis of nicotinamide–adenine dinucleotide and nicotinamide–adenine dinucleotide phosphate derivatives in coated tubular columns 670(1994)215

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383

Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397

Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445

High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219

Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Correlation between zone velocity and current in automated single capillary isotachophoresis–zone electrophoresis 673(1994)239

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Determination of alkali and alkaline earth metals in real samples by capillary ion analysis 673(1994)275

Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299

Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235

Determination of nine β-blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227

Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227

Simultaneous high-performance capillary electrophoretic determination of reduced and oxidized glutathione in red blood cells in the femtomole range 676(1994)239

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179

Effect of the degree of substitution of (2-hydroxy)propyl-β-cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Chiral separation of drugs by capillary electrophoresis using β-cyclodextrin polymer 678(1994)333

Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343

UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153

Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167

Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Wall adsorption of small anions in capillary zone electrophoresis induced by cationic trace constituents of the buffer 680(1994)25

The use of a microconcentric column in capillary electrophoresis 680(1994)33

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

α,ω-Bis-quaternary ammonium alkanes as effective buffer additives for enhanced capillary electrophoretic separation of glycoproteins 680(1994)85

Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Extended path length post-column flow cell for UV–visible absorbance detection in capillary electrophoresis 680(1994)109

Use of β-cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Optimization of separation selectivity in capillary electrophoresis of flavonoids 680(1994)175

Analysis of isoflavones by capillary electrophoresis 680(1994)181

Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187

Application of capillary ion electrophoresis and ion chromatography for the determination of O-acetate groups in bacterial polysaccharides 680(1994)201

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Analysis of the microheterogeneity of the glycoprotein chorionic gonadotropin with high-performance capillary electrophoresis 680(1994)217

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Capillary zone electrophoretic determination of organic acids in cerebrospinal fluid from patients with central nervous system diseases 680(1994)243

Determination of organic acids in urine by capillary zone electrophoresis 680(1994)247

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Separation of 24 dansylamino acids by capillary electrophoresis with a non-ionic surfactant 680(1994)311

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341

Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405

Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413

Characterization of charge-modified and fluorescein-labeled antibody by capillary electrophoresis using laser-induced fluorescence. Application to immunoassay of low level immunoglobulin A 680(1994)419

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431

High-performance capillary electrophoresis for characterization of hapten–protein conjugates used for production of antibodies against soyasaponin I 680(1994)437

Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447

Monitoring enzymic peroxidation of NAD^+ by capillary electrophoresis 680(1994)455

Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463

Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491

High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517

Analysis of DNA restriction fragments and polymerase chain reaction products by capillary electrophoresis 680(1994)525

Determination of synthetic food dyes by capillary electrophoresis 680(1994)541

Determination of pharmaceuticals and related impurities by capillary electrophoresis 680(1994)579

Analysis of structural specificity in antibody–antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Determination of components in propolis by capillary electrophoresis and photodiode array detection 680(1994)593

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Environmental monitoring of wastewater using capillary ion electrophoresis 680(1994)645

Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659

Capillary electrophoretic separation of organophosphonic acids using borate esterification and direct UV detection 680(1994)667

Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311

Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323

Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321

Characterization of food proteins by capillary electrophoresis 685(1994)331

Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Routine determination of anions by capillary electrophoresis and ion chromatography 686(1994)143

Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309

Separation of imidazole and its derivatives by capillary electrophoresis 686(1994)319

Speciation of heavy metals by capillary electrophoresis 686(1994)325

Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Comparative stability study of thymidine and (dideoxy-D-*erythro*-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167

Combined liquid–liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343

Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Separation of water-soluble *p*-sulfonated calixarenes 4, 6 and 8 and 4-hydroxybenzene sulfonate by use of capillary zone electrophoresis 688(1994)293

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Simultaneous separation of ammonium and alkali, alkaline earth and transition metal ions in aqueous–organic media by capillary ion analysis 688(1994)339

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Simultaneous determination of organic and inorganic anions in the sub-μmol/l range in rain water by capillary zone electrophoresis 689(1995)305

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145

Analysis of oxalate in Bayer liquors: a comparison of ion chromatography and capillary electrophoresis 693(1995)155

Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Measurement of binding constants by capillary electrophoresis 696(1995)160

Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285

Determination of hyaluronan and galactosaminoglycan disaccharides by high-performance capillary electrophoresis at the attomole level. Applications to analyses of tissue and cell culture proteoglycans 696(1995)295

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571

Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19

Separation of collagen type I chain polymers by electrophoresis in non-cross-linked polyacrylamide-filled capillaries 698(1995)369

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323

Chemical modification of capillary column for electrophoretic separations of transition metal ions 699(1995)343

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59

Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69

Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Separation of r-hirudin from similar substances by capillary electrophoresis 700(1995)89

Separation of β-lactoglobulin A, B and C variants of bovine whey using capillary zone electrophoresis 700(1995)105

Comparison of capillary electrophoresis with traditional methods to analyse bovine whey proteins 700(1995)111

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151

Determination of impurities in a novel analogue of adenosine 5′-triphosphate by capillary electrophoresis 700(1995)163

Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179

Comparison of high-performance liquid chromatography and capillary electrophoresis for the determination of some bee venom components 700(1995)187

Separation of sulfonylurea metabolites in water by capillary electrophoresis 700(1995)195

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Capillary electrophoresis, free solution
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Capillary electrophoresis–mass spectrometry
Sheathless capillary electrophoresis–electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217

Determination of trace impurities of peptides and alkaloids by capillary electrophoresis–ion spray mass spectrometry 679(1994)206

Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis–electrospray mass spectrometry 680(1994)363

Capillary electroseparation
Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Capillary gel electrophoresis
Terminology and nomenclature in capillary electroseparation systems 680(1994)3

High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Capillary isotachophoresis
Determination of thiols as sulphonic acids by capillary isotachophoresis 672(1994)273

Preparative capillary isotachophoresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Capillary micellar electrochromatography
Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Capillary zone electrophoresis, mathematical model
Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Capsids, viral
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Carbon black
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Carbon fiber array microelectrode
Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Carbon fibre microelectrode
High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Carbon number
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Carboxen microtraps
Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography–mass spectrometry 657(1993)123

Carrier ampholytes
Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Carrier electrolyte composition
Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Carrier gas
Dependence of retention of organic compounds on carrier gas pressure in capillary adsorption chromatography 699(1995)155

Carrots
High-performance liquid chromatographic determination of dietary fibre in raw and processed carrots 677(1994)273

CARTAGO-S
Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Catalysis
Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Catalytic reduction
Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Catharanthus roseus
High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Cation-exchange membrane
On-line analysis of alkaline samples with a flow-through electrodialysis device coupled to an ion chromatograph 671(1994)131

Caulerpa taxifolia
Determination of caulerpenyne, a toxin from the green alga *Caulerpa taxifolia* (Caulerpaceae) 663(1994)114

Cavity model of solvation
Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Cell electrophoresis
Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Cell lysates
Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43

Cellogel
Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Cell partitioning
Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Cellulose
Chiral separations on cellulose in electrophoresis 663(1994)264

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α-cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Cellulose acetate membranes
Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Cellulose-based sorbents
Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

Cellulose benzoates
Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Cellulose derivatives
High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329

Cellulose films
Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Cellulose tribenzoate
Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

Cellulose tris(3,5-dimethylphenylcarbamate)
Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Cellulose trisphenylcarbamate
Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Centrifugal partition chromatography
Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322

Preparative separation of naphthyltetrahydroisoquinoline alkaloids from *Ancistrocladus korupensis* by centrifugal partition chromatography 688(1994)83

Cercospora beticola
Cercospora beticola toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277

Cerebrospinal fluid
Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1-β-D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59

Chain length
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Chain length characterization
Polyphosphate separations and chain length characterization using minibore ion chromatography with conductivity detection 688(1994)89

Charcoal tubes
Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Charge-coupled devices
Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55

Charge density region, high linear
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227

Charge-transfer chromatography
Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl-β-cyclodextrin 665(1994)17

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Cheese
Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Capillary supercritical fluid chromatography–Fourier transform infrared spectroscopy study of triglycerides and the qualitative analysis of normal and "unsaturated" cheeses 673(1994)231

Separation and identification of hydrophilic peptides in dairy products using FMOC derivatization 696(1995)209

Chelating agents
pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Chelation ion chromatography
Determination of barium and strontium in calcium-containing matrices using high-performance chelation ion chromatography 673(1994)173

Chemical ionization
Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols —a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136

Chemically bonded phases
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Chemical reactions
Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Chemical warfare agents
Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Chemiluminescence
Quenching-free reactive-flow photometry 694(1995)433

Chemiluminescence detection, peroxyoxalate
High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263

Chemiluminescence detector
On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Determination of dansyl amino acids using tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Liquid chromatography of antihistamines using post-column tris(2,2′-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Chemiluminescent detection of artemisinin. Novel endoperoxide analysis using luminol without hydrogen peroxide 695(1995)237

Chemiluminescence nitrogen detector
Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Chemometric detectors
Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Chemometrics
Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1

Retention of 4-cyanophenyl herbicides on water-insoluble β-cyclodextrin support 685(1994)295

Statistical treatment of large digital chromatographic data sets 686(1994)225

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Chicken
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Chicken tissue
Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Chiral additives
Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549

Chiral buffer modifiers
Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Chiral centers
High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243

Chiral column switching
Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257

Chiral derivatization reagents
Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

Chiral derivatizing agent
Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert.*-butyl-2-methyl- 1,3-benzodioxole-4-carboxylic acid 677(1994)35

Gas chromatographic separation of enantiomeric amino acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227

Chiral discrimination
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Chiral displacement chromatography
Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Chiral Edman reagents
High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Chiral ion-pairing reagents
Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Chiral ligand exchange
Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Chiral metal complexes
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chiral mobile phase additives
Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Chiral recognition
Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L 659(1994)389

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated-γ-cyclodextrin capillary column 673(1994)107

Liquid chromatographic separation of the enantiomers of cyclic β-amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Chromatographic and ^{1}H NMR support for a proposed chiral recognition model 683(1994)347

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π–π interaction site on the chiral stationary phase 684(1994)13

Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6-arene)–chromium(0) complexes 693(1995)63

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247

Chiral selectivity
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Chiral selectors
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167

Enantiomer separation by high-performance liquid chromatography with (*R*,*R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Use of β-cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Chiral solvating agents
Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3

Chiral stationary phases, GC
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl-β-cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated-γ-cyclodextrin capillary column 673(1994)107

Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469

Comparison of two esterified γ-cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215

Chiral stationary phases, LC
Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69

Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75

Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276

Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3

Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27

Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77

New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91

Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249

Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449

Enantiomer separation by high-performance liquid chromatography with (*R*,*R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463

Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471

Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

6,6′-Dinitrobiphenyl-2,2′-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

Liquid chromatographic separation of the enantiomers of cyclic β-amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297

Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Chromatographic and ^{1}H NMR support for a proposed chiral recognition model 683(1994)347

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13

Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162

Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Immobilization of peralkylated β-cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

Imprintable brush-type chiral stationary phase 689(1995)189

Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Improved chiral stationary phase for β-blocker enantioseparations 690(1995)218

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π-donor analytes on a π-donor chiral stationary phase 692(1995)91

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Molecular imprinting used for chiral separations (Review) 694(1995)3

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247

Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271

Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Chiral separation of MDL 73,005EF enantiomers using an α_1-acid glycoprotein column 699(1995)389

Chiral stationary phases, SFC
Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Evaluation of β-cyclodextrin-based chiral stationary phases for capillary column supercritical fluid chromatography 684(1994)297

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Chiral surfactants
Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

CHIRBASE
CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Chlorella fusca
In vivo O-dealkylation of resorufin and coumarin ethers by the green alga *Chlorella fusca* analysed by a rapid and sensitive high-performance liquid chromatographic assay 684(1994)168

Chromarods
Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178

Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Chromatofocusing
Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Chromatographic bands
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Chromatographic congenerity
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Chromatographic parameters
Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Chromatographic probes
Purification of synthetic peptides with the aid of reversible chromatographic probes 686(1994)73

Chromatographic profiles
Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71

Chromatographic reactor
Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Chromatographic tank, TLC
Chromatographic tank designed to obtain highly reproducible high-performance thin-layer chromatograms of gangliosides and neutral glycosphingolipids 686(1994)155

Chromatographic theory
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Chromatographic theory, TLC
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Chromatomembranes
Chromatomembrane method for the continuous separation of substances 669(1994)81

Chromium plating solutions
Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Determination of chromate ion in chromium plating baths using capillary zone electrophoresis with micellar solution 676(1994)443

Chromogenic reagents
Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

Cigarettes
Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Cigarette smoke
Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376

Circular dichroism detector
Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

***Cis–trans* isomerism**
High-performance liquid chromatography of *cis–trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Citrus
High-performance liquid chromatographic determination of naturally occurring flavonoids in *Citrus* with a photodiode-array detector 667(1994)59

Citrus juice
Use of capillary electrophoresis for monitoring citrus juice composition 652(1993)555

Citrus oils
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501

Clay
Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303

Clean-up methods
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Clean-up and confirmation procedures for gas chromatographic determination of pesticide residues in contaminated waters. Part I 655(1993)285

Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Mixed adsorbent for cleanup during supercritical fluid extraction of three carbamate pesticides in tissues 657(1993)223

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327

Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil 660(1994)195

Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43

Method for the group separation of non-*ortho*-, mono-*ortho*- and multi-*ortho*-substituted polychlorinated biphenyls and polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans using activated carbon chromatography 665(1994)139

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Potential of receptor–ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333

Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119

Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159

Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Determination of catecholamines by ion chromatography and electrochemical detection 671(1994)259

Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Determination of a novel hematoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde–thiol post-column reaction with fluorescence detection 676(1994)161

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

High-performance capillary electrophoresis of O-glycosidically linked sialic acid-containing oligosaccharides in glycoproteins as their alditol derivatives with low-wavelength UV monitoring 680(1994)209

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Liquid chromatographic determination of the mycotoxin fumonisin B_2 in physiological samples 692(1995)39

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Applicability of coupled-column liquid chromatography to the analysis of β-agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Improved method for the determination of glyphosate in water 697(1995)363

Closed-loop recycling
Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627

Cluster analysis
Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Coal
Evidence obtained by gas chromatography–mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Coated capillaries
High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Coating
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213

Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571

High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498

Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Coca leaves
Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Co-electroosmotic flow
Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Coil planet centrifuge, cross-axis
Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3

Cold vapour atomic absorption spectrometry
Interfacing high-performance liquid chromatography and cold-vapour atomic absorption spectrometry with on-line UV irradiation for the determination of organic mercury compounds 675(1994)253

Collection devices
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107

Colloidal particles
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89

Column dead time
Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Column degradation
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Column diameter
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Column efficiency
Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

High-performance protein separations with novel strong ion exchangers 679(1994)11

Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Characterization of a new reversed-phase chromatographic column on a 2-μm porous microspherical silica gel 691(1995)81

Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141

Column length
Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Column loading
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Column outlet pressure
Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Column packing charge density
Ionic strength dependence of protein retention on Superose 12 in SEC–IEC mixed mode chromatography 693(1995)251

Column performance
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249

Columns, radially heterogeneous cylindrical
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

Columns, SFC
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249

Column selectivity
Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

Column switching
see also Coupled columns

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography 660(1994)205

Column-switching liquid chromatographic method for the simultaneous determination of iothalamic acid and creatinine in biological fluids 661(1994)113

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

"Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11

Column-switching techniques in the analysis of phosphate by ion chromatography 675(1994)141

Coupled affinity–reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121

Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45

Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Direct determination of E2020 enantiomers in plasma by liquid chromatography–mass spectrometry and column-switching techniques 694(1995)209

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257

Column temperature

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Combustion isotope ratio mass spectrometry

High-precision gas chromatography–combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Co-modifiers

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Competitive adsorption models

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Complementarity determining regions
Interaction of lysozyme with synthetic anti-lysozyme D1.3 antibody fragments studied by affinity chromatography and surface plasmon resonance 676(1994)91

Complexation
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Complexation constants
Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Complex formation
Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Non-aqueous capillary electrophoretic separation of polyethers and evaluation of weak complex formation 695(1995)309

Complex-forming equilibria
Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Complexing agents
Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Determination of metal cations by capillary electrophoresis. Effect of background carrier and complexing agents 675(1994)227

Diphenyltin dichloride as a chromogenic reagent for the detection of flavonoids on thin-layer plates 675(1994)276

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Complexing sorbents
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Composition distribution
Composition distribution separation of methyl methacrylate–methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Computational chemistry
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Computer-aided drug identification
Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103

Computer-aided two-dimensional densitometry
Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Computer-assisted chromatography
Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Computerized substance identification
Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3

Computer modeling
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography

Computer programs
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Improvement of a computer program for the ion chromatographic determination of some anions in natural waters 668(1994)385

Computer simulation
Rapid simulation of chromatographic band profiles on personal computers 658(1994)511

Numerical algorithms for capillary electrophoresis 661(1994)265

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Concentration gradient imaging detector
In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Concentration methods
Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Concentration profiles
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Concentration sensitivity
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Concerted cluster model
Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Conductivity cell
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291

Conformation, proteins
Protein refolding using aqueous two-phase systems 668(1994)95

Conformational changes
Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

High-performance liquid chromatographic separation of *cis–trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7

Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

High-performance liquid chromatography of *cis–trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Conformation analysis
Reordering/resolvation studies of alkylamide phases 659(1994)261

Use of hydrophobic affinity partitioning as a method for studying various conformational states of the human α-macroglobulins 668(1994)101

Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31

Coniferous needles
Use of Sep-Pak C_{18} cartridges to clean up free amino acids from coniferous needles 690(1995)226

Connectivity indices
Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183

Continuous elution
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Continuous extractions
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Continuous-flow plate theory
Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399

Continuous-flow systems
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Continuous mixtures
Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Continuous separation processes
Chromatomembrane method for the continuous separation of substances 669(1994)81

Continuous wave lasers
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Contour plots
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Contrast media
Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343

Controlled pore glass
Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205

Convection
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Copolymerization
Identification by headspace gas chromatography–mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Copper(II) complexation
Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Correlation chromatography
Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Correlation coefficients
Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Correlative retention time identification procedure
Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143

Correspondence factor analysis
Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Corrosion
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Corydalis decumbens
Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225

Cosmetics
Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Comparison of high-performance liquid chromatographic methods for the determination of 1,2-dibromo-2,4-dicyanobutane in cosmetic products 692(1995)53

Cotton
Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Cough–cold syrups
High-performance liquid chromatographic determination of active ingredients in cough–cold syrups with indirect conductometric detection 693(1995)45

Coulometry
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Counter-current chromatography
Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds 673(1994)142

Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Purification of (−)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

Counter-current distribution
Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Counterflow affinity isotachophoresis
Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Coupled columns
see also Column switching

Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283

Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Applicability of coupled-column liquid chromatography to the analysis of β-agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Craig method
Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography

***Crataegus* leaves**
Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in Crataegus leaves and flowers 677(1994)25

Critical micelle concentration
Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Cross-linked gels
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Crude oil
Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Cryogenic preconcentration
Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography–mass spectrometry 657(1993)123

Cryogenic trapping
Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Crystal growth
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Cucurbitaceae
High-performance liquid chromatographic determination of flavone C-glycosides in some species of the Cucurbitaceae family 675(1994)240

Cured ham
Determination of neutral lipids from subcutaneous fat of cured ham by capillary gas chromatography and liquid chromatography 667(1994)225

Cyclic voltammetry
Determination of spectinomycin using cation-exchange chromatography with pulsed amperometric detection 675(1994)123

Determination of tryptophan and kynurenine in brain microdialysis samples by capillary electrophoresis with electrochemical detection 700(1995)73

Cyclodextrin additives
Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Cyclodextrin-based stationary phases
Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147

Cyclodextrin-coated capillaries
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

β-Cyclodextrin polysiloxanes, large-rim-tethered
Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Cylindrical symmetry
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

D

Data acquisition
Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Data analysis
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Database, toxic compounds
Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

Databases
Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Deactivated metal capillary columns
Preparation of deactivated metal capillary for gas chromatography 685(1994)61

Dead time
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Dead volume
Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

DEAE-cellulose
Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Densitometry
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Densitometry, two-dimensional
Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Density detector
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Density effects
Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Dentifrice
Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Deproteinization methods
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Derivatization, electrophoresis
Separation of amino acid–oxazole derivatives of the redox coenzyme pyrroloquinoline quinone by capillary zone electrophoresis 652(1993)225

Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

Analysis of derivatized peptides by capillary electrophoresis 661(1994)279

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Monitoring of a conjugation reaction between fluorescein isothiocyanate and myoglobin by capillary zone electrophoresis 693(1995)145

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Capillary electrophoresis of carboxylated carbohydrates. I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags 695(1995)83

Fluorescence, photodestruction, photoionization and thermal degradation of *o*-phthalaldehyde/β-mercaptoethanol-labelled aliphatic α-oligopeptides 696(1995)139

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549

Derivatization, GC
Gas chromatographic–mass spectrometric procedures used for the identification and determination of morphine, codeine and 6-monoacetylmorphine (Review) 225(1994)225

Capillary gas chromatographic separations of a multi-component mixture of polyalcohol compounds 655(1993)267

Orthoformates as reagents for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography–mass spectrometry 655(1993)346

Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC–MS analysis 662(1994)281

Analysis of amino acids by gas chromatography–flame ionization detection and gas chromatography–mass spectrometry: Simultaneous derivatization of functional groups by an aqueous-phase chloroformate-mediated reaction 663(1994)71

Determination of selenium by gas chromatography–electron-capture detection using a rapid derivatization procedure 664(1994)77

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β-cyclodextrin stationary phase 665(1994)175

Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219

Gas chromatographic–mass spectrometric determination of α-phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Separation and identification of stereoisomeric cyclobutanediols by gas chromatography–mass spectrometry 668(1994)463

Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert.*-butyldimethylsilyl derivatives 669(1994)125

Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261

One-step conversion of fatty acids into their 2-alkenyl-4,4-dimethyloxazoline derivatives directly from total lipids 673(1994)101

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Optimization of the simultaneous determination of acids and sugars as their trimethylsilyl(oxime) derivatives by gas chromatography–mass spectrometry and determination of the composition of six apple varieties 676(1994)461

Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103

Carboxylic anhydrides–orthoesters —novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography–negative ion chemical ionization mass spectrometry 683(1994)157

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269

Gas chromatographic–mass spectrometric determination of chlorinated *cis*-1,2-dihydroxycyclohexadienes and chlorocatechols as their boronates 684(1994)277

Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography–mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Pyrrolidides as derivatives for the determination of the fatty acids of triacylglycerols by gas chromatography 686(1994)149

Determination of nonylphenols as pentafluorobenzyl derivatives by capillary gas chromatography with electron-capture and mass spectrometric detection in environmental matrices 686(1994)275

Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography–mass spectrometry 687(1994)315

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

Quantitative analysis by gas chromatography of volatile carbonyl compounds in cigarette smoke 693(1995)376

Gas chromatographic separation of enantiomeric amino acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227

Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols —a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136

Determination of secondary amines in various foods by gas chromatography with flame photometric detection 695(1995)142

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Identification and determination of butyltin compounds in water by ion trap gas chromatography–mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Derivatization, LC
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161

High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235

Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253

High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348

Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

Determination of organic ionic lead and mercury species with high-performance liquid chromatography using sulphur reagents 654(1993)177

Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

Trifluoroacetylation of muricholic acids and hyocholic acids 655(1993)355

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

High-performance liquid chromatographic separation of phenylthiocarbamyl derivatives of amino acids from protein hydrolysates using a Partisphere C_{18} column 657(1993)204

Liquid chromatographic–mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337

Improvement of chemical analysis of antibiotics. XX. Basic study on high-performance liquid chromatographic determination of four polyether antibiotics pre-derivatized with 1-bromoacetylpyrene 657(1993)349

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351

Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Advances in the high-performance liquid chromatographic determination of phenylthiocarbamyl amino acids (Review) 661(1994)43

Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105

Determination of catecholamines by automated pre-column derivatization and reversed-phase column liquid chromatography with fluorescence detection 661(1994)137

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77

Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284

Application of high-performance liquid chromatography to the analysis of the complex volatile mixture of blackcurrant buds (*Ribes nigrum* L.) 665(1994)105

Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to biosciences 666(1994)259

Stereoselective high-performance liquid chromatographic assay of (±)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275

Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Luminol chemiluminescent determination of hydrogen peroxide at picomole levels using high-performance liquid chromatography with a cation-exchange resin gel column 667(1994)99

Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105

Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113

Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290

Stability of *o*-phthalaldehyde–sulfite derivatives of amino acids and their methyl esters: electrochemical and chromatographic properties 668(1994)323

Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331

Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185

Determination of amino acids by precolumn derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography with ultraviolet detection 670(1994)59

Analysis of aluminium in pharmaceutical products by post-column derivatization ion chromatography 671(1994)115

Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109

High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117

Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125

Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

1-Thio-β-D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286

Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79

Comparative and optimized dabsyl-amino acid analysis of synthetic phosphopeptides and glycopeptides 676(1994)169

Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191

Determination of amino acids by ion-pair liquid chromatography with post-column derivatization using 1,2-naphthoquinone-4-sulfonate 676(1994)311

Ion-pair high-performance liquid chromatography of cysteine and metabolically related compounds in the form of their S-pyridinium derivatives 676(1994)321

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*.-butyl-2-methyl- 1,3-benzodioxole-4-carboxylic acid 677(1994)35

Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C_{18} material 677(1994)63

High-performance liquid chromatographic resolution of dinophysistoxin-1 and free fatty acids as 9-anthrylmethyl esters 677(1994)301

Chromatographic separation of 1-phenyl-3-methyl- 5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17

Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59

Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241

Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279

High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization 683(1994)31

Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113

High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235

Determination of α-dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthaldialdehyde 690(1995)55

Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77

Simultaneous sorption and analytical derivatization on a polystyrene–divinylbenzene polymer. Preparation of chromophoric and fluorophoric derivatives of the prostaglandins 691(1995)231

High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4-3-ketone derivatives 691(1995)247

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert.*-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241

High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins 693(1995)263

Sensitive fluorescence detection of robenidine by derivatization with dansyl chloride and high-performance liquid chromatography 694(1995)407

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Determination of residual free epoxide in polyether polyols by derivatization with diethylammonium N,N-diethyldithiocarbamate and liquid chromatography 696(1995)41

Separation and identification of hydrophilic peptides in dairy products using FMOC derivatization 696(1995)209

Purification of antigenized immunoglobulins derivatized with monomethoxypolyethylene glycol 696(1995)219

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Porous graphitic carbon for the chromatographic separation of O-tetraacetyl-β-D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213

Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to food science 697(1995)229

Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Derivatization, SFC
Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Derivatization, TLC
Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Determination of the relative amounts of the B and C components of neomycin by thin-layer chromatography using fluorescence detection 696(1995)131

Derringer's desirability function
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Desalting methods
Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Desorption
Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Desorption efficiency
Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

Desorption kinetics
Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Detection cells
Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Detection limits
Noise, filters and detection limits 687(1994)259

Detector linearity
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Detectors, electrophoresis
In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

On-line chemiluminescence detection of proteins separated by capillary zone electrophoresis 652(1993)361

Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)153

Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299

Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

UV detection in capillary zone electrophoresis. Peaks or dips – that is the question 679(1994)153

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis–electrospray mass spectrometry 680(1994)363

Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Thermo–optical absorbance detection of native proteins separated by capillary electrophoresis in 10 μm I.D. tubes 699(1995)315

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Detectors, GC
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269

Design and use of a thermal conductivity detector at reduced pressure for temperature-programmed capillary gas chromatography 655(1993)243

Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381

Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333

Constancy of spectral response ratios in the flame photometric detector 667(1994)191

Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219

Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441

Selective chemiluminescence detection of sulfur-containing compounds coupled with nitrogen–phosphorus detection for gas chromatography 670(1994)117

Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115

Effect of detector temperature on the flame ionization detector response 679(1994)299

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175

Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269

Reactive-flow luminescence detector for gas chromatography 684(1994)259

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Noise, filters and detection limits 687(1994)259

Fundamental noise in three chromatographic detectors 687(1994)283

Dual-channel response ratios from an integrative algorithm 687(1994)291

Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Holophotal flame photometric detection 688(1994)153

Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Constant-current a.c. electron-capture detector 690(1995)103

Quenching-free reactive-flow photometry 694(1995)433

Ultraviolet–visible detection for capillary gas chromatography and combined ultraviolet–mass spectrometry using a remote flow cell 695(1995)243

Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245

Reactive-flow luminescence with flame ionization detection 699(1995)183

Second-channel designs for a single-channel flame photometric detector 699(1995)195

Determination of polychlorinated biphenyls in biotic matrices using gas chromatography–microwave-induced plasma atomic emission spectrometry 699(1995)231

Detectors, LC

Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119

Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Analysis of chiral carboxylic acids in wine by high-performance liquid chromatography with coupled UV and circular dichroism detection 671(1994)281

Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Use of liquid chromatography–nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Liquid chromatography of antihistamines using post-column tris(2,2′-bipyridine) ruthenium(III) chemiluminescence detection 679(1994)277

Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Optical properties of axial-illumination flow cells for simultaneous absorbance–fluorescence detection in micro liquid chromatography 691(1995)37

Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Determination of fumonisins B_1, B_2, B_3 and B_4 by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21

Electrocatalytic oxidation and ion chromatographic detection of Br^-, I^-, SO_3^{2-}, $S_2O_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Detectors, SFC
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO_2 677(1994)365

Detectors, TLC
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Detector-signal processing, computerized
Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography 660(1994)147

Detector temperature
Effect of detector temperature on the flame ionization detector response 679(1994)299

Detergents
Determination of inorganic sulfate in detergent products by capillary electrophoresis 671(1994)445

Deuterated compounds
Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Dextran-grafted silica gel
Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37

Dialysis
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Diastereomer separation
Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Gas chromatographic analysis of diastereomers and enantiomers of β,γ-unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243

Diatomaceous earth
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Dielectric constant detector
Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Diesel exhaust
Determination of mono- and di-nitro polycyclic aromatic hydrocarbons by on-line reduction and high-performance liquid chromatography with chemiluminescence detection 664(1994)177

Gas chromatographic–mass spectrometric determination of nitro polycyclic aromatic hydrocarbons in airborne particulate matter from workplace atmospheres contaminated with diesel exhaust 677(1994)107

Analysis of irritants by capillary column gas chromatography–tandem mass spectrometry 695(1995)65

Diesel fuel
Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Diesel fuel substitutes
On-line liquid chromatography–gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461

Dietary fibre
High-performance liquid chromatographic determination of dietary fibre in raw and processed carrots 677(1994)273

Differential chromatography
Comparing steady counterflow separation with differential chromatography 654(1993)1

Differential refractive index detector
Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Diffuse-layer ion-exchange model
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Diffusion
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Diffusion coefficients
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Diffusion-layer theory
Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Digital filtering
Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Dimerization, disulfide-mediated
Utility of high resolution capillary electrophoresis for monitoring peptide homo- and hetero-dimer formation 652(1993)109

2,3-Di-O-acetyl-6-O-*tert.*-butyldimethylsilyl-cyclodextrins
Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-*tert.*-butyldimethylsilyl-β- and -γ-cyclodextrins 666(1994)131

Dinitroanilinopropylsilica
Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

(*S*)-N-(3,5-Dinitrobenzoyl)tyrosine methyl ester phases
Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

Diode array detector
Photodiode array detection for elucidation of the structure of phenolic compounds 655(1993)119

Determination of patulin in apple juice by high-performance liquid chromatography with diode-array detection 664(1994)39

Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography–particle beam mass spectrometry 688(1994)67

Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103

Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Diol-bonded phases
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Diphenyl phthalate
Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Dipole-stacking interaction
Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Direct current argon plasma detector
Determination of inorganic Hg(II) and organic mercury compounds by ion-pair high-performance liquid chromatography 688(1994)107

Direct injection
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103

Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Discharge ionization detector
Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Discharge residues
Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Dispersion
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Dispersion coefficients
Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Dispersion interactions
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Dispersion polymerization
Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Dispersive interactions
Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Displacement chromatography
Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Displacement chromatography in biotechnological downstream processing 691(1995)101

High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213

Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Displacement electrophoresis
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Displacement kinetics
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Displacement model, stoichiometric
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227

Displacement post-column detection
Displacement post-column detection reagents based on the fluorescent magnesium 8-hydroxyquinoline-5-sulfonic acid complex 671(1994)121

Displacer equilibrium properties
Investigation of displacer equilibrium properties and mobile phase operating conditions in ion-exchange displacement chromatography 693(1995)187

Displacers
Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153

pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Temperature-induced displacement of proteins from dye-affinity columns using an immobilized polymeric displacer 684(1994)37

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Dissociation constants
Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Structure–retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Capillary zone electrophoresis for the determination of dissociation constants 680(1994)43

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B_4 and prostaglandin B_2 691(1995)225

Advances in affinity electrophoresis (Review) 698(1995)89

Dissolved gases
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Distribution coefficients
Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Distribution isotherms
Distribution isotherms in reversed-phase systems (Review) 656(1993)19

DNA fragmentation, internucleosomal
Analysis of internucleosomal DNA fragmentation in apoptotic thymocytes by dynamic sieving capillary electrophoresis 700(1995)151

DNA-Sepharose columns
Novel DNA-Sepharose purification of the FadR transcription factor 677(1994)45

DNA sequencing
High-speed and high-accuracy DNA sequencing by capillary gel electrophoresis in a simple, low cost instrument. Two-color peak-height encoded sequencing at 40°C 680(1994)497

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Doehlert experimental design
Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

π-Donor–acceptor interactions
Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Double stacking procedure
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Downstream process analysis
Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Downstream processing
Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Amphiphilic agarose-based adsorbents for chromatography. Comparative study of adsorption capacities and desorption efficiencies 689(1995)3

Displacement chromatography in biotechnological downstream processing 691(1995)101

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Drift voltage
Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

Drinking water
Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen–phosphorus or mass spectrometric detection 667(1994)241

Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Determination of carbonate, inorganic anions and anionic metal complexes by single-column ion chromatography with conductimetric and UV detection 671(1994)249

Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C_{18} material 677(1994)63

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383

Automated procedure for determination of trace amounts of aldehydes in drinking water 692(1995)1

Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Drug delivery systems
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Drug metabolism
Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Drug profiling
Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Drug–protein interaction
Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Drug screening
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Dry impact blending
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Drying agents
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Drying methods
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Drylab
Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Drylab G
Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Preliminary computer simulation for fine tuning of the high-performance liquid chromatography of some phenolic acids 679(1994)59

Dual-channel response ratios
Dual-channel response ratios from an integrative algorithm 687(1994)291

Dual detection
Characterization of ethoxylated fatty alcohols using liquid chromatography with density and refractive index detection. I. Quantitative analysis of pure homologous series by size-exclusion chromatography 657(1993)365

Dye-affinity ligands
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Dye–ligand chromatography
Further examination of a "concerted cluster" model of multivalent affinity. Heterogeneous adsorption of lactate dehydrogenase to Cibacron Blue immobilised on cellulose 693(1995)15

Dynamically coated columns
Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis 695(1995)287

Dynamically coated sorbents
Application of a dynamically coated sorbent and conductimetric and UV detectors to the determination of alkaline earth and transition metal cations 671(1994)29

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Dynamically modified silica
Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175

Dynamic anion exchanger
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Dynamic axial compression
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Dynamic fluorescence labelling
Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Dynamic ion-exchange model
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Dynamic light scattering
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Dynamic particle coating
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Dynamic sorption capacity
High-performance protein separations with novel strong ion exchangers 679(1994)11

Dynamic surface tension detector
Laser-based dynamic surface tension detection for liquid chromatography by probing a repeating drop radius 691(1995)195

E

Edman degradation
Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Edman reagents, chiral
High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Effective carbon number
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Effective excluded volume
Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Effective mass
Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

Effective mobilities
Determination of thiols as sulphonic acids by capillary isotachophoresis 672(1994)273

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Efficiency
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Eggs
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Characterization of food proteins by capillary electrophoresis 685(1994)331

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Electrical double layer
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Electrical potential
Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205

Electric current
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Electric current fluctuations
Thermally induced fluctuations of the electric current and baseline in capillary electrophoresis 652(1993)317

Electric field strength
Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Electroanalyzer, multicompartment
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Electroblotting
Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233

Electrocatalytic oxidation
Electrocatalytic oxidation and ion chromatographic detection of Br^-, I^-, SO_3^{2-}, $S_2O_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Electrochemical detector
Determination of peptides by capillary electrophoresis–electrochemical detection using on-column Cu(II) complexation 652(1993)377

Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Dual electrochemical detection of cysteine and cystine in capillary zone electrophoresis 680(1994)263

Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Electrocatalytic oxidation and ion chromatographic detection of Br^-, I^-, SO_3^{2-}, $S_2O_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Electrochromatography
Electrochromatography and micro high-performance liquid chromatography with 320 μm I.D. packed columns 670(1994)15

Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Electrochromatography–electrospray mass spectrometry of textile dyes 700(1995)27

Electrodes
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Electrodes, rotating disks
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Electrodialysis
On-line analysis of alkaline samples with a flow-through electrodialysis device coupled to an ion chromatograph 671(1994)131

Electrodispersive effects
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Electroelution
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Electrokinetic chromatography
Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Separation of six phenylureas and chlorsulfuron standards by micellar, mixed micellar and microemulsion electrokinetic chromatography 699(1995)371

Electrokinetic injection
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Quantitative capillary gel electrophoresis assay of phosphorothioate oligonucleotides in pharmaceutical formulations 680(1994)469

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Electrolyte additives
Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

Electrolyte composition
Application of capillary electrophoresis in atmospheric aerosols analysis: determination of inorganic and organic anions 671(1994)389

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Effect of high concentrations of salts in samples on capillary electrophoresis of anions 696(1995)307

Effect of electrolyte composition in the capillary electrophoretic separation of inorganic/organic anions in the presence of cationic polymers 699(1995)353

Electrolytes
Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

Electrolytes, background
Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Electrolyte systems
Capillary electrophoresis of inorganic cations and low-molecular-mass amines using a copper-based electrolyte with indirect UV detection 652(1993)385

Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223

New electrolyte systems for the determination of metal cations by capillary zone electrophoresis 671(1994)429

Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α-hydroxyisobutyric acid 689(1995)149

Simultaneous determination of organic and inorganic anions in the sub-μmol/l range in rain water by capillary zone electrophoresis 689(1995)305

Electrolytic conductivity detector
Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Electromigration dispersion
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Electron-capture detector
Relative electron-capture detector response of selected polychlorinated biphenyl congeners. Influence of detector temperature and design 668(1994)441

Fundamental noise in three chromatographic detectors 687(1994)283

Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Constant-current a.c. electron-capture detector 690(1995)103

Electron capture negative ionization
Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103

Electronic spectroscopy
Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Electron microscopy
Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Electron spin resonance spectroscopy
Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Electroosmosis
On-line measurement of electroosmosis in capillary electrophoresis using a conductivity cell 652(1993)291

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Electroosmotic dispersion
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Electroosmotic flow
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57

Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

Timescales of transient processes in capillary electrophoresis 652(1993)263

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis 663(1994)239

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Studies on the determination of inorganic anions by capillary electrophoresis 671(1994)437

Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313

Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343

Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Electroosmotic flow, pH independent
Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303

Electroosmotic flow modifier
Versatility of capillary electrophoresis of anions with a high-mobility chromate electrolyte 671(1994)383

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Electroosmotic mobility
Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Improved capillary zone electrophoretic separation of basic proteins in an uncoated fused-silica capillary by using ethylene diamine as a buffer additive 657(1993)175

Dependence of the electroosmotic mobility on the applied electric field and its reproducibility in capillary electrophoresis 684(1994)311

Electroosmotic zone displacement
Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Electrophoresis
see also Capillary electrophoresis

Separation and characterization of rat kidney isometallothioneins induced by exposure to inorganic mercury 655(1993)77

Chiral separations on cellulose in electrophoresis 663(1994)264

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)–hydrazine–nitrilotriacetate mixed-ligand complexes 667(1994)371

Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351

Suggested definition of zone resolution and zone capacity in separations of weak electrolytes or ampholytes by steady-state electrophoretic methods 679(1994)335

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Advances in affinity electrophoresis (Review) 698(1995)89

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Electrophoretically mediated microanalysis
Electrophoretically mediated microanalysis of calcium 662(1994)389

Electrophoretic focusing
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Electrophoretic migration
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Electrophoretic mobility
Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis 652(1993)131

Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Automated pK_a determination at low solute concentrations by capillary electrophoresis 652(1993)301

Separation of water-soluble vitamins via high-performance capillary electrophoresis 652(1993)495

Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313

Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Effect of the number of sulpho groups on the electrophoretic mobility of sulphonated azo dyes 665(1994)197

Capillary zone electrophoresis of synthetic opioid and tachykinin peptides 666(1994)271

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151

Applications of capillary zone electrophoresis in clinical chemistry. Determination of low-molecular-mass ions in body fluids 671(1994)375

Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343

Investigation of experimental approaches to the determination of pK_a values by capillary electrophoresis 680(1994)49

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431

Activation energy of single-stranded DNA moving through cross-linked polyacrylamide gels at 300 V/cm. Effect of temperature on sequencing rate in high-electric-field capillary gel electrophoresis 680(1994)503

Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Electrophoretic theory
Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Electropolishing solutions
Utilization of ion chromatography and statistics to determine important acids in chromium plating and electropolishing solutions 671(1994)265

Electrospray ionization
Cetyltrimethylammonium chloride as a surfactant buffer additive for reversed-polarity capillary electrophoresis–electrospray mass spectrometry 652(1993)369

Sheathless capillary electrophoresis–electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217

Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis–electrospray mass spectrometry 680(1994)363

High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Electrostacking
Factors influencing trace ion analysis with preconcentration by electrostacking 671(1994)411

Electrostatic effects
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Electrostatic interactions
Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Electrostatic retention model
Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Element selective detectors
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Element specific detectors
Characterization of an element-specific detector for combined gas chromatography–atomic emission detection 654(1993)269

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Eluting strength
Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Elution band profiles
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1

Elution behaviour
Solution properties of polyelectrolytes. VIII. A comparative study of the elution behaviour on two organic-based packings 655(1993)191

Elution by characteristic point
Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Elution methods
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Elution modes
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27

Elution order
Selectivity effects in semi-polar columns. II 688(1994)363

Elution profiles
Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Recycling in preparative liquid chromatography 687(1994)13

Elution window
Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273

Embryos
Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E_1 and E_2 in rat embryo incubates 655(1993)85

Emphaze beads
Preparation and use of immunoglobulin-binding affinity supports on Emphaze beads 691(1995)113

Emphaze biosupport medium AB 1
Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

Emulsifiers
High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Emulsions, perfluorocarbon
Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Enantiomer–enantiomer interaction
Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Enantiomeric excess
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Enantiomeric purity
Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183

Enantiomeric ratio
Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Enantiomer separation
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253

Separation of positional isomers and enantiomers using capillary zone electrophoresis with neutral and charged cyclodextrins 652(1993)259

Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135

Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219

Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253

Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β-cyclodextrin as a mobile phase additive 653(1993)293

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Chiral high-performance liquid chromatography of some related bicyclic lactams 654(1993)207

Chromatographic resolution of racemic α-halocarboxylic acids and O-substituted α-hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics using derivatized cyclodextrin stationary phases. Part I 657(1993)387

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

Enantiomer fractionation by preparative gas chromatography 658(1994)437

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449

Enantiomer separation of dihydropyridine derivative calcium antagonists by high-performance liquid chromatography with chiral stationary phases 659(1994)467

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography 660(1994)255

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases 660(1994)269

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate 660(1994)351

Enantiomeric separation of underivatized aliphatic β-amino alcohols by ligand-exchange chromatgraphy using barbital as an additive to the mobile phase 662(1994)219

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Chiral separations on cellulose in electrophoresis 663(1994)264

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Separation of some enantiomers and diastereomers of propranolol derivatives by high-performance liquid chromatography 664(1994)203

Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276

Chromatographic studies of the enantiomeric composition of some therapeutic compositions applied in the treatment of liver and kidney diseases 665(1994)67

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

Separation of C_{11}–C_{14} branched-chain alcohols by high-resolution gas chromatography on a modified β-cyclodextrin stationary phase 665(1994)163

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β-cyclodextrin stationary phase 665(1994)175

Evaluation of Pirkle-type chiral stationary phases by liquid and supercritical fluid chromatography. Influence of the spacer length and the steric hindrance in the vicinity of the stereogenic centre 666(1994)27

Diphenylethanediamine derivatives as chiral selectors. III. Comparison of four new diastereomeric chiral stationary phases prepared by addition of mono-3,5-dinitrobenzoyldiphenylethanediamine derivatives to optically pure epoxy silica 666(1994)41

Enantiomeric separation of dansyl- and dabsylamino acids by ligand-exchange chromatography with (*S*)- and (*R*)-phenylalaninamide-modified silica gel 666(1994)77

New chemically bonded chiral ligand-exchange chromatographic stationary phases 666(1994)91

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111

Enantioselective separations by capillary gas chromatography on derivatized cyclodextrins. III. Separation of some racemic 2,2-dialkyl-4-alkoxycarbonyl-1,3-dioxolane derivatives on 2,3-di-O-acetyl-6-O-*tert*.-butyldimethylsilyl-β- and -γ-cyclodextrins 666(1994)131

Cyclodextrin derivatives in the gas chromatographic separation of racemic mixtures of volatile compounds. VII. The use of 2,6-di-O-methyl-3-O-pentyl-β-cyclodextrin diluted in phases with different polarity in the separation of racemates in complex mixtures 666(1994)137

Examination of the enantioselectivity of wall-immobilized cyclodextrin copolymers in capillary gas chromatography 666(1994)147

Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Separation of enantiomers on a lysozyme-bonded silica column 666(1994)203

Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Enantioselective assay for the determination of nisoldipine in dog, rat and mouse plasma by chiral microbore high-performance liquid chromatography combined with gas chromatography–mass spectrometry 666(1994)241

Enantiomer resolution of camazepam and its derivatives and enantioselective metabolism of camazepam by human liver microsomes 666(1994)249

Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to biosciences 666(1994)259

Stereoselective high-performance liquid chromatographic assay of (±)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275

Enantioselective high-performance liquid chromatographic method for the determination of methadone in serum using an AGP and a CN column as chiral and analytical column, respectively 666(1994)283

Chromatographic resolution and pharmacological investigation of ICI 118551, a new β_2-blocker 666(1994)289

Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295

Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis 666(1994)351

Enantiomeric separations in capillary zone electrophoresis using a chiral crown ether 666(1994)367

Chiral separation by capillary zone electrophoresis of an optically active drug and amino acids by host–guest complexation with cyclodextrins 666(1994)375

Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Enantiomeric separation of chiral sulphoxides. Screening of cellulose-based sorbents with particular reference to cellulose tribenzoate 666(1994)421

Influence of temperature on chiral high-performance liquid chromatographic separations of oxazepam and Prominal on chemically bonded β-cyclodextrin as stationary phase 666(1994)433

Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β-cyclodextrin as mobile phase additive 666(1994)439

Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α-cyclodextrin bonded stationary phase 666(1994)445

One-pot preparation method for a uniform-sized polymer-based chiral stationary phase for high-performance liquid chromatography with polymethacrylamide as a chiral selector 666(1994)449

Enantiomer separation by high-performance liquid chromatography with (*R*,*R*)-tartaric acid mono-amide derivatives as bifunctional chiral selectors 666(1994)457

Effect of sample derivatization in liquid chromatographic separations of amine and amino acid enantiomers using diamide-type stationary phases 666(1994)463

Direct resolution of optically active isomers on chiral packings containing ergoline skeletons. II. Enantioseparation of carboxylic acids 666(1994)471

Analytical and preparative separation of the enantiomers of pyrazole phenyl ether herbicides on three chiral stationary phases 666(1994)479

Sensitive enantiomeric separation of aliphatic and aromatic amines using aromatic anhydrides as non-chiral derivatizing agents 666(1994)485

Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519

Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527

Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

Stereochemical features of the stereoselective interaction between (*R*)- or (*S*)-7,7′-bis(1-propen-3-oxy)-2,2′-dihydroxy-1,1′-binaphthyl and quinine 666(1994)541

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

CHIRBASE, a molecular database for the separation of enantiomers by chromatography 666(1994)557

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

Displacement chromatography on cyclodextrin silicas. V. Separation of the enantiomers of 5,10-dideazatetrahydrofolic acid 666(1994)603

Preparative enantiomer separation with modified cyclodextrins as chiral stationary phases 666(1994)611

Preparative enantiomer separation of enflurane and isoflurane by inclusion gas chromatography 666(1994)617

Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627

6,6′-Dinitrobiphenyl-2,2′-dicarboxylic acid ionically bonded to aminopropyl silica: new axially chiral phase of C_2 symmetry for high-performance liquid chromatographic separation of enantiomeric amino alcohol derivatives 667(1994)11

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Direct optical resolution of vesamicol and a series of benzovesamicol analogues by high-performance liquid chromatography 667(1994)183

Separation of chiral isomers of *p*-nitrophenyl-2-amino-3-hydroxypropanone by capillary zone electrophoresis using cyclodextrins as chiral selector 667(1994)367

Monitoring of optical isomers of some conformationally constrained amino acids with tetrahydroisoquinoline or tetraline ring structures 668(1994)331

Effect of temperature on separation of norgestrel enantiomers by high-performance liquid chromatography 668(1994)413

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Reversed-phase high-performance liquid chromatography of the stereoisomers of some sweetener peptides with a helical nickel(II) chelate in the mobile phase 668(1994)519

Chloromethylphenylcarbamate derivatives of cellulose as chiral stationary phases for high-performance liquid chromatography 670(1994)39

Determination of enantiomeric purity of (*S*)-carboranylalanine using capillary column supercritical fluid chromatography 670(1994)239

Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Gas chromatographic separation of amino acid enantiomers and their recognition mechanism on a 2,6-di-O-butyl-3-O-trifluoroacetylated-γ-cyclodextrin capillary column 673(1994)107

Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

1-Thio-β-D-galactose as a chiral derivatization agent for the resolution of D,L-amino acid enantiomers 673(1994)286

Resolution of enantiomers of alcohols and amines by high-performance liquid chromatography after derivatization with a novel fluorescent chiral reagent 675(1994)79

Direct stereochemical resolution of 3,4-dihydroxyphenylserine using a chiral crown ether stationary phase 675(1994)244

Liquid chromatographic separation of the enantiomers of cyclic β-amino esters as their N-3,5-dinitrobenzoyl derivatives 676(1994)297

Enantiomer separation of amino acids on a chiral stationary phase derived from L-alanyl- and pyrrolidinyl-disubstituted cyanuric chloride 676(1994)303

Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431

Enantiomer separation of amino acids by capillary gas chromatography using cyclodextrin derivatives as chiral stationary phases 676(1994)469

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert*.-butyl-2-methyl- 1,3-benzodioxole-4-carboxylic acid 677(1994)35

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Gas chromatographic separation of deuterated and optical isomers of di-2-butyl ethers 678(1994)97

Effect of the degree of substitution of (2-hydroxy)propyl-β-cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139

Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β-cyclodextrin stationary phase 678(1994)259

Chiral separation of drugs by capillary electrophoresis using β-cyclodextrin polymer 678(1994)333

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Axially dissymmetric bianthracene-based chiral stationary phase for the high-performance liquid chromatographic separation of enantiomers 679(1994)35

Role of hydroxyl groups in chiral recognition of cannabinoids by carbamated amylose 679(1994)47

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Chiral high-performance liquid chromatography methodology for quality control monitoring of dexfenfluramine 679(1994)367

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Use of β-cyclodextrin polymer as a chiral selector in capillary electrophoresis 680(1994)137

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. I. Initial evaluation using propranolol and dansylated amino acids 680(1994)147

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Enantiomeric resolution of primary amines by capillary electrophoresis and high-performance liquid chromatography using chiral crown ethers 680(1994)253

Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine 680(1994)317

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Optimization of a capillary electrophoresis method to determine the chiral purity of a drug 680(1994)609

Chromatographic and ^{1}H NMR support for a proposed chiral recognition model 683(1994)347

Gas chromatographic analysis of diastereomers and enantiomers of β,γ-unsaturated esters and various analogues of butenolides including mint and isomint lactone and comparison with the high-performance liquid chromatographic analysis of their diastereomers 683(1994)397

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective π–π interaction site on the chiral stationary phase 684(1994)13

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Separation of the *R*(−)- and *S*(+)-enantiomers of the ethyl ester of tiagabine · HCl using a Chiralcel-OG column 684(1994)29

Diastereomeric and enantiomeric separation of monoesters prepared from *meso*-cyclopentanediols and racemic carboxylic acids on a silica phase and on amylose and cellulose chiral stationary phases 684(1994)162

High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15

Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155

Immobilization of peralkylated β-cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321

Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349

Direct chromatographic resolution of four optical isomers of diltiazem hydrochloride on a Chiralcel OF column 686(1994)93

Enantiomeric differentiation of a wide range of pharmacologically active substances by capillary electrophoresis using modified β-cyclodextrins 686(1994)293

Recycling in preparative liquid chromatography 687(1994)13

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

High-performance liquid chromatographic separation of β-amino alcohols. I. Separation of (*R*,*S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241

Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351

Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Separation of phenoxy acid herbicides and their enantiomers by high-performance capillary electrophoresis 688(1994)317

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

High-performance liquid chromatographic resolution of amino acid enantiomers derivatized with fluorescent chiral Edman reagents 689(1995)23

Imprintable brush-type chiral stationary phase 689(1995)189

Direct separation of carboxylic acid enantiomers by high-performance liquid chromatography with amide and urea derivatives bonded to silica gel as chiral stationary phases 689(1995)195

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Determination of α-dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthaldialdehyde 690(1995)55

Improved chiral stationary phase for β-blocker enantioseparations 690(1995)218

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187

High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Unusual examples of the liquid chromatographic resolution of racemates. Resolution of π-donor analytes on a π-donor chiral stationary phase 692(1995)91

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Experimental evidence for the existence of duoselective (Type III) enantiomer separations in the capillary electrophoretic analysis of chiral weak acids 692(1995)319

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Direct high-performance liquid chromatographic resolution of planar chiral tricarbonyl (η^6-arene)–chromium(0) complexes 693(1995)63

Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Simple and highly sensitive high-performance liquid chromatographic method for separating enantiomeric diacylglycerols by direct derivatization with a fluorescent chiral agent, (*S*)-(+)-2-*tert*.-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid 693(1995)241

Chiral metal complexes. XLII. Reversed-phase high-performance liquid chromatographic separation of racemic dipeptides as their ternary Co(III) complexes with a chiral triamine 693(1995)366

Molecular imprinting used for chiral separations (Review) 694(1995)3

Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71

Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135

Using chirality as a unique probe of pharmacological properties 694(1995)169

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Direct determination of E2020 enantiomers in plasma by liquid chromatography–mass spectrometry and column-switching techniques 694(1995)209

Investigation of the stereoselective metabolism of the chiral H_1-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219

Gas chromatographic separation of enantiomeric amino acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277

Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347

Liquid chromatographic separation of the enantiomers of antihistaminic 3,3′-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355

Determination of chiral purity of ethyl nipecotate using a Chiralcel-OG column 696(1995)75

Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Porous graphitic carbon for the chromatographic separation of O-tetraacetyl-β-D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213

Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to food science 697(1995)229

Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251

Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257

Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263

Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271

Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475

Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549

Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Backbone modification of Chirasil-Val. I. Effect of loading on the separation of enantiomers by gas chromatography 699(1995)215

Chiral separation of MDL 73,005EF enantiomers using an α_1-acid glycoprotein column 699(1995)389

Enantiomeric resolution of chiral imidazole derivatives using capillary electrophoresis with cyclodextrin-type buffer modifiers 700(1995)43

Resolution of the enantiomers of oxamniquine by capillary electrophoresis and high-performance liquid chromatography with cyclodextrins and heparin as chiral selectors 700(1995)51

Systematic approach to treatment of enantiomeric separations in capillary electrophoresis and liquid chromatography. II. A study of the enantiomeric separation of fluoxetine and norfluoxetine 700(1995)59

Enantioselective binding
Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Enantioselective complexation
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Enantioselective temperature
Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591

Enantioselectivity
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

High-performance liquid chromatography of diamine enantiomers as Schiff bases on a chiral stationary phase 664(1994)169

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Use of selectively methylated β-cyclodextrin derivatives in chiral separation of dansylamino acids by capillary zone electrophoresis 679(1994)359

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Optical resolution of amino acid derivatives by micellar electrokinetic chromatography with N-dodecanoyl-L-serine 680(1994)317

N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13

Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Extending the scope of chiral separation of basic compounds by cyclodextrin-mediated capillary zone electrophoresis 692(1995)253

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129

Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Comparison of 1-(1-naphthyl)ethylcarbamate derivatives of a carbohydrate bonded chiral stationary phase 695(1995)185

Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271

Endcapping
The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Endoosmotic flow
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Engine oils
Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Enhanced-fluidity mobile phases
Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Ensemble averaging
Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Entangled polymers
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Comparative study of non-porous anion-exchange chromatography, capillary gel electrophoresis and capillary electrophoresis in polymer solutions in the separation of DNA restriction fragments 661(1994)297

Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19

Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Entangled solution capillary electrophoresis
Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Entanglement threshold
Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Enthalpy–entropy compensation
Extra-thermodynamic relationships in chromatography. Enthalpy–entropy compensation in gas chromatography 670(1994)105

Enthalpy of adsorption
Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55

Environmental analysis
On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Determination of phenols at the ng/l level in drinking and river waters by liquid chromatography with UV and electrochemical detection 655(1993)217

Gas chromatographic analysis of organophosphorus pesticides of horticultural concern 655(1993)293

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113

Enzymatic digestion
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Limited enzymatic digestion for the determination of the quantities of minor diastereomeric impurities in preparations of RMP-7, a peptide containing a reduced peptide bond 679(1994)85

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Enzymatic hydrolysis
Determination of inositol phosphates in fermentation bróth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Enzymatic reactions
Electrophoretically mediated microanalysis of ethanol 657(1993)429

Enzyme activity
Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Enzyme assays
High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Enzyme electrodes
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Enzyme inhibition assay
Simultaneous structure–activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Epimers
Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Epitope mapping
Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Equations, TLC
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Equilibrium constants, acid–base
Separation and characterization of tetracycline antibiotics by capillary electrophoresis 686(1994)129

Equilibrium dispersive model
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Modeling of preparative liquid chromatography (Review) 658(1994)149

Equilibrium isotherms
Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Equilibrium model
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Erythrocytes
Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Biochemical characterization of human erythrocytes fractionated by counter-current distribution in aqueous polymer two-phase systems 668(1994)165

Cell partitioning in two-polymer aqueous phase systems and cell electrophoresis in aqueous polymer solutions. Red blood cells from different species 668(1994)185

High-performance liquid chromatographic analysis of human erythrocyte oxysterols as Δ^4-3-ketone derivatives 691(1995)247

Erythroxylum
Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163

Essential oils
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Use of esterified and unesterified dipentylated γ-, β- and α-cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Evaporative light scattering detector
Separation of acetylated polypropylene glycol di- and triamines by gradient reversed-phase high-performance liquid chromatography and evaporative light scattering detection 667(1994)167

Determination of fumonisins B_1, B_2, B_3 and B_4 by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Evaporative loss
Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395

Evening primrose oil
Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381

Exhaled breath sampler
Application of thermal desorption to the biological monitoring of organic compounds in exhaled breath 657(1993)147

Experimental design
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Expert systems
Method development by an expert system. Advantages and limitations 660(1994)33

Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Explosives
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Extra-column band broadening
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Extra-column effects
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Extra-column volumes
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Extraction cells
Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Extraction columns
Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Extraction disks
Determination of acid herbicides in aqueous samples by liquid–solid disk extraction and capillary gas chromatography 659(1994)395

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Extraction methods
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37

Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Preconcentration of samples by steam distillation–solvent extraction at low temperature 655(1993)141

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327

Identification of brassinolide and castasterone in the pollen of orange (*Citrus sinensis* Osbeck) by high-performance liquid chromatography 658(1994)27

Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83

Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209

Determination of acid herbicides in aqueous samples by liquid–solid disk extraction and capillary gas chromatography 659(1994)395

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma 660(1994)293

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

Evaluation of the analysis of cholesterol oxides by liquid chromatography 661(1994)127

Instability of tetryl to Soxhlet extraction 662(1994)178

Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243

Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC–MS analysis 662(1994)281

Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen–phosphorus or mass spectrometric detection 667(1994)241

Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316

Application of centrifugal partition chromatography to the separation of Lauraceous alkaloids 667(1994)322

Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Liquid–liquid extraction of a recombinant protein, cytochrome b_5, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119

Determination of various pesticides using membrane extraction discs and gas chromatography–mass spectrometry 670(1994)135

Comparison of various extraction and clean-up methods for the determination of polycyclic aromatic hydrocarbons in sewage sludge-amended soils 673(1994)21

High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds 673(1994)142

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen–phosphorus detection 674(1994)87

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

Evaluation of improved methods for the recovery and defection of organic and inorganic cartridge discharge residues 674(1994)319

Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Determination of a novel hematoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde–thiol post-column reaction with fluorescence detection 676(1994)161

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Comparison of four methods for the determination of polycyclic aromatic hydrocarbons in airborne particulates 676(1994)375

Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C_{18} material 677(1994)63

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375

Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography–negative ion chemical ionization mass spectrometry 683(1994)157

Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167

Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography–particle beam mass spectrometry 688(1994)67

Selectivity effects in semi-polar columns. II 688(1994)363

Trace analysis of impurities in 3′-azido-3′-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation–solvent extraction at normal pressure 690(1995)243

Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21

Liquid chromatographic determination of the mycotoxin fumonisin B_2 in physiological samples 692(1995)39

Determination of L-735 524, an human immunodeficiency virus protease inhibitor, in human plasma and urine via high-performance liquid chromatography with column switching 692(1995)45

Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73

Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195

High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

HPLC separation and determination of naphtho[2,3-b]furan-4,9-diones and related compounds in extracts of *Tabebuia avellanedae* (Bignoniaceae) 693(1995)281

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

Extraction of pesticides using supercritical trifluoromethane and carbon dioxide 695(1995)149

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Gas chromatographic determination of incurred chloramphenicol residues in eggs following optimal extraction 696(1995)123

Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377

Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389

Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501

Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Extraction parameters
Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Extraction time
Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Extractive alkylation
Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Extra-thermodynamic relationships
Extra-thermodynamic relationships in chromatography—study of the relationship between the slopes and intercepts of plots of ln *k'* *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Extra-thermodynamic relationships in chromatography. Enthalpy–entropy compensation in gas chromatography 670(1994)105

Eye care pharmaceuticals
Applications of capillary electrophoresis in the eye-care pharmaceutical industry 671(1994)403

F

Factor analysis
Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Factorial design
Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Fan-induced heating
Fan-induced heating 659(1994)205

Fast atom bombardment mass spectrometry
On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Feed concentration
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Feed grains
Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Feed mixtures
Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223

Ferguson method
High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Fermentation broth
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Analysis of substrates and metabolites in fermentation broth by ion chromatography 671(1994)315

Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Fermentation processes
Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Fermentation products
High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Fertilizers
Chromatographic separations of metal chelates present in commercial fertilizers. I. Development of a gel permeation chromatographic separation method for the identification of metal chelates in commercial fertilizers 657(1993)69

Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Determination of chelating agents in fertilizers by ion chromatography 671(1994)359

Festuca arundinacea
Isolation and quantification of ergovaline from *Festuca arundinacea* (tall fescue) infected with the fungus *Acremonium coenophialum* by high-performance capillary electrophoresis 652(1993)535

Field-amplified sample stacking
Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Field-flow fractionation
Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Thermal field flow fractionation of polytetrahydrofuran 676(1994)361

Velocity profiles in thermal field-flow fractionation 678(1994)85

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Film thickness
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Filter fluorometer
High-efficiency filter fluorometer for capillary electrophoresis and its application to fluorescein thiocarbamyl amino acids 652(1993)347

Filters
Noise, filters and detection limits 687(1994)259

Fingerprinting
Qualitative and quantitative reversed-phase high-performance liquid chromatography of flavonoids in Crataegus leaves and flowers 677(1994)25

Fish
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Fixed-bed modelling
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Flame ionization detector
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363

Effect of detector temperature on the flame ionization detector response 679(1994)299

Fundamental noise in three chromatographic detectors 687(1994)283

Reactive-flow luminescence with flame ionization detection 699(1995)183

Flame photometric detector
Constancy of spectral response ratios in the flame photometric detector 667(1994)191

Capillary electrophoresis coupled on-line with flame photometric detection 673(1994)299

Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Fundamental noise in three chromatographic detectors 687(1994)283

Dual-channel response ratios from an integrative algorithm 687(1994)291

Holophotal flame photometric detection 688(1994)153

Mechanism of sulfur emission quenching in flame photometric detectors 696(1995)245

Second-channel designs for a single-channel flame photometric detector 699(1995)195

Flash chromatography
New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237

Cercospora beticola toxins. III. Purification, thin-layer and high-performance liquid chromatographic analyses 699(1995)277

Flash pyrolysis–gas chromatography
Flash pyrolysis–gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Flory–Huggins theory
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43

Flow
Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Flow cell
Ultraviolet–visible detection for capillary gas chromatography and combined ultraviolet–mass spectrometry using a remote flow cell 695(1995)243

Flow injection
Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Flow-rate
Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Flow resistance
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Flow reversal
Separation of fast anions by capillary electrophoresis without flow reversal 696(1995)349

Flow systems
Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

Flow-through devices
On-line analysis of alkaline samples with a flow-through electrodialysis device coupled to an ion chromatograph 671(1994)131

Flow velocity
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Fluid density
Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Fluorescence
High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Fluorescence labelling
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Separation and analysis of cyclodextrins by capillary electrophoresis with dynamic fluorescence labelling and detection 680(1994)233

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Fluorescence lifetime
High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263

Fluorescence microcell
Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Fluorescence spectroscopy
Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Fluorinated bonded phases
Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1

Fluorogenic substrates
Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Fly ash
Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column 660(1994)223

Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Focusing efficiency
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Folch method
Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography–mass spectrometry 697(1995)453

Food additives
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Determination of copper(II) chlorophyllin by reversed-phase high-performance liquid chromatography 679(1994)99

Food analysis
High-performance liquid chromatographic determination of ten heterocyclic aromatic amines with electrochemical detection 655(1993)101

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Characterization of food proteins by capillary electrophoresis 685(1994)331

Forced-flow planar chromatography
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Forensic analysis
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207

Cocaine-related deaths 674(1994)217

Application of high-performance thin-layer chromatography and gas chromatography–mass spectrometry to the detection of new anabolic steroids used as growth promotors in cattle fattening 674(1994)247

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

An improved high-performance liquid chromatography system for the analysis of basic dyes in forensic casework 674(1994)271

High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281

Identification of unlawful food dyes by thin-layer chromatography–fast atom bombardment mass spectrometry 674(1994)301

Gas chromatography, liquid chromatography and ion chromatography adapted to the trace analysis of explosives 674(1993)309

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103

Formation constants
Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Fourier-transform infrared spectroscopy
Analysis of *Fusarium* mycotoxins by gas chromatography–Fourier transform infrared spectroscopy 663(1994)211

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry 693(1995)89

Identification of the isomers from mono- and dinitration of α-hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Fractionation methods
Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Fraction collector
Preparative capillary zone electrophoresis of synthetic peptides. Conversion of an autosampler into a fraction collector 686(1994)309

Free energy changes
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Free energy of retention
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Free energy of transfer
Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43

Free-flow electrophoresis
Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201

Free-flow isoelectric focusing
Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Free radicals
High-performance liquid chromatographic separation and isolation of the methanolic allomerization products of chlorophyll *a* 654(1993)93

Freeze–thaw flow
Freeze–thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Friction heat
Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Frontal adsorption capacity
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Frontal analysis
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Use of system peaks for the determination of the distribution of resorcinol, catechol and phenol in liquid chromatography 679(1994)213

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81

High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337

Frontal chromatography
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Fruit juice
Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Determination of carbohydrates in fruit juices by capillary electrophoresis and high-performance liquid chromatography 680(1994)187

Fruit peel
Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501

Fruits
Rapid method for the determination of multiple pyrethroid residues in fruits and vegetables by capillary column gas chromatography 667(1994)348

Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119

Fuel
Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Fugacity
Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Functional group contributions
Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Fusarium
Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374

Analysis of *Fusarium* mycotoxins by gas chromatography–Fourier transform infrared spectroscopy 663(1994)211

Fusarium moniliforme
Determination of fumonisins B_1, B_2, B_3 and B_4 by high-performance liquid chromatography with evaporative light-scattering detection 695(1995)319

Fusarium solani pisi
Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol–aqueous salt solution two-phase systems 668(1994)139

Fusion proteins
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227

G

***Garcinia kola* seeds**
High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds 673(1994)142

Garlic
Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Gas chromatograph oven
Fan-induced heating 659(1994)205

Gas chromatography
Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Gas chromatography–atomic emission detection
Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175

Gas chromatography–Fourier transform infrared spectrometry
Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303

Gas chromatographic–mass spectrometric, high-performance liquid chromatographic–UV and gas chromatographic–Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Gas chromatography–infrared spectrometry–mass spectrometry
Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Identification of the isomers from mono- and dinitration of α-hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Gas chromatography–mass spectrometry
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Determination of toluenediamine isomers by capillary gas chromatography and chemical ionization mass spectrometry with special reference to the biological monitoring of 2,4- and 2,6-toluene diisocyanate 663(1994)199

Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Determination of ethylenethiourea in water by single-step extractive derivatization and gas chromatography–negative ion chemical ionization mass spectrometry 683(1994)157

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289

Gas chromatographic–mass spectrometric, high-performance liquid chromatographic–UV and gas chromatographic–Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Identification by headspace gas chromatography–mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Determination of salicylate- and benzophenone-type sunscreen agents in cosmetic products by gas chromatography–mass spectrometry 688(1994)375

High-precision gas chromatography–combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Identification of the isomers from mono- and dinitration of α-hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Analysis of irritants by capillary column gas chromatography–tandem mass spectrometry 695(1995)65

Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols —a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography–mass spectrometry 697(1995)453

Gas chromatography–tandem mass spectrometry
Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Gas hold-up time
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Gas oils
High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Gasoline
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Occasional sub-ambient temperature programming performed in two "isothermal" gas chromatographs 696(1995)153

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Gas sampling
Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Gas standards
Development of hydrocarbon gas standards 653(1993)71

Gas stripping
Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Gaussian function
Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Gel electrophoresis
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263

Gel-filled capillaries
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Evaluation of sodium dodecyl sulfate non-acrylamide, polymer gel-filled capillary electrophoresis for molecular size separation of recombinant bovine somatotropin 652(1993)139

Rapid capillary gel electrophoresis of proteins 654(1993)190

Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell 700(1995)35

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Gel immobilization
Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Gel permeation columns
Synthesis of monodisperse macroreticular styrene–divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Gels
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel 654(1993)159

Rapid capillary gel electrophoresis of proteins 654(1993)190

Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375

Macroporous gels: facts and misfacts (Review) 698(1995)3

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Current status and perspectives of computer-aided two-dimensional densitometry (Review) 698(1995)41

Gel structure
Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Genes
Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89

Geological samples
Determination of C_{60} and C_{70} fullerenes in geologic materials by high-performance liquid chromatography 689(1995)157

Determination of α-dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthaldialdehyde 690(1995)55

Geometrical isomers
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Separation of geometrical *syn* and *anti* isomers of obidoxime by ion-pair high-performance liquid chromatography 693(1995)55

Gibbs free energy
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXVIII. Adsorption of horse heart cytochrome *c* onto a tentacle-type cation exchanger 691(1995)263

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Gibbs function
Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Ginseng extract
Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Glass fiber disks, particle embedded
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Glassy carbon electrodes
Electrocatalytic oxidation and ion chromatographic detection of Br^-, I^-, SO_3^{2-}, $S_2O_3^{2-}$ and SCN^- at a platinum particle-based glassy carbon modified electrode 699(1995)39

Glucose-silica phases
Chromatographic stability of glucose-silica 653(1993)130

Glycosylation
Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Golay equation
Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Good's buffers
Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Gradient baseline disturbances
Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Gradient elution
Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195

Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene–divinylbenzene) column 664(1994)33

Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229

Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89

Simultaneous determination of anions and triclosan in dentifrices by gradient ion chromatography and isocratic high-performance liquid chromatography interfaced with conductivity and ultraviolet detection 671(1994)351

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103

Compositional distribution characterization of poly(methyl methacrylate)–graft-polydimethylsiloxane copolymers 692(1995)221

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Gradient steepness
Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. I. Optimizing the separation of a growth hormone tryptic digest 686(1994)31

Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples. II. Selectivity effects observed in the separation of several peptide and protein mixtures 686(1994)45

Gradient times
Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Graessor contactor
Continuous separation of whey proteins with aqueous two-phase systems in a Graesser contactor 668(1994)85

Graft copolymers
Compositional distribution characterization of poly(methyl methacrylate)–graft-polydimethylsiloxane copolymers 692(1995)221

Grafted layers
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Grana margins
Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Grape musts
Solid-phase extraction of soluble proteins in grape musts 655(1993)336

Analytical conditions for the determination of 23 phenylthiocarbamyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21

Graphitized carbon black
Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Graphitized carbon stationary phase
Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

High-performance liquid chromatography of *cis–trans* isomers of proline-containing dipeptides. III. Comparative studies with different stationary phases 677(1994)186

Gravitational field-flow fractionation
Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Ground water
Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen–phosphorus or mass spectrometric detection 667(1994)241

Determination of organic pollutants in small samples of groundwaters by liquid–liquid extraction and capillary gas chromatography 688(1994)181

Group interaction parameters
Determination of second cross virial coefficients from gas–liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Group-type separation
Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Detailed analysis of crude oil group types using reversed-phase high-performance liquid chromatography 677(1994)265

Guard columns
Characteristics and applications of a new high-performance liquid chromatography guard column 691(1995)141

H

Hair
Reversed-phase high-performance liquid chromatographic determination of cocaine in plasma and human hair with direct fluorimetric detection 674(1994)207

Headspace analysis
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133

Residual solvent analysis by headspace gas chromatography 667(1994)235

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

Volatiles from carpet: a source of frequent misinterpretation in arson analysis 674(1994)329

Measurement of vapor-phase organic compounds at high concentrations 676(1994)399

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Identification by headspace gas chromatography–mass spectrometry of in vitro degradation products of homo- and copolymers of L- and D,L-lactide and 1,5-dioxepan-2-one 688(1994)251

Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Dual vapor and liquid injector for gas chromatography 696(1995)235

Headspace analysis, static
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Heart-cutting techniques
"Heart-cut" column switching techniques for the determination of an aliphatic amine in an organic matrix and for low levels of sulfate in an anion matrix 671(1994)11

Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259

Heat effects
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Helium discharge photoionization detector
Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381

Helium ionization detector
Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Helix pomatia
Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Henry's constant
Determination of second cross virial coefficients from gas–liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Heparin-Sepharose chromatography
Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Herpes simplex virus
Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

Heteroatomic systems
Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Heteroscedasticity
Appropriate calibration functions for capillary electrophoresis. II. Heteroscedasticity and its consequences 700(1995)9

Heuristic evolving latent projections
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Hexadecane columns
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Hidden mass
Concept of effective mass and hidden mass for calculation of mobility of organic anions and peptides 657(1993)165

High-low chromatography
Non-denaturing assay for the determination of the potency of recombinant bovine somatotropin by high-performance size-exclusion chromatography 675(1994)113

High-pressure bomb
Determination of total nitrogen in water samples by means of high-pressure bombs and ion chromatography 671(1994)287

High-speed liquid chromatography
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

High-temperature gas chromatography
Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

High-temperature liquid chromatography
High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243

HILDA numerical method
Comparative evaluation of adsorption energy distribution functions obtained by analytical and numerical methods 670(1994)1

Hill binding constant
Presence of a preferred anion-exchange binding site on cytochrome b_5: structural and thermodynamic considerations 684(1994)55

Histidine–metal interactions
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Hollow-fibre field-flow fractionation
Hollow-fibre flow field-flow fractionation of polystyrene sulphonates 699(1995)119

Holophotal flame photometric detector
Holophotal flame photometric detection 688(1994)153

Homologous series
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Homologue distribution
Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Honey
Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography 655(1993)95

Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59

Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268

Hop extracts
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Human immunodeficiency virus
High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Humic substances
Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry–time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Humidity
Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Hummel–Dreyer method
Chromatographic evaluation of the binding of lysozyme to poly(dimethyldiallylammonium chloride) 667(1994)311

Humulus lupulus
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Hybrid displacement technique
New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Hybridoma cultures
Analytical method optimization for protein determination by fast high-performance liquid chromatography 679(1994)261

Hydride technique
Speciation of arsenic and selenium compounds by ion chromatography with inductively coupled plasma atomic emission spectrometry detection using the hydride technique 683(1994)261

Hydrodynamic chromatography
Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Hydrodynamic counterflow
New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Hydrodynamic flow
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Hydrodynamic injection
Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Hydrodynamic layer thickness
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Hydrodynamic radius
The separation of dihydrofolate reductase inhibitors and the determination of $pK_{a,1}$ values by capillary zone electrophoresis 695(1995)297

Hydrogen bonding
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Hydrolysis
Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate 688(1994)31

Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Hydrolytic degradation
Gas chromatographic, liquid chromatographic and gas chromatographic–mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97

Hydrophilic interaction
Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191

Hydrophilic porous polymers
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Hydrophobic effect
Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Hydrophobic interaction chromatography
Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13

Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337

Hydrophobic interaction electrokinetic chromatography
Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Hydrophobic interactions
Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Highly enantioselective capillary electrophoretic separations with dilute solutions of the macrocyclic antibiotic ristocetin A 689(1995)285

Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111

Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307

Hydrophobicity
see also Lipophilicity

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Ion-exchange–immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77

Hydrophobicity parameters of 2-chloro-2′-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Reversed-phase chromatography of synthetic amphipathic α-helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Recognition of α-helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Macroporous gels: facts and misfacts (Review) 698(1995)3

Hydrophobicity
Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl-β-cyclodextrin 665(1994)17

Hydrophobicity index
Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Hydrophobicity parameters
Quantitative structure–retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Charge transfer chromatographic study of the binding of commercial pesticides to various albumins 699(1995)285

Hydrophobic phases
Reordering/resolvation studies of alkylamide phases 659(1994)261

Hydrophobic selectivity
Use of zwitterionic detergents for the separation of closely related peptides by capillary electrophoresis 680(1994)15

Hydrophobic surface area
Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl-β-cyclodextrin 665(1994)17

Hydrostatic injection
Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Hydroxyapatite
Rapid purification method for human recombinant tumor necrosis factor alpha 667(1994)125

Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Hydroxyethyl methacrylate-based sorbents
Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391

Hyoscyamus muticus
Reversed-phase liquid chromatographic isolation of lubimin and solavetivone from *Hyoscyamus muticus* "hairy" root cultures 657(1993)440

I

Ideal model of chromatography
Modeling of preparative liquid chromatography (Review) 658(1994)149

A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173

Image analysis
Image analysis of photochemically derivatized and charge-coupled device-detected phenothiazines separated by thin-layer chromatography 655(1993)31

Imaging systems
Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55

Imaging techniques
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Imidazole gradients
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Iminodiacetic acid affinity sorbents
Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Immobilization
Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

Preparation of highly condensed polyacrylamide gel-filled capillaries 680(1994)63

Immobilization of peralkylated β-cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211

Immobilization efficiency
Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immobilization techniques
Potential of receptor–ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Immobilized alkyl chains
Reordering/resolvation studies of alkylamide phases 659(1994)261

Immobilized antibodies
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Immobilized artificial membrane chromatography
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Rapid purification of cotton seed membrane-bound N-acylphosphatidylethanolamine synthase by immobilized artificial membrane chromatography 696(1995)49

Immobilized dyes
Chromatography of human immunoglobulin G on immobilized Drimarene Rubine R/K-5BL. Study of mild, efficient elution procedures 663(1994)175

Purification of recombinant ricin A chain with immobilised triazine dyes 677(1994)289

Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Immobilized enzymes
Enzyme-based biosensor as a selective detection unit in column liquid chromatography 660(1994)153

Immobilized lectins
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Immobilized ligands
Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205

Immobilized metal affinity adsorbents
Single-step purification of a bacterially expressed antibody F_v fragment by immobilized metal affinity chromatography in the presence of betaine 657(1993)55

Immobilized metal affinity chromatography
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Purification of tryptophan containing synthetic peptides by selective binding of the α-amino group to immobilised metal ions 662(1994)235

Importance of the α-amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1

Immobilized metal affinity membrane adsorbers
Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13

Immobilized metal ions
New approaches for separating and purifying apple polyphenol oxidase isoenzymes: hydrophobic, metal chelate and affinity chromatography 667(1994)141

Immobilized pH gradients
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121

Macroporous gels: facts and misfacts (Review) 698(1995)3

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Immobilized polymers
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Immobilized proteins
Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

Immobilized protein–dextran polymer
Chiral separations using an immobilized protein–dextran polymer network in affinity capillary electrophoresis 652(1993)247

Immunoaffinity columns
Ion-exchange–immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Chromatography of gibberellins (Review) 658(1994)91

Determination of aflatoxins in food by use of an automatic work station 661(1994)175

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Antibody against branched epitope as an affinity ligand to separate the parent protein 679(1994)190

Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131

Immunoassays
Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Immunoelectrophoresis
Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Immunofixation electrophoresis
Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Impregnated silica
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Imprinted stationary phases
Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Imprinted polymers as antibody mimetics and new affinity gels for selective separations in capillary electrophoresis 680(1994)57

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Molecular imprinting used for chiral separations (Review) 694(1995)3

Impurities
Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144

Inclusion bodies
Protein refolding using aqueous two-phase systems 668(1994)95

Inclusion complexes
Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β-cyclodextrin bonded-phase column 660(1994)339

High-performance liquid chromatographic separation of *cis–trans* isomers of proline-containing peptides. II. Fractionation in different cyclodextrin systems 661(1994)7

Charge-transfer chromatographic study of the interaction of non-ionic surfactants with hydroxypropyl-β-cyclodextrin 665(1994)17

Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β-cyclodextrin as mobile phase additive 666(1994)439

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Inclusion interactions
Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549

Indirect detection
Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Indirect photodetection of pregnanolone on a Cyclobond column by high-performance liquid chromatography 663(1994)27

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Evaluation of carrier electrolytes for capillary zone electrophoresis of low-molecular-mass anions with indirect UV detection 671(1994)397

Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145

Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151

Capillary electrophoretic determination of amino acids with indirect absorbance detection 680(1994)287

Separation and indirect detection by capillary zone electrophoresis of ppb (w/w) levels of aluminum ions in solutions of multiple cations 680(1994)659

Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

High-performance liquid chromatographic determination of active ingredients in cough–cold syrups with indirect conductometric detection 693(1995)45

Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471

Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Indirect detection in capillary electrophoresis. Comparison between indirect UV and indirect laser-induced fluorescence detection for the determination of isoprenyl pyrophosphates 699(1995)323

Indirect UV detection
Determination of anions with capillary electrophoresis and indirect ultraviolet detection 680(1994)675

Inductively coupled plasma atomic emission spectrometry
Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Inductively coupled plasma mass spectrometry
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods 671(1994)101

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Infinite dilution activity coefficients
Determination of infinite dilution activity coefficients and second virial coefficients using gas–liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Infrared spectrometry
Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Infrared spectrometry, Fourier transform
First results in trace identification of allelochemicals and pheromones by combining gas chromatography–mass spectrometry and direct deposition gas chromatography–Fourier transform infrared spectrometry 683(1994)87

Infrared spectrometry, matrix-isolation Fourier-transform
Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Infusion bags
High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Injection methods
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase 660(1994)119

Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Sensitive and selective method for the separation of organic acids by capillary zone electrophoresis 679(1994)349

Experimental method to distinguish column dead time from system dead time for the accurate determination of gas chromatographic void volumes: simultaneous pre- and post-column injection 679(1994)392

Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Evaluation of different injection techniques in the gas chromatographic determination of thermolabile trace impurities in a drug substance 689(1995)69

Modification of a conventional high-performance liquid chromatography autoinjector for use with capillary liquid chromatography 691(1995)163

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Injection systems, LC
Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Injection temperature
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Injection volume
In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Injectors
Adsorption of drugs in high-performance liquid chromatography injector loops 654(1993)87

Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Dual vapor and liquid injector for gas chromatography 696(1995)235

Ink
Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119

Inlet systems
Measurement of vapor-phase organic compounds at high concentrations 676(1994)399

Instrumentation
Preparative procedures in isotachophoresis (Review) 658(1994)343

Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Instrument parameters, GC
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Integral membrane proteins
Purification of the integral membrane glycoproteins D of Herpes simplex virus types 1 and 2, produced in the recombinant baculovirus expression system, by ion-exchange high-performance liquid chromatography 676(1994)43

Integration parameters
Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

Integrative algorithm
Dual-channel response ratios from an integrative algorithm 687(1994)291

Integrators
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307

Interaction free enthalpy
Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

Interaction indices
Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Intercalating dyes
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Intercalibration
Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Intercept, plot of k' *vs.* mobile phase composition
Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Interfaces
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 622(1994)329

Comparison of the effects of extra-column aerosol and liquid-phase volumes on high-performance liquid chromatographic separations with inductively coupled plasma detection 657(1993)192

Sheathless capillary electrophoresis–electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217

Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227

On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO_2 677(1994)365

Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Determination of organotin compounds by capillary supercritical fluid chromatography with inductively coupled plasma mass spectrometric detection 683(1994)223

Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Interfacial adsorption
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Interference filter
Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Intermolecular interactions
Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Internal standards
Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Interstitial volume
Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Intramolecular cross-linking
Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Intraparticle convection
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Intraparticle porosity
Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Intravenous fat emulsions
Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189

Intravenous sampling
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Intravenous solutions
Applications of amino acid derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. Analysis of feed grains, intravenous solutions and glycoproteins 661(1994)25

Inverse gas chromatography
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Inverse isotope effect
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Iodination
High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Iodine complexation
Capillary electrophoresis of plant starches as the iodine complexes 693(1995)382

Ion chromatography
Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Ion-exchange isotherms
Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Ion-exchange membrane
Competitive adsorption of α-lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414

Ion exchangers
Ion-exchange–immunoaffinity purification of a recombinant baculovirus *Plasmodium falciparum* apical membrane antigen, PF83/AMA-1 657(1993)357

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55

Use of combined sodium hydroxide and carbonate–bicarbonate eluents with various anion-exchange columns 671(1994)83

Use of step gradients on different polymeric substrates in the separation of anions by macrocycle-based ion chromatography 671(1994)89

Synthesis and characterization of silica-based aliphatic ion exchangers 675(1994)29

High-performance protein separations with novel strong ion exchangers 679(1994)11

Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213

Ion-exclusion chromatography
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Ion-exclusion systems
Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Ionic mobility
Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Ionic sorption
Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Ionic strength
Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73

Ionic strength dependence of protein retention on Superose 12 in SEC–IEC mixed mode chromatography 693(1995)251

Ion-interaction reagents
Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Ionization constants
Hydrophobicity parameters of 2-chloro-2′-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Spectrophotometric determination of ionization constants by capillary zone electrophoresis 679(1994)167

Ionization efficiency
Reactive-flow luminescence with flame ionization detection 699(1995)183

Ionization methods
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Ionophores
Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Ion-pair chromatography
Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Ion-pair extraction
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Ion-pairing reagents
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Separation of novel polyol surfactants on polystyrene and octadecylsilyl bonded silica columns 657(1993)63

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217

Ion-pair reversed-phase liquid chromatographic determination of dihydralazine 686(1994)344

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

Ion partition model
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Ion-selective electrodes
Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Neutral carrier-based ion-selective electrode with similar sensitivity to different monovalent cations as a detector in ion chromatography 688(1994)350

Ion trap detector
Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333

Determination of sulphonic compounds as their thiotrifluoroacetate derivatives by gas chromatography with ion trap detection 667(1994)219

Joint use of retention index and mass spectrum in post-mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection 674(1994)63

Ion trap mass spectrometry
Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Identification and determination of butyltin compounds in water by ion trap gas chromatography–mass spectrometry after conversion to methyl or hydride derivatives 699(1995)241

Ion-traps
Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Isoelectric focusing
Analysis of a recombinant granulocyte macrophage colony stimulating factor dosage form by capillary electrophoresis, capillary isoelectric focusing and high-performance liquid chromatography 652(1993)215

In vitro observation of interactions of iron and transferrin by capillary isoelectric focusing with a concentration gradient imaging detection system 652(1993)295

Low-molecular-mass p*I* markers for isoelectric focusing 661(1994)249

Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Influence of additives on resolution and focusing efficiency in free-flow isoelectric focusing 684(1994)329

Isoelectric focusing of histones in extremely alkaline immobilized pH gradients: comparison with capillary electrophoresis 686(1994)121

Macroporous gels: facts and misfacts (Review) 698(1995)3

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Isoelectric point markers
Low-molecular-mass p*I* markers for isoelectric focusing 661(1994)249

Isoelectric points
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Determination of isoelectric points of acidic and basic proteins by capillary electrophoresis 680(1994)431

Isomeric purity
Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Isomer identification
Identification of the isomers from mono- and dinitration of phenyl- and diphenylacetic acids by gas chromatography with Fourier transform infrared and mass spectrometric detection 665(1994)169

Isopotential eluent composition
Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Isotachophoresis
Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Preparative procedures in isotachophoresis (Review) 658(1994)343

Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223

Correlation between zone velocity and current in automated single capillary isotachophoresis–zone electrophoresis 673(1994)239

Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Time course of formation of inositol phosphates during enzymatic hydrolysis of phytic acid (myo-inositol hexaphosphoric acid) by phytase determined by capillary isotachophoresis 679(1994)345

Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343

Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Combined liquid–liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Isotachophoretic separation of rare earth ions. I. Separation behaviour of yttrium and fourteen lanthanide ions forming complexes with tartaric acid and α-hydroxyisobutyric acid 689(1995)149

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Isotachophoretic desorption
Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Isotachophoretic focusing, in-line
In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Isotherms
see also Adsorption isotherms

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Isotope ratios
Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

High-precision gas chromatography–combustion isotope ratio mass spectrometry at low signal levels 689(1995)63

Isotopes
Gas chromatographic separation of pairs of isotopic molecules 654(1993)319

Isotopic analysis
Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Iterative solvent strength optimization
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

J

Joule heating
Electrochromatography and micro high-performance liquid chromatography with 320 μm I.D. packed columns 670(1994)15

Juice
Quantitation of organic acids in sugar refinery juices with capillary zone electrophoresis and indirect UV detection 652(1993)563

K

KanK sorbents
Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Kerosenes
High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Kerosine
Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Kinematic viscosities
Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317

Kinetic constants
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Kinetic monitoring
On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Kinetic parameters
Study of chromatographic parameters for glutathione S-transferases on an high-performance liquid chromatography affinity stationary phase 676(1994)81

Kinetic studies
High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Kluyveromyces marxianus
Lactose hydrolysis in an aqueous two-phase system by whole-cell β-galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Knowledge-based system
Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β-receptor blocking agents 665(1994)87

Knox–Pyper model
Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

Kola phosphate rock
Determination of lanthanides in Kola nitrophosphate solution by cation-exchange ion chromatography 671(1994)173

Kováts coefficients
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

Kováts retention index
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Kraft black liquor
Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

L

Langmuir behaviour
Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Langmuir coefficients
Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Langmuir isotherms
see also Adsorption isotherms

Large-volume injections
Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139

Large-volume injection in packed-capillary supercritical fluid chromatography 677(1994)141

Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Large-volume sampling
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363

Laser-desorption mass spectrometry
Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121

Laser detectors
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Laser induced fluorescence detector
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Semiconductor laser-induced fluorescence detection in capillary electrophoresis using a cyanine dye 652(1993)355

Collinear laser-induced fluorescence detector for capillary electrophoresis. Analysis of glutamic acid in brain dialysates 652(1993)399

Sensitive determination of N-terminal prolyl peptides by high-performance liquid chromatography with laser-induced fluorescence detection 661(1994)105

Indirect fluorescence determination of lactate and pyruvate in single erythrocytes by capillary electrophoresis 661(1994)287

Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205

Improvement of laser-induced fluorescence detection of amino acids in capillary zone electrophoresis 680(1994)279

Characterization of digoxigenin-labeled B-phycoerythrin by capillary electrophoresis with laser-induced fluorescence. Application to homogeneous digoxin immunoassay 680(1994)425

Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517

Analysis of structural specificity in antibody–antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Laser-induced indirect fluorimetric detection
Utilization of fluorescein sodium salt in laser-induced indirect fluorimetric detection of ions separated by capillary zone electrophoresis 689(1995)135

Laser light-scattering detector
Detection of alcohols in gas chromatographic effluent by laser-light scattering 670(1994)145

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229

Lateral aggregation
Macroporous gels: facts and misfacts (Review) 698(1995)3

Lateral molecular interactions
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Lateral solvent reservoir
New lateral reservoir flash chromatography system for the expeditious preparative purification of organic compounds 675(1994)237

Latex
Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Lathyrus
Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113

Lattice models
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Leakage current
Leakage current consideration of capillary electrophoresis under electroosmotic control 652(1993)277

Least-squares analysis
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Leather preservatives
Identification of leather preservatives by gas chromatography–mass spectrometry 675(1994)257

Lectin blotting
Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Lentiviruses
Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Lift forces
Experimental study on the separation of silica gel supports by gravitational field-flow fractionation 660(1994)113

Ligand–biopolymer interactions
Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Ligand density
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Ligand exchange
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336

Chiral separation of unmodified amino acids by ligand-exchange high-performance liquid chromatography using copper(II) complexes of L-amino acid amides as additives to the eluent 657(1993)43

Ligand-exchange high-performance liquid chromatography of fluorine-containing phenylglycine and phenylalanine 661(1994)51

Enantiomeric separation of underivatized aliphatic β-amino alcohols by ligand-exchange chromatgraphy using barbital as an additive to the mobile phase 662(1994)219

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Mechanistic evaluation of the resolution of α-amino acids on dynamic chiral stationary phases derived from amino alcohols by ligand-exchange chromatography 684(1994)189

Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Ligand–ligand interactions
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Ligand–receptor interaction
Reversed-phase chromatography of synthetic amphipathic α-helical peptides as a model for ligand/receptor interactions. Effect of changing hydrophobic environment on the relative hydrophilicity/hydrophobicity of amino acid side-chains 676(1994)139

Ligand structural descriptors
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Ligand structure
A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Ligation
Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Light scattering, multi-angle
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Light-scattering detector
High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef 683(1994)59

Lime oil
Influence of integrator parameters on estimates calculated with the statistical model of overlap 677(1994)307

Linear chromatography
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Linear perturbation
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Linear polyacrylamide network matrices
Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices 652(1993)57

Linear polymer matrix
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

Linear regression
Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Linear sieving polymers
Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Linear solvation energy relationships
Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367

Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149

Concept of additivity for a non-polar solute–solvent criterion log L^{16}. Non-aromatic compounds 677(1994)319

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Linear solvent strength theory
Hydrophobic interaction chromatography of proteins on an Alkyl-Superose column 664(1994)27

Lipid peroxidation
High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

Toxic aldehydes formed by lipid peroxidation. I. Sensitive, gas chromatography-based stereoanalysis of 4-hydroxyalkenals, toxic products of lipid peroxidation 670(1994)153

Lipophilicity
see also Hydrophobicity

Influence of the chromatographic capacity factor (log k') as an index of lipophilicity in the antibacterial activity of a series of 6-fluoroquinolones. Relationship between physico-chemical and structural properties and their hydrophobicity 655(1993)177

Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Retention behaviour of barbituric acid derivatives on a β-cyclodextrin polymer-coated silica column 668(1994)395

Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Prediction of the lipophilicity of some plant growth-stimulating amido esters of ethanolamine using reversed-phase thin-layer chromatography 675(1994)282

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127

Lipophilicity parameters
Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol–water partition coefficients 654(1993)43

Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Liposomes
High-performance liquid chromatographic determination of mitoxantrone in liposome preparations using solid-phase extraction and its application in stability studies 670(1994)234

Liquid backflush system
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Liquid chromatography, coupling to capillary electrophoresis
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Liquid chromatography–gas chromatography
On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

On-line liquid chromatography–gas chromatography for the analysis of free and esterified sterols in vegetable oil methyl esters used as diesel fuel substitutes 683(1994)95

On-line liquid chromatography–gas chromatography for determination of fenarimol in fruiting vegetables 683(1994)151

High-performance liquid chromatography coupled off-line with capillary gas chromatography. Application to the determination of the aromatics content in middle distillates 683(1994)215

Liquid chromatography–infrared spectrometry
Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227

Liquid chromatography–mass spectrometry
Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Liquid chromatographic–atmospheric pressure chemical ionization mass spectral characterization of carboxylic acids and their glycine conjugates 654(1993)221

Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Liquid chromatographic–mass spectrometric determination of 1-aminocyclopropane-1-carboxylic acid in tobacco 657(1993)337

Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119

Thermospray liquid chromatographic–mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Liquid chromatographic–mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55

Thermospray liquid chromatography–mass spectrometry of flavonol glycosides from medicinal plants 661(1994)121

Application of on-line solid-phase extraction followed by liquid chromatography–thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295

Reversed-phase liquid chromatography–mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87

On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography 675(1994)149

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285

Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons 683(1994)9

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry–time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Evaluation of liquid chromatography–ion spray mass spectrometry for the determination of substituted benzoic acids and their glycine conjugates 684(1994)93

Analysis of neutral nitrogen compounds in diesel oil by direct injection high-performance liquid chromatography–mass spectrometry–ultraviolet spectrometry methods 684(1994)103

Pharmaceutical application of liquid chromatography–mass spectrometry. II. Ion chromatography–ion spray mass spectrometric characterization of alendronate 686(1994)205

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography–tandem mass spectrometry 686(1994)213

Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

Determination of diquat and paraquat in water using high-performance liquid chromatography with confirmation by liquid chromatography–particle beam mass spectrometry 688(1994)67

Detection of benzthiazide by high-performance liquid chromatography–thermospray mass spectrometry 689(1995)170

Compositional analysis of the phenylthiocarbamyl amino acids by liquid chromatography–atmospheric pressure ionization mass spectrometry with particular attention to the cyst(e)ine derivatives 691(1995)285

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Rapid liquid chromatographic–mass spectrometric assay for oxymetazoline in whole rat blood 692(1995)73

Simultaneous structure–activity determination of disulfiram photolysis products by on-line continuous-flow liquid secondary ion mass spectrometry and enzyme inhibition assay 693(1995)162

Direct determination of E2020 enantiomers in plasma by liquid chromatography–mass spectrometry and column-switching techniques 694(1995)209

Use of immobilized copper ion chromatography and on-line mass spectrometry with atmospheric pressure chemical ionization for the profiling of complex mixtures of polycyclic aromatic compounds 695(1995)1

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Liquid crystals
Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477

Gas–liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197

Liquid–liquid electroextraction
Combined liquid–liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333

Liquid–liquid extraction
Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Liquid–liquid extraction of a recombinant protein, cytochrome b_5, with aqueous two-phase systems of polyethylene glycol and potassium phosphate salts 668(1994)117

Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Evaluation of chromatographic methods for the determination of nifedipine in human serum 668(1994)469

Determination of organic pollutants in small samples of groundwaters by liquid–liquid extraction and capillary gas chromatography 688(1994)181

Rapid micro liquid–liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453

Liquid membranes
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Liquid microchromatograph
Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Liquid–solid trapping
Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327

Listeria monocytogenes
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Liver
Identification of drugs in autopsy liver samples by instrumental qualitative thin-layer chromatography 674(1994)147

Load capacity
Molecular imprinting used for chiral separations (Review) 694(1995)3

Low-angle laser light scattering
Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241

Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Low-pressure ion chromatography
Low-pressure ion chromatography 671(1994)23

Lubricating oil additives
Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

Lymphoma cells
Analysis of nucleotide pools in human lymphoma cells by capillary electrophoresis 680(1994)463

M

Macrocycle-based ion exchangers
Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55

Macroelectrolytes
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Macropores
Chromatomembrane method for the continuous separation of substances 669(1994)81

Macroporous beads
Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Macroporous gels
Macroporous gels: facts and misfacts (Review) 698(1995)3

Macroporous hydrophobic phases
Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Macroreticular copolymer beads
Synthesis of monodisperse macroreticular styrene–divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Magnetically stabilized fluidized beds
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Marine sediments
Supercritical fluid extraction of polycyclic aromatic hydrocarbons from a marine sediment and analyte collection via liquid–solid trapping 657(1993)327

Mass-action ion-exchange model
Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480

Mass exchange
Chromatomembrane method for the continuous separation of substances 669(1994)81

Mass loadability
Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Mass spectra
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283

Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293

Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert.*-butyldimethylsilyl derivatives 669(1994)125

Identification of thermal oxidation products of cholesteryl acetate 683(1994)75

Mass spectrometry
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

HPLC purification and separation of 5,5′-substituted-2,4-imidazolidinedithiones 664(1994)63

Mass spectral and semi-empirical studies on chiral discrimination in gaseous aggregation products of protonated dialkyl tartrates 666(1994)549

Comparison of universal chromatographic detectors for trace gas analysis 667(1994)205

Chromatographic characterization of HSV-1 gD 268–284 and IL-6 179–185 synthetic oligopeptides by reversed-phase high-performance liquid chromatography, automated Edman degradation and mass spectrometric analysis 668(1994)345

Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121

Analytical strategy by coupling headspace gas chromatography, atomic emission spectrometric detection and mass spectrometry. Application to sulfur compounds from garlic 677(1994)345

Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Multi-residue screening and confirmatory analysis of anabolic steroids in urine by gas chromatography coupled with tandem mass spectrometry 683(1994)67

Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography–mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Pharmaceutical application of liquid chromatography–mass spectrometry. II. Ion chromatography–ion spray mass spectrometric characterization of alendronate 686(1994)205

Determination of clavam-2-carboxylate in clavulanate potassium and tablet material by liquid chromatography–tandem mass spectrometry 686(1994)213

Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography–mass spectrometry 687(1994)315

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33

Analysis of a mixture of linear and cyclic siloxanes by cryo-gas chromatography–Fourier transform infrared spectroscopy and gas chromatography–mass spectrometry 693(1995)89

Influence of capillary dimensions on the performance of a coaxial capillary electrophoresis–electrospray mass spectrometry interface 700(1995)21

Electrochromatography–electrospray mass spectrometry of textile dyes 700(1995)27

Mass spectrometry, ion-trap
Analysis of pesticide residues in food using gas chromatography–tandem mass spectrometry with a benchtop ion trap mass spectrometer 683(1994)185

Mass transfer
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Role of local antibody density effects on immunosorbent efficiency 672(1994)11

Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Mass transport
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Mass transport equations
Numerical algorithms for capillary electrophoresis 661(1994)265

Mathematical models
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Matrix-assisted laser desorption–ionization mass spectrometry
Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 667(1994)354

Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Use of matrix-assisted laser desorption/ionization mass spectrometry for molar mass-sensitive detection in liquid chromatography of polymers 699(1995)21

Matrix effects
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Optimization of ion trap parameters for the analysis of dilute samples in the presence of an interfering matrix. Analysis of polychlorinated biphenyls in transformer oil 657(1993)139

Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159

Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Matrix elimination
Determination of trace anions in isopropanol 671(1994)253

Matrix interference
Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159

Matrix-isolation Fourier-transform infrared spectrometry
Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287

Mayonnaise
Determination of the alkyl esters of *p*-hydroxybenzoic acid in mayonnaise by high-performance liquid chromatography and fluorescence labelling 664(1994)213

Mean list length
Potential and pitfalls of chromatographic techniques and detection modes in substance identification for systematic toxicological analysis 674(1994)3

Membrane adsorber
Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Membrane affinity chromatography
Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Membrane chromatography
Purification of human tumour necrosis factor by membrane chromatography 661(1994)161

Membrane extraction
Continuous monitoring of volatile organic compounds in water using on-line membrane extraction and microtrap gas chromatography system 688(1994)171

Membrane extraction disks
On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Determination of various pesticides using membrane extraction discs and gas chromatography–mass spectrometry 670(1994)135

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Membrane permeation
Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Membranes
Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene–divinylbenzene) column 664(1994)33

Chromatomembrane method for the continuous separation of substances 669(1994)81

Preparative separation of ganglioside GM_3 by high-performance liquid chromatography 678(1994)183

High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Membranes, immobiline
Protein microheterogeneity and crystal habits: the case of epidermal growth factor receptor isoforms as isolated in a multicompartment electrolyzer with isoelectric membranes 679(1994)181

Membranes, ion-exchange
Characterization and application of strong ion-exchange membrane adsorbers as stationary phases in high-performance liquid chromatography of proteins 654(1993)29

Membranes, particle-loaded
Use of particle-loaded membranes to extract steroids for high-performance liquid chromatographic analyses. Improved analyte stability and detection 691(1995)239

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Membranes, semipermeable
Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Membranes, supported liquid
Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Automated system for the trace analysis of organic compounds with supported liquid membranes for sample enrichment 665(1994)259

***Mentha* species**
Chiral compounds of essential oils. XV. Stereodifferentiation of characteristic compounds of *Mentha* species by multi-dimensional gas chromatography 666(1994)161

Metal affinity displacement chromatography
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Metal chelate affinity adsorbents
Silica-based metal chelate affinity sorbents. II. Adsorption and elution behaviour of proteins on iminodiacetic acid affinity sorbents prepared via different immobilization techniques 676(1994)249

Metal speciation
Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Metaphosphate packings
Metaphosphates as packing materials for biochromatography 679(1994)247

Method development
Method development by an expert system. Advantages and limitations 660(1994)33

Effect of integration parameters on high-performance liquid chromatographic method development and validation 686(1994)1

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Methylation efficiency
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123

Micellar electrokinetic chromatography
see also Capillary electrophoresis

Optical resolution by high-performance capillary electrophoresis. Micellar electrokinetic chromatography with sodium N-dodecanoyl-L-glutamate and digitonin 652(1993)253

Assessment of automated capillary electrophoresis for therapeutic and diagnostic drug monitoring: determination of bupivacaine in drain fluid and antipyrine in plasma 652(1993)407

Effect of buffer solution pH on the elution and separation of β-blockers by micellar electrokinetic capillary chromatography 652(1993)451

Determination of flavonoids by micellar electrokinetic capillary chromatography 652(1993)477

Separation and determination of glycosaminoglycan disaccharides by micellar electrokinetic capillary chromatography for studies of pelt glycosaminoglycans 652(1993)503

Micellar electrokinetic capillary chromatography analysis of the behavior of bilirubin in micellar solutions 652(1993)525

Determination of organolead and organoselenium compounds by micellar electrokinetic chromatography 652(1993)547

Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99

Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317

Quantitative determination of a dipeptide in personal wash liquid by capillary electrophoresis 661(1994)1

Separation of metallothionein isoforms by micellar electrokinetic capillary chromatography 664(1994)129

Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295

Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195

Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259

Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263

Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268

Use of capillary electrophoresis for the determination of vitamins of the B group in pharmaceutical preparations 670(1994)209

Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Capillary electrophoresis of some tetracycline antibiotics 673(1994)267

Chemical profiling of pharmaceuticals by capillary electrophoresis in the determination of drug origin 674(1994)153

Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis 674(1994)235

Determination of nine β-blockers in serum by micellar electrokinetic capillary chromatography 674(1994)241

Enantiomeric separation of diniconazole and uniconazole by cyclodextrin-modified micellar electrokinetic chromatography 676(1994)431

Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Terminology and nomenclature in capillary electroseparation systems 680(1994)3

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

Micellar electrokinetic chromatography using high-molecular surfactants. Use of butyl acrylate–butyl methacrylate–methacrylic acid copolymers sodium salts as pseudo-stationary phases 680(1994)117

Novel chiral surfactant for the separation of enantiomers by micellar electrokinetic capillary chromatography 680(1994)125

Comparison of micellar electrokinetic chromatography (MEKC) with capillary gas chromatography in the separation of phenols, anilines and polynuclear aromatics. Potential field-screening applications of MEKC 680(1994)163

Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Separation of charged and neutral isotopic molecules by micellar electrokinetic chromatography in coated capillaries 680(1994)571

Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Zone sharpening of neutral solutes in micellar electrokinetic chromatography with electrokinetic injection 686(1994)283

Separation of chlorophyll-c_1 and -c_2 by micellar electrokinetic capillary chromatography 687(1994)149

Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Determination by high-performance capillary electrophoresis of alkylaromatics used as bases of sulfonation in the preparation of industrial surfactants 689(1995)107

Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Selectivity control in micellar electrokinetic chromatography of small peptides using mixed fluorocarbon–hydrocarbon anionic surfactants 692(1995)291

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471

Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Separation and simultaneous determination of the components in an analgesic tablet formulation by micellar electrokinetic chromatography 695(1995)97

Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273

Quantitative determination of organic solvents by capillary electrophoresis using indirect UV detection 696(1995)341

Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571

Analysis of metallothionein isoforms by capillary electrophoresis: optimisation of protein separation conditions using micellar electrokinetic capillary chromatography 700(1995)95

Investigation and optimisation of the use of micellar electrokinetic chromatography for the analysis of six cardiovascular drugs 700(1995)173

Rapid determination of drugs in biofluids by capillary electrophoresis. Measurement of antipyrine in saliva for pharmacokinetic studies 700(1995)179

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Micellar enhanced fluorescence detection
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Micellar liquid chromatography
Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1

Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Micellar systems
Enantiomeric differentiation of a wide range of pharmacologically active substances by cyclodextrin-modified micellar electrokinetic capillary chromatography using a bile salt 688(1994)329

Micelle concentration gradient
Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321

Micelles
Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Separation of very hydrophobic compounds by hydrophobic interaction electrokinetic chromatography 680(1994)73

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Micelle–water partition coefficient
Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Microanalysis
Electrophoretically mediated microanalysis of ethanol 657(1993)429

Microbial cell walls
Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263

Microbial volatiles
Evaluation of adsorbents for sampling and quantitative analysis of microbial volatiles using thermal desorption–gas chromatography 699(1995)203

Microcolumn techniques
Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121

Direct and indirect approaches to enantiomeric separation of benzodiazepines using micro column techniques 679(1994)139

Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Microdetermination
Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185

Microdialysis
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Analysis of glutamate in striatal microdialysates using capillary electrophoresis and laser-induced fluorescence detection 700(1995)81

Microelectrodes
Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Simultaneous detection of thiols and disulfides by capillary electrophoresis–electrochemical detection using a mixed-valence ruthenium cyanide-modified microelectrode 680(1994)271

Amperostatic–potentiometric detection for micro high-performance liquid chromatography 691(1995)55

Microemulsions
Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Micro-Kuderna–Danish concentrator
Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Micropore diffusion
Perfusion chromatography Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Micropores
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Micro-preparative thin-layer chromatography
Simple, inexpensive system for using thin-layer chromatography for micro-preparative purposes 684(1994)370

Microtraps
Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography–mass spectrometry 657(1993)123

Microwave hydrolysis system
Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109

Microwave induced plasma atomic emission detector
Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269

Microwave-induced synthesis
Microwave-induced rapid synthesis of 4-carbethoxyhexafluorobutyryl derivatives of fatty alcohols —a novel derivative for gas chromatography–chemical ionization mass spectrometric study 695(1995)136

Microwave irradiation
Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography–mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Migration
Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Migration behaviour
Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317

Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Metal ion capillary electrophoresis with direct UV detection. Effect of a charged surfactant on the migration behaviour of metal chelates 671(1994)419

Behaviour of periodate ion in isotachophoresis using cyclodextrins 684(1994)343

Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Migration coefficient
Simultaneous determination of the migration coefficient of each base in heterogeneous oligo-DNA by gel filled capillary electrophoresis 652(1993)23

Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Migration model
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Migration order
Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303

Determination of heterocyclic compounds by micellar electrokinetic capillary chromatography 680(1994)561

Migration order, reversal
Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561

Migration time
Computer-assisted determination of the inner temperature and peak correction for capillary electrophoresis 652(1993)329

Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Migration time prediction
Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients 680(1994)479

Migration velocity
Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Milk
Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

Characterization of food proteins by capillary electrophoresis 685(1994)331

Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339

Milk powder
Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Milk whey
Chromatographic purification of immunoglobulin G from bovine milk whey 673(1994)45

Mineral oils
Improvements in the separation of polychlorinated biphenyl congeners by high-resolution gas chromatography. Application to the analysis of two mineral oils and powdered milk 655(1993)275

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Mineral sands
Determination of thorium and uranium in mineral sands by ion chromatography 671(1994)181

Mineral water
Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31

Miniaturization
Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Mixed-mode stationary phases
Evaluation of mixed-mode stationary phases in liquid chromatography for the separation of charged and uncharged oligomer-like model compounds 677(1994)211

Mixed polymer networks
Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Mixer
Enrichment technique in an automated liquid microchromatograph with a capillary mixer 675(1994)47

Mobile phase composition
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199

Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β-cyclodextrin as a mobile phase additive 653(1993)293

Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Resolution of chiral cannabinoids on amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase: effects of structural features and mobile phase additives 654(1993)53

Optimization of the anion-exchange separation of metal–oxalate complexes 654(1993)105

High-performance liquid chromatographic method for the determination of bisoprolol and potential impurities 654(1993)299

Separation of polypropylene glycol 1200 and polybutylene glycol 1000 by reversed-phase high-performance liquid chromatography on a C_{18} stationary phase with different organic modifiers and detection by evaporative light scattering 654(1993)309

Analysis of fullerenes by reversed-phase high-performance liquid chromatography 654(1993)315

Elution behaviour of styrene–acrylonitrile copolymers in high-performance liquid chromatography with mixtures of chloroform and *n*-hexane as mobile phases 655(1993)185

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln *k'* *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87

Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Method development by an expert system. Advantages and limitations 660(1994)33

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61

Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67

Enantiomeric separation of underivatized aliphatic β-amino alcohols by ligand-exchange chromatgraphy using barbital as an additive to the mobile phase 662(1994)219

High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Chiral separation of some amino alcohols by addition of helical nickel(II) chelate to the mobile phase used in reversed-phase high-performance liquid chromatography 665(1994)75

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Dynamic modification of the chiral bonding properties of a CHIRAL-AGP column by organic and inorganic additives. Separation of enantiomers of anti-inflammatory drugs 666(1994)181

Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Separation of ferrocenylethanol enantiomers by microcolumn liquid chromatography with β-cyclodextrin as mobile phase additive 666(1994)439

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Effect of mobile phase composition on the separation of thyrotropin-releasing hormone and some metabolites by reversed-phase ion-pair chromatography 667(1994)119

Retention behaviour of barbituric acid derivatives on a β-cyclodextrin polymer-coated silica column 668(1994)395

Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis 668(1994)509

Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Separations of tocopherols and methylated tocols on cyclodextrin-bonded silica 670(1994)67

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55

Reversed phase liquid chromatographic separation of linear alkylbenzenesulfonates. Effect of mobile phase ionic strength 671(1994)73

Use of combined sodium hydroxide and carbonate–bicarbonate eluents with various anion-exchange columns 671(1994)83

Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

Determination of the hydrophobicity parameter R_{MW} by reversed-phase thin-layer chromatography 673(1994)113

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Influence of temperature on dead volume of ODS columns and on *n*-alkane retention in high-performance liquid chromatography 675(1994)13

Hydrophilic-interaction chromatography of complex carbohydrates 676(1994)191

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Ion-pair reversed-phase liquid chromatography with fluorimetric detection of pesticides 676(1994)347

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41

Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β-cyclodextrin stationary phase 678(1994)259

Comparison of isocratic and gradient elution reversed-phase behaviour of high-molecular-mass polystyrenes in dichloromethane and acetonitrile 679(1994)105

Size-exclusion chromatography of nylons in methylene chloride–dichloroacetic acid 679(1994)201

Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329

Vesicle-mediated high-performance liquid chromatography coupled to atomic detection for speciation of toxic elements 683(1994)233

Gradient elution in micellar liquid chromatography. I. Micelle concentration gradient 683(1994)321

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Improved method for the separation of ranitidine and its metabolites based on supercritical fluid chromatography 683(1994)402

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77

High-performance liquid chromatography of enantiomers of {2-[4-(3-ethoxy-2-hydroxypropoxy)phenylcarbamoyl]ethyl}-dimethylsulfonium *p*-toluenesulfonate (suplatast tosilate) on a cellulose tris-3,5-dimethylphenylcarbamate column 684(1994)235

High-performance liquid chromatographic reversed-phase and normal-phase separation of diastereomeric α-ketoamide calpain inhibitors 684(1994)243

Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous–organic solvent mixtures 686(1994)85

Reversed-phase high-performance liquid chromatographic separation of 1-naphthyl isocyanate derivatives of linear alcohol polyethoxylates 686(1994)219

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

High-performance liquid chromatographic separation of β-amino alcohols. I. Separation of (*R*,*S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241

Trace analysis of impurities in 3′-azido-3′-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Liquid chromatographic separation of diamino analogues of 2′- or 3′-deoxyadenosine from adenine on a poly(styrene–divinylbenzene) polymer column 689(1995)247

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187

Resolution of promethazine, ethopropazine, trimeprazine and trimipramine enantiomers on selected chiral stationary phases using high-performance liquid chromatography 692(1995)173

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311

Characterization of the protein binding of chiral drugs by high-performance affinity chromatography. Interactions of *R*- and *S*-ibuprofen with human serum albumin 693(1995)23

HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Adsorption chromatography on cellulose. XII. General effects of aqueous solutions of α-cyclodextrin as eluent 695(1995)155

Adsorption chromatography on cellulose. XIII. Chromatography with aqueous solutions of carbohydrates as eluents 695(1995)160

Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165

Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309

Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Effect of co-modifiers in cyclodextrin-modified mobile phases on the reversed-phase high-performance liquid chromatographic separation of polyaromatic hydrocarbons 699(1995)73

Chiral separation of MDL 73,005EF enantiomers using an α_1-acid glycoprotein column 699(1995)389

Mobile phase density
Effect of temperature and density on the performance of micropacked columns in supercritical fluid chromatography 667(1994)249

Mobile phase modifier
Experimental studies in metal affinity displacement chromatography of proteins 686(1994)193

Mobile phase velocity
Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Mobility, effective
Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Modified γ-cyclodextrin ester stationary phases, GC
Comparison of two esterified γ-cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370

Modifiers
Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol 660(1994)249

Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424

Molar refractivity
Retention behaviour of barbituric acid derivatives on a β-cyclodextrin polymer-coated silica column 668(1994)395

Molasses
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45

Molecular asymmetry
Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β-cyclodextrin stationary phase 665(1994)175

Molecular connectivity indices
Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317

Molecular descriptors
Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Molecular dynamics
Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Molecular dynamics simulation
High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75

Molecular imprinting
Direct resolution of naproxen on a non-covalently molecularly imprinted chiral stationary phase 664(1994)276

Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Insights into the role of the hydrogen bond and hydrophobic effect on recognition in molecularly imprinted polymer synthetic peptide receptor mimics 691(1995)349

Molecular imprinting used for chiral separations (Review) 694(1995)3

Molecular interaction mechanisms
General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Molecular interactions
Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

Molecular mass
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Rapid capillary gel electrophoresis of proteins 654(1993)190

Normal-phase high-performance liquid chromatographic separation of procyanidins from cacao beans and grape seeds 654(1993)255

Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99

Molar mass determination of oligomeric ethylene oxide adducts using supercritical fluid chromatography and matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 667(1994)354

High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Capillary sodium dodecyl sulfate gel electrophoresis of proteins. II. On the Ferguson method in polyethylene oxide gels 676(1994)227

Characterization of synthetic resins by gel permeation chromatography with a multi-angle laser light scattering detector 677(1994)21

Ultra-fast high-performance capillary sodium dodecyl sulfate gel electrophoresis of proteins 680(1994)375

Control of the cultivation process of antithrombin III and its characterization by capillary electrophoresis 680(1994)383

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Molecular mass calibration
Calibration of gel-permeation columns in the high-molecular-mass range: Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Molecular mass determination
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis 661(1994)257

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Molecular mass distribution
Size-exclusion chromatography of poly(ethylene terephthalate) and related polymers in methylene chloride–dichloroacetic acid 657(1993)377

Composition distribution separation of methyl methacrylate–methacrylic acid copolymers by normal-phase gradient elution high-performance liquid chromatography 661(1994)215

Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1

Compositional distribution characterization of poly(methyl methacrylate)–graft-polydimethylsiloxane copolymers 692(1995)221

Molecular mechanics
Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Chiral discrimination of complexes between benzyloxycarbonylglycyl-L-proline and 4-hydroxy-2-dipropylaminoindan in ion-pair chromatography. A molecular mechanics study 666(1994)527

Molecular modeling
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Molecular patterns
Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Molecular radius
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Molecular recognition
Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Separation of amino acids, peptides and proteins on molecularly imprinted stationary phases 691(1995)317

Molecular shape
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Molecular sieves
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Molecular structural coefficients
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

Molecular structure
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45

Molecular topology
Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Moment analysis
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Moments
Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Monoclonal antibodies
Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Monodisperse gel beads
Synthesis of monodisperse macroreticular styrene–divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Monte-Carlo calculations
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Moving feed port
Preparative chromatographic separation with moving feed ports (Review) 658(1994)259

Multi-angle laser light scattering
On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Multichannel chromatography
Multichannel chromatography and on-line spectra from a flame photometric detector 675(1994)155

Multicolumn analysis
Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Multicomponent adsorption
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Multicomponent systems
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Multi criteria decision making
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Multidimensional liquid chromatography
Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Multidimensional gas chromatography
Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Determination of ethyl carbamate in alcoholic beverages by capillary multi-dimensional gas chromatography with thermionic specific detection 695(1995)259

Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography–mass spectrometry 697(1995)453

Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Multimodal columns
Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Multiparametric migration model
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Multiple linear regression
Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Multiple reaction monitoring
Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301

Multiple threshold approach
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Multiplex gas chromatography
Applications of multiplex gas chromatography to the determination of organics in solid samples 689(1995)275

Multi-point detection
On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Multi-residue methods
Applicability of coupled-column liquid chromatography to the analysis of β-agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Multi-residue solid-phase dispersion
Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Multivariate classification
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Multivariate regression analysis
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141

Multivariate self-modelling curve resolution
Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Muscat wine
Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Must
Determination of organic acids in grape musts, wines and vinegars by high-performance liquid chromatography 655(1993)111

Mutagenesis
Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic–thermospray mass spectrometric characterization of in vitro DNA adducts 684(1994)113

Identification of halogenated compounds produced by chlorination of humic acid in the presence of bromide 686(1994)253

Thin-layer chromatographic fractionation of Ames mutagenic chlorosemiquinone in chlorinated 4-methylphenol solution 699(1995)291

Mutations
Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Mutation screening
Polymerase chain reaction heteroduplex polymorphism analysis by entangled solution capillary electrophoresis 677(1994)169

Mycobacteria
Analysis of mycolic acids by high-performance liquid chromatography and fluorimetric detection. Implications for the identification of mycobacteria in clinical samples 692(1995)167

N

Nafion tubes
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Nanoparticles
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Naphtha, pyrolytic
Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Naproxen chiral stationary phase
Preparation and application of an (*S*)-naproxen chiral stationary phase 696(1995)173

Natural products
Design and construction of a simple supercritical fluid extraction system with semi-preparative and preparative capabilities for application to natural products 667(1994)213

Near-infrared laser-induced fluorescence detector
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems I. Continuous wave lasers 695(1995)165

Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Nebulization
Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Nebulizing interface
Electrolytic conductivity detector for selective detection of chlorine-containing compounds in liquid chromatography 676(1994)277

Nirvana algorithm
Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497

Nitrile-bonded phases
Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77

Noise
Noise, filters and detection limits 687(1994)259

Fundamental noise in three chromatographic detectors 687(1994)283

Non-linear chromatography
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Non-linear electrophoresis
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Non-linear equilibrium chromatography
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Non-linear ion exchange
Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Non-linear isotherms
Validation of a theoretical model for adsorption using cephalosporin C and polymeric reversed-phase resins 658(1994)361

Non-linear regression
Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Non-porous microparticulate packings
High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Normalised spectral overlay method
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61

Nuclear magnetic resonance spectrometry
Chromatographic resolution of racemic α-halocarboxylic acids and O-substituted α-hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Characterisation of C_{18}-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253

Use of liquid chromatography–nuclear magnetic resonance spectroscopy for the identification of impurities in drug substances 677(1994)385

Chromatographic and ^{1}H NMR support for a proposed chiral recognition model 683(1994)347

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Separation and identification of the *Z* and *E* isomers of 2-(3-pentenyl)pyridine by capillary electrophoresis and nuclear magnetic resonance spectroscopy 700(1995)69

Nuclear power plants
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Numerical algorithms
Numerical algorithms for capillary electrophoresis 661(1994)265

Numerical simulations
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

O

Occupational hygiene
Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Octadecylsilica
Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Octanol–water partition coefficient
Structure–retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233

Ocular lenses
Simultaneous detection and quantitation of sodium, potassium, calcium and magnesium in ocular lenses by high-performance capillary electrophoresis with indirect photometric detection 680(1994)653

Off-line extraction methods
On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Oils
Determination of dissolved gases and furan-related compounds in transformer insulating oils in a single chromatographic run by headspace/capillary gas chromatography 657(1993)111

Monitoring carboxylic acid formation in engine oils by liquid chromatography with fluorescence detection 667(1994)91

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Oil shales
Flash pyrolysis–gas chromatography of the kerogen and asphaltene fractions isolated from a sequence of oil shales 657(1993)119

Oil–water partitioning
Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Oligo(ethylene glycol) dimethacrylate beads
Preparation and characterization of monodisperse oligo(ethylene glycol) dimethacrylate polymer beads for aqueous high-performance liquid chromatography 699(1995)67

Oligosaccharide linkage positions
Determination of the number and distribution of oligosaccharide linkage positions in O-linked glycoproteins by capillary electrophoresis 680(1994)225

Olive oil
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Dynamic headspace gas chromatographic method for determining volatiles in virgin olive oil 668(1994)455

Olives
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

On-column bromination
Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197

On-column derivatization
Ion chromatography of alkaline earth and heavy metal ions by on-column derivatization with bisazochromotropic acid 657(1993)87

On-column derivatization, GC
Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

On-column detection
Capillary zone electrophoresis of eleven priority phenols with indirect fluorescence detection 663(1994)229

Extended path length post-column flow cell for UV–visible absorbance detection in capillary electrophoresis 680(1994)109

N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

On-column detection, fluorimetric
Effect of sodium dodecyl sulfate as stationary phase on signal intensities of dansylamino acids in microcolumn liquid chromatography with on-column fluorimetric detection 696(1995)185

On-line extraction methods
On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

On-line micelle mediated sample preparation
Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

On-line reaction detection
Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

On-line sample pretreatment
On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Open tubular columns
Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119

Open-tubular liquid chromatography
Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Ophthalmic solutions
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Quantitative determination of pivalic acid in dipivefrin-containing ophthalmic solutions by gas chromatography 679(1994)397

Optical purity
Determination of optical purity by high-performance liquid chromatography upon non-chiral stationary phases with dual circular dichroism/absorption detection 666(1994)535

High-performance liquid chromatographic determination of the enantiomers of carnitine and acetylcarnitine on a chiral stationary phase 673(1994)37

Highly sensitive high-performance liquid chromatographic method for the determination of the absolute configuration and the optical purity of di-O-acylglycerols using a chiral derivatizing agent, (*S*)-(+)-2-*tert.*-butyl-2-methyl- 1,3-benzodioxole-4-carboxylic acid 677(1994)35

Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Optimization
Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection 660(1994)61

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Extraction and *in situ* densitometric determination of alkaloids from *Catharanthus roseus* by means of overpressured layer chromatography on amino-bonded silica layers. I. Optimization and validation of the separation system 668(1994)501

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255

Practical aspects of chiral separations of pharmaceuticals by capillary electrophoresis. I. Separation optimization 680(1994)157

Simulation and optimization of peptide separation by capillary electrophoresis 680(1994)321

Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation 684(1994)65

Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Organic microanalysis
Progress and problems in organic microanalysis by ion chromatography 671(1994)295

Organic modifiers
Effects of organic mobile phase modifiers on elution and separation of β-blockers in micellar electrokinetic capillary chromatography 655(1993)317

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Chiral separations by packed-column super- and subcritical fluid chromatography 666(1994)395

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO_2 677(1994)365

Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β-cyclodextrin stationary phase 678(1994)259

Gradient elution in micellar liquid chromatography. II. Organic modifier gradients 683(1994)335

Organic solvents
Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Organophosphate antidote
Determination of atropine and obidoxime in automatic injection devices used as antidotes against nerve agent intoxication 686(1994)350

Orthogonal array designs
Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255

Ostwald solubility coefficient
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Overlapping peaks
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Overlapping resolution mapping
Use of overlapping resolution mapping scheme for optimization of the high-performance liquid chromatographic separation of pharmaceuticals 692(1995)207

Overloaded columns
Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Ovine lentiviruses
Characterization by capillary electrophoresis of the surface glycoproteins of ovine lentiviruses before and after treatment with glycosidic enzymes 652(1993)199

Ovomucoid protein-based column
Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Changes in chiral selectivity with temperature for an ovomucoid protein-based column 666(1994)211

Ovomucoid pseudostationary phase
Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase 666(1994)193

Oxidation states
Use of on-line ion chromatography in controlling water quality in nuclear power plants 671(1994)331

Oxidative damage
Carbon monoxide generation from hydrocarbons at ambient and physiological temperature: a sensitive indicator of oxidant damage? 695(1995)324

Oxidative stress
High-performance liquid chromatographic method for the simultaneous detection of malonaldehyde, acetaldehyde, formaldehyde, acetone and propionaldehyde to monitor the oxidative stress in heart 661(1994)181

P

Packed bed adsorber
Frontal analysis of protein adsorption on a membrane adsorber 679(1994)1

Packed beds
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Packed capillary columns
Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β-cyclodextrin as a chiral selector. Effect of operating parameters and comparison with free-solution capillary electrophoresis 666(1994)321

Packed columns, SFC
Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Packing methods
Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Packing pressure
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Packing solvent
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Paintings
Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Pair-wise interactions
Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

Panax ginseng
Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Paper electrophoresis
Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)–hydrazine–nitrilotriacetate mixed-ligand complexes 667(1994)371

Parallel-current open-tubular liquid chromatography
Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Pareto-optimality plot
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Partial least squares analysis
Chromatographic separation of amide diastereomers: correlation with molecular descriptors 666(1994)505

Partial molar volume
Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

Partial separation zone technique
Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277

Particle beam mass spectrometry
Evaluation of the particle beam interface for packed-column supercritical fluid chromatography–mass spectrometry with pure and modified CO_2 677(1994)365

Characterisation of electron beam generated transformation products of Irganox 1010 by particle beam liquid chromatography–mass spectrometry with on-line diode array detection 679(1994)285

Application of the particle beam interface to high-performance liquid chromatography–thermal energy analysis and electron impact mass spectrometry for detection of non-volatile N-nitrosamines 688(1994)55

On-line trace enrichment of polar pesticides in environmental waters by reversed-phase liquid chromatography–diode array detection–particle beam mass spectrometry 696(1995)63

Particle-induced X-ray emission
Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. VI. Selective separation of twenty metal cations using tartaric acid as a complexing agent 663(1994)245

Particle shape
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Particle size
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane–acetonitrile 664(1994)221

Analysis of colloids. VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime 688(1994)97

Particle size distribution
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Partition behaviour
Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Partition chromatography
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Partition coefficients
Use of reversed-phase high-performance liquid chromatography in lipophilicity studies of 9*H*-xanthene and 9*H*-thioxanthene derivatives containing an aminoalkanamide or a nitrosoureido group. Comparison between capacity factors and calculated octanol–water partition coefficients 654(1993)43

Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43

Determination of peptide hydrophobicity parameters by reversed-phase high-performance liquid chromatography 661(1994)77

Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Molecular mass of proteins and their partitioning in aqueous two-phase systems 664(1994)99

Hydrophobicity parameters of 2-chloro-2′-deoxyadenosine and some related analogues and retention in reversed-phase liquid chromatography 667(1994)37

Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)–salt aqueous two-phase systems 668(1994)3

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13

Predicting partition coefficients of multi-charged solutes in aqueous two-phase systems 668(1994)21

Model for predicting the partition behaviour of proteins in aqueous two-phase systems 668(1994)47

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Partitioning

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Variation of protein partition coefficients with volume ratio in poly(ethylene glycol)–salt aqueous two-phase systems 668(1994)3

Application of a statistical geometrical theory to aqueous two-phase systems 668(1994)31

Improvement in the polyethylene glycol–Cibacron Blue purification method 668(1994)61

Partitioning of chemically modified low-density lipoprotein in aqueous polymer two-phase systems 668(1994)107

Polyethylene glycol–potassium phosphate aqueous two-phase systems. Insertion of short peptide units into a protein and its effects on partitioning 668(1994)121

Separation and purification of recombinant proteins from *Escherichia coli* with aqueous two-phase systems 668(1994)129

Partitioning of recombinant *Fusarium solani pisi* cutinase in polyethylene glycol–aqueous salt solution two-phase systems 668(1994)139

Integration of aqueous two-phase extraction and affinity precipitation for the purification of lactate dehydrogenase 668(1994)145

Lactose hydrolysis in an aqueous two-phase system by whole-cell β-galactosidase of *Kluyveromyces marxianus*: partition and separation characteristics 668(1994)179

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Utilization of temperature-induced phase separation for the purification of ecdysone and 20-hydroxyecdysone from spinach 668(1994)229

Liquid–liquid extraction of clavulanic acid using an aqueous two-phase system of polyethylene glycol and potassium phosphate 668(1994)237

Immobilized metal-ion affinity partitioning of NAD^+-dependent dehydrogenases in poly(ethylene glycol)–dextran two-phase systems 678(1994)25

Partition kinetics
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Partition number
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Passion fruit
Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Passive sampling
Build-up of artifacts on adsorbents during storage and its effect on passive sampling and gas chromatography–flame ionization detection of low concentrations of volatile organic compounds in air 688(1994)368

Patching
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

Patchouli oil
Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Peak area
Least-squares analysis of gas chromatographic data for polychlorinated biphenyl mixtures 654(1993)143

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Peak asymmetry
Influence of analyte stereochemistry and basicity on peak shape of basic compounds in high-performance liquid chromatography with reversed-phase columns, using pyridine and alkyl-substituted derivatives as probe compounds 664(1994)139

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29

Peak broadening
Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Peak capacity
Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131

Peak dispersion
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Peak distortion
Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Peak evolution
Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Peak height
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Peak identification methods
Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143

Peak origin
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Peak overlap
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Evaluation of separation quality with a novel threshold criterion 665(1994)3

Use of a threshold criterion in the computer-assisted optimization of chromatographic separations 665(1994)9

Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Peak purity
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47

Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Peak resolution
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Capillary electrophoretic chiral separations using cyclodextrin additives. III. Peak resolution surfaces for ibuprofen and homatropine as a function of the pH and the concentration of β-cyclodextrin 680(1994)599

Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Peak shape
see also Band profiles

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399

Numerical algorithms for capillary electrophoresis 661(1994)265

Unusual peak distortion in ligand-exchange chromatography of enantiomers under overloaded conditions 666(1994)99

Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Combined effects of non-linear electrophoresis and non-linear chromatography on concentration profiles in capillary electrophoresis 693(1995)113

Peak shape equations
Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Peak splitting
Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263

Peak suppression
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Peak symmetry
Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Peak tracking
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61

Peclet number
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Penicillium vermiculatum
Detection and assay of secondary metabolites of *Penicillium vermiculatum* DANG 665(1994)185

Pentafluorophenyl bonded phase
Reversed-phase high-performance liquid chromatographic method using a pentafluorophenyl bonded phase for analysis of tocopherols 677(1994)75

Peptide amphipathicity
Recognition of α-helical peptide structures using high-performance liquid chromatographic retention data for D-amino acid analogues: influence of peptide amphipathicity and of stationary phase hydrophobicity 689(1995)219

Peptide conformation
Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Peptide mapping
Peptide mapping using combinations of size-exclusion chromatography, reversed-phase chromatography and capillary electrophoresis 667(1994)304

Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219

Nitrogen-specific detection of peptides in liquid chromatography with a chemiluminescent nitrogen detector 676(1994)113

Identification of tryptophan and tyrosine residues in peptides separated by capillary electrophoresis by their second-derivative spectra using diode-array detection 679(1994)173

Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71

Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Tryptic peptide mapping of sequence 299–585 of human serum albumin by high-performance liquid chromatography and fast atom bombardment mass spectrometry 693(1995)33

Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Peptide sequencing
Microbore reversed-phase high-performance liquid chromatographic purification of peptides for combined chemical sequencing–laser-desorption mass spectrometric analysis 676(1994)121

Perfusable adsorbents
Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range 660(1994)137

Perfusion chromatography
Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Separation and analysis of proteins by perfusion liquid chromatography and electrospray ionization mass spectrometry 691(1995)325

Perfusive particles
Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Periodate oxidation
Comparison of extraction procedures for high-performance liquid chromatographic determination of cellular deoxynucleotides 667(1994)316

Permeability
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Petasites
Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Petroleum
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Pharmaceutical preparations
Analysis of pamidronate disodium in pharmaceutical dosage forms by ion chromatography 671(1994)273

Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69

Pharmacogenetic variation
Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Phase inversion
Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13

Phase partitioning
Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Phase ratio
Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Phase separation
Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Partitioning of proteins and thylakoid membrane vesicles in aqueous two-phase systems with hydrophobically modified dextran 668(1994)215

Phase stability
29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Phase systems
Protein refolding using aqueous two-phase systems 668(1994)95

Temperature-dependent phase inversion and its effect on partitioning in the poly(ethylene glycol)–ammonium sulfate aqueous two-phase system 668(1994)13

Phase-system switching
Coupling of ion-pair liquid chromatography and thermospray mass spectrometry via phase-system switching with a polymeric trapping column 654(1993)65

Phase transitions
Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

pH effects
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Effect of buffer solution pH on the elution and separation of β-blockers by micellar electrokinetic capillary chromatography 652(1993)451

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Determination of the molecular mass of heparin samples by size-exclusion chromatography applying non-identical standards 657(1993)33

Capillary zone electrophoresis for separation of drug enantiomers using cyclodextrins as chiral selectors. Influence of experimental parameters on separation 666(1994)337

Influence of buffer electrolyte pH on the migration behavior of phenolic compounds in co-electroosmotic capillary electrophoresis 693(1995)359

Phenol oxidase-based biosensors
Phenol oxidase-based biosensors as selective detection units in column liquid chromatography for the determination of phenolic compounds 675(1994)65

Phenylsilica
Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

pH gradients
Detection of transition metals during their separation in an isoconductive pH gradient 671(1994)95

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement 680(1994)549

Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts 684(1994)143

Model of electrophoretic focusing in a natural pH gradient moving in a tapered capillary 684(1994)149

Combined pH gradient and anion-exchange high-performance liquid chromatographic separation of oligodeoxyribonucleotides 686(1994)339

pH optimization
Computer-assisted pH optimization for the separation of geometric isomers in capillary zone electrophoresis 652(1993)337

Phosphorimetry
Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201

Photoaffinity crosslinking
High-performance liquid chromatography and photoaffinity crosslinking to explore the binding environment of nevirapine to reverse transcriptase of human immunodeficiency virus type-1 676(1994)99

Photodegradation
Application of a two-dimensional chromatography system for gas-phase photodegradation studies of polychlorinated dibenzo-*p*-dioxins 688(1994)221

Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397

Photodimerization
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Photodiode array detector
Effect of spectral resolution, detector linearity and chromatographic resolution on peak purity calculations 683(1994)3

Photoirradiation
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255

Photon correlation spectroscopy
Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Photoproducts
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Photosynthetic membranes
Separation of closely related intrinsic membrane polypeptides of the photosystem II light-harvesting complex (LHC II) by reversed-phase high-performance liquid chromatography on a poly(styrene–divinylbenzene) column 664(1994)33

Photosystems
Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

pH profiles
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Physicochemical models
Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205

Physicochemical parameters
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

pH-Zone-refining counter-current chromatography
Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233

Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Pickler oils
Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Pico Tag work station
Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109

$\pi-\pi$ Interactions
N-Alkylcarbamoyl derivatives of amino acids as chiral stationary phases for high-performance liquid chromatography. I. An example of enhancing enantioselectivity by deleting the non-enantioselective $\pi-\pi$ interaction site on the chiral stationary phase 684(1994)13

Planar electrophoresis
Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Plant extracts
Determination of aflatoxins in medicinal herbs and plant extracts 692(1995)131

Plant hormones
Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography–mass spectrometry (Review) 658(1994)3

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Abscisic acid content of salt-stressed *Phaseolus vulgaris* L. Comparison of high-performance liquid chromatography, gas chromatography with electron-capture detection, enzyme-linked immunosorbent assay and radioimmunoassay 658(1994)83

Plant membranes
Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Plant variety identification
Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281

Plasma dopants
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Plastics
Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

Plate height
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Plate height, reduced
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Plate height theory
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Poiseuille's law
Theoretical calculation of gas hold-up time in capillary gas chromatography. Influence of column, instrument parameters and analysis conditions and comparison of different methods of dead time determination 677(1994)95

Polarimetric detector
Application of polarimetric detector for the high-performance liquid chromatographic determination of the optical purity of 5(4*H*)-oxazolones 696(1995)149

Polar indices
Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Polar interactions
Inverse gas chromatography in characterization of surfactants. Determination of binary parameter 654(1993)135

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Polarity
Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Polarity interactions
Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Polarity parameters
Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Polarization
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Polarized photometric detector
Enantiomeric purity determination by high-performance liquid chromatography with coupled polarized photometric/UV detection. Analysis of adulterative addition of synthetic malic and tartaric acids 667(1994)85

Polar porous polymers
Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Poly(styrene–co-divinylbenzene) rod
Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene–co-divinylbenzene) 669(1994)230

Polyacrylamide solutions
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Polyacrylate films
Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Polybutadiene maleic acid-coated stationary phase
Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43

Polyclonal antibodies
Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Polydispersity
Measurement of narrow-distribution polydispersity using multi-angle light scattering 686(1994)11

Polyethylene beads
Utilization of the dry impact blending method to prepare irregularly shaped particles for high-performance liquid chromatographic column packings 696(1995)19

Polyethyleneimine coated zirconia
High-performance anion exchange of small anions with polyethyleneimine-coated porous zirconia 684(1994)201

Polymerase chain reaction
Use of glucomannan for the separation of DNA fragments by capillary electrophoresis 652(1993)41

Capillary electrophoresis of polymerase chain reaction-amplified DNA using fluorescence detection with an intercalating dye 652(1993)75

Analysis of polymerase chain reaction product by capillary electrophoresis and its application to the detection of single base substitution in genes 664(1994)89

Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

Analysis of polymerase chain reaction-product by capillary electrophoresis with laser-induced fluorescence detection and its application to the diagnosis of medium-chain acyl-coenzyme A dehydrogenase deficiency 680(1994)517

Polymer characterization
Sequence distribution of styrene–butadiene copolymers by ozonolysis, high-performance liquid chromatographic and gas chromatographic–mass spectrometric techniques 665(1994)117

Polymer coatings
Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Polymer distribution
Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

Polymer-filled capillaries
Optimization of capillary electrophoretic separation of DNA fragments based on polymer filled capillaries 652(1993)67

Polymer gels
Capillary sodium dodecyl sulfate gel electrophoresis of proteins. I. Reproducibility and stability 676(1994)219

Polymeric packings
Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Polymeric separation media
Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Polymer immobilized silica gels
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Polymer matrices, two-component
Mixed polymer networks in the direct analysis of pharmaceuticals in urine by capillary electrophoresis 680(1994)623

Polymer networks
Electrophoretic separations of polymerase chain reaction-amplified DNA fragments in DNA typing using a capillary electrophoresis–laser induced fluorescence system 652(1993)83

Macroporous gels: facts and misfacts (Review) 698(1995)3

Polymer size
Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Polymer solution capillary electrophoresis
Separation of DNA restriction fragments by polymer-solution capillary zone electrophoresis. Influence of polymer concentration and ion-pairing reagents 652(1993)47

Polymer type
Hydrodynamic chromatography of polymers in packed columns 657(1993)283

Polysaccharide carbamates
Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Polysaccharide chiral stationary phases
Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Polysiloxane phases
Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Polysiloxanes
Large-rim-tethered permethyl-substituted β-cyclodextrin polysiloxanes for use as chiral stationary phases in open tubular column chromatography 673(1994)219

Stability of high-performance liquid chromatography columns packed with C_1 and C_8 polysiloxanes sorbed into porous silica particles 697(1995)159

Polyurethane foam columns
Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185

Polyvalent eluents
Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Polyvinylidenedifluoride membranes
Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Polyvinylpyrrolidone-coated silica
Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163

Pore diameter
Macroporous gels: facts and misfacts (Review) 698(1995)3

Pore diffusion
Equilibrium and kinetic parameters of the adsorption of α-chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Pore size
Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane–acetonitrile 664(1994)221

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Macroporous gels: facts and misfacts (Review) 698(1995)3

Synthesis of monodisperse macroreticular styrene–divinylbenzene gel particles by a single-step swelling and polymerization method 699(1995)59

Pore size distribution
Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

Polyvinylpyrrolidone-coated silica packings for chromatography of proteins and peptides 663(1994)163

Structural inhomogeneities in wide-pore silica gels 665(1994)33

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Pork
Simultaneous high-performance liquid chromatographic determination of residual sulphamonomethoxine, sulphadimethoxine and their N^4-acetyl metabolites in foods of animal origin 677(1994)81

Porosity
Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Effect of bed compression on high-performance liquid chromatography columns with gigaporous polymeric packings 686(1994)165

Porosity, intraparticle
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Porous and tentacle membrane
High-throughput processing of proteins using a porous and tentacle anion-exchange membrane 689(1995)211

Porous beads
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Porous carbon sorbent
Use of a novel carbon sorbent for the adsorption of organic compounds from water 665(1994)27

Porous glass
Adsorptive interaction of Ficoll standards with porous glass size-exclusion chromatography columns 693(1995)197

Porous graphitic carbon
Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Chiral ion-pair chromatographic separation of two dihydropyridines with camphorsulfonic acids on porous graphitic carbon 684(1994)23

Porous graphitic carbon for the chromatographic separation of O-tetraacetyl-β-D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587

Portable gas chromatograph
Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Portable liquid chromatograph
Rapid assay of fatty acid composition using a portable high-performance liquid chromatograph for monitoring aquatic ecosystems 695(1995)223

Positional global resolution
Interpretive strategy for optimization of surfactant and alcohol concentration in micellar liquid chromatography 677(1994)239

Positional isomers
Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Supercritical fluid chromatographic determination of tocopherols on an ODS-silica gel column 679(1994)329

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Post-column enzyme assay
Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375

Post-column flow cell
Extended path length post-column flow cell for UV–visible absorbance detection in capillary electrophoresis 680(1994)109

Post-column reaction detection
Determination of aflatoxins by reversed-phase high-performance liquid chromatography with post-column in-line photochemical derivatization and fluorescence detection 654(1993)247

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography 660(1994)211

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Rapid and sensitive determination of nitrite in foods and biological materials by flow injection or high-performance liquid chromatography with chemiluminescence detection 673(1994)77

Determination of a novel hematoregulatory peptide in dog plasma by reversed-phase high-performance liquid chromatography and an amine-selective *o*-phthaldialdehyde–thiol post-column reaction with fluorescence detection 676(1994)161

High-performance liquid chromatography of alditols with indirect photometric detection 689(1995)13

Post-column reactors
Sensitive and selective liquid chromatographic postcolumn reaction detection system for biotin and biocytin using a homogeneous fluorophore-linked assay 654(1993)79

High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407

Identification of flavan-3-ols and procyanidins by high-performance liquid chromatography and chemical reaction detection 667(1994)290

Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Limitations of ion chromatography with post-column reaction for determination of heavy metals in waters containing strong chelating agents 696(1995)227

Improved method for the determination of glyphosate in water 697(1995)363

Postmortem blood
Use of high-performance liquid chromatography–diode array detection in forensic toxicology 692(1995)103

Post-sampling transformation reactions
Gas chromatographic screening of organic compounds in urban aerosols. II. Changes in hydrocarbon composition during storage 655(1993)133

Potato tubers
Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Potency assays
High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67

Potentiometric detector
Potentiometric detection of anions separated by capillary electrophoresis using an ion-selective microelectrode 676(1994)437

Potentiometric detection using a metallic copper electrode in reversed-phase and ion-exclusion chromatography with eluents containing ion-interaction reagents 699(1995)31

Poultry feed
Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Precipitation monitoring system
Automatic monitoring system for acid rain and snow based on ion chromatography 671(1994)211

Precision
Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167

Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Precolumn concentration
Automated precolumn concentration and high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in water using a single pump and a single valve 692(1995)11

Pre-column derivatization
Pre-column derivatization of biogenic amines and amino acids with 9-fluorenylmethyl chloroformate and heptylamine 661(1994)193

Determination of amines in wines by high-performance liquid chromatography with electrochemical coulometric detection after precolumn derivatization 661(1994)201

Determination of salinomycin by high-performance liquid chromatography using a precolumn derivatization technique 664(1994)284

Determination of protein amino acids as butylthiocarbamyl derivatives by reversed-phase high-performance liquid chromatography with precolumn derivatization and UV detection 667(1994)105

Liquid chromatographic determination of carnitine by precolumn derivatization with pyrene-1-carbonyl cyanide 667(1994)113

Determination of organic acids in cigarette smoke by high-performance liquid chromatography and capillary electrophoresis 684(1994)251

Alternative methods for the determination of trace amounts of 4-aminomorpholine in molsidomine and linsidomine 689(1995)235

High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Determination of aldehydes by high-performance liquid chromatography with fluorescence detection after labelling with 4-(2-carbazoylpyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole 695(1995)11

Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Precolumns
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Preconcentration
Preconcentration of samples by steam distillation–solvent extraction at low temperature 655(1993)141

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography 655(1993)301

Analysis of replacement chlorofluorocarbons using carboxen microtraps for isolation and preconcentration in gas chromatography–mass spectrometry 657(1993)123

Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133

Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC–MS analysis 662(1994)281

On-line sample treatment for or via column liquid chromatography (Review) 665(1994)217

Screening method for the determination of volatiles in biomedical samples by means of an off-line closed-loop trapping system and high-resolution gas chromatography–ion trap detection 665(1994)333

Ultra-trace analysis of phenols in water using high-performance liquid chromatography with on-line reaction detection 667(1994)47

Preconcentration and determination of 2,4,5-trichlorophenol in air using a wet effluent denuder and high-performance liquid chromatography 668(1994)371

Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Chromatomembrane method for the continuous separation of substances 669(1994)81

Determination of various pesticides using membrane extraction discs and gas chromatography–mass spectrometry 670(1994)135

Pre-concentration techniques for bromate analysis in ozonated waters 671(1994)141

On-line preconcentration and ion chromatography of triazine compounds 671(1994)151

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. I. Theory 676(1994)409

New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis. II. Applications 676(1994)421

In-line isotachophoretic focusing of very large injection volumes for capillary zone electrophoresis using a hydrodynamic counterflow 677(1994)151

Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous–organic solvent mixtures 686(1994)85

Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155

Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343

Trace analysis of impurities in 3′-azido-3′-deoxythymidine by reversed-phase high-performance liquid chromatography and thermospray mass spectrometry 689(1995)31

Performance of an ethoxyethylacrylate stationary phase for open-tubular liquid chromatography 689(1995)177

Trace determination of aromatic amines or phenolic compounds in dyestuffs by high-performance liquid chromatography with on-line preconcentration 696(1995)201

Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Preparative chromatography
Chromatographic resolution of racemic α-halocarboxylic acids and O-substituted α-hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones 654(1993)303

Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Preparation and high-performance liquid chromatographic analysis of *syn* and *anti* isomers of steroidal 3-(O-carboxymethyl) oximes 657(1993)345

Chromatography of gibberellins (Review) 658(1994)91

Modeling of preparative liquid chromatography (Review) 658(1994)149

A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173

Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195

Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Preparative affinity chromatography of proteins (Review) 658(1994)237

Preparative chromatographic separation with moving feed ports (Review) 658(1994)259

Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271

Advances in supercritical fluid chromatographic processes (Review) 658(1994)293

Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Use of polyethylene glycol and high-performance liquid chromatography for preparative separation of *Aspergillus ficuum* acid phosphatases 658(1994)371

Calculation of peak profiles in preparative chromatography of biomolecules 658(1994)399

Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Examples of preparative chiral chromatography on an amylose-based chiral stationary phase in support of pharmaceutical research 658(1994)429

Enantiomer fractionation by preparative gas chromatography 658(1994)437

Influence of lateral interactions on preparative protein chromatography. I. Isotherm behavior 658(1994)445

Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent–detergent method 658(1994)475

Elimination and reduction of chlorinated solvents in preparative liquid chromatography 658(1994)483

Preparative liquid chromatographic isolation of unknown impurities in Arbidol and SI-5 658(1994)489

Optimization of industrial-scale high-performance liquid chromatography applications using a newly developed software 658(1994)497

Preparative separation of components of the color additive FD&C Red No. 3 (erythrosine) by pH-zone-refining counter-current chromatography 658(1994)505

Purification and analytical characterization of an anti-CD4 monoclonal antibody for human therapy 661(1994)13

Adsorption and ion-exchange isotherms in preparative chromatography 663(1994)1

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

Preparative chromatographic resolution of racemates on chiral stationary phases on laboratory and production scales by closed-loop recycling chromatography 666(1994)627

Purification of bacilli ribonucleases by reversed-phase high-performance liquid chromatography 670(1994)229

Preparative isolation of recombinant human insulin-like growth factor 1 by reversed-phase high-performance liquid chromatography 675(1994)101

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. III. Preparative-scale separations for enflurane 677(1994)133

Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77

Preparative separation of ganglioside GM_3 by high-performance liquid chromatography 678(1994)183

Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233

Purification of recombinant human granulocyte–macrophage colony-stimulating factor from the inclusion bodies produced by transformed *Escherichia coli* cells 679(1994)67

Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

New hybrid displacement technique for preparative liquid chromatography 684(1994)1

Recycling in preparative liquid chromatography 687(1994)13

Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179

Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201

High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Displacement chromatography in biotechnological downstream processing 691(1995)101

High-performance chiral displacement chromatographic separations in the normal-phase mode. III. Separation of the enantiomers of 5-vinylpyrrolidin-2-one using the Chiralcel-OD stationary phase 691(1995)213

Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233

Series of homologous displacers for preparative chiral displacement chromatographic separations on Cyclobond-II columns 693(1995)1

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Preparative high-performance liquid chromatographic separation of fluorodeoxy sugars 695(1995)128

Rapid ion-exchange displacement chromatography of proteins on perfusive chromatographic supports 695(1995)195

Preparative-scale supercritical fluid chromatography 697(1995)579

Isolation of decomposition products of tylosin using liquid chromatography 699(1995)99

Preparative electrophoresis
Experimental basis for separation of membrane vesicles by preparative free-flow electrophoresis 668(1994)201

Preparative chromatography
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283

Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Preparative isotachophoresis
Preparative procedures in isotachophoresis (Review) 658(1994)343

Preparative separations
Preparative separation and isolation of three α bitter acids from hop, *Humulus lupulus* L., by centrifugal partition chromatography 664(1994)45

Pressure drop
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Pressure injection
Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Pressure programming
Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Pressurized gradient electrochromatography
Pressurized gradient electro-high-performance liquid chromatography 680(1994)93

Principal component analysis
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113

Influence of temperature on the mechanism by which compounds are retained in gas–liquid chromatography 664(1994)229

Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1

Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Retention of 4-cyanophenyl herbicides on water-insoluble β-cyclodextrin support 685(1994)295

Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71

Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Chemometric characterization of Lewis base-modified zirconia for normal phase chromatography 691(1995)205

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Binding of anticancer drugs to human serum albumin studied by reversed-phase chromatography 696(1995)265

Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Minimization of baseline disturbances in peptide mapping by means of principal-component multivariate visualization 699(1995)11

Process analysis
Reversed-phase high-performance liquid chromatography assay for recombinant acidic fibroblast growth factor in *E. coli* cell suspensions and lysate samples 663(1994)43

Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Process liquor
Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Process monitoring
Process monitoring of the production of γ-interferon in recombinant Chinese hamster ovary cells 659(1994)317

Group-type separation of middle petroleum distillates by adsorption and charge-transfer liquid chromatography with dielectric constant detection 663(1994)11

Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279

Displacement chromatography in biotechnological downstream processing 691(1995)101

Process-scale chromatography
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIX. Impact of operating parameters in large-scale chromatography of proteins 691(1995)273

Rapid scaleable chromatographic purification of nucleic acids from proteinaceous mixtures 692(1995)233

Production rate
Gas chromatographic separation of the enantiomers of volatile fluoroether anesthetics by derivatized cyclodextrins. II. Preparative-scale separations for isoflurane 663(1994)79

Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Recycling in preparative liquid chromatography 687(1994)13

Programmed-temperature gas chromatography
Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331

Programmed-temperature retention value databases
Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Programmed-temperature vaporizer
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

Proteinaceous binding media
Identification of proteinaceous binding media in paintings by amino acid analysis using 9-fluorenylmethyl chloroformate derivatization and reversed-phase high-performance liquid chromatography 676(1994)177

Protein adsorption
Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427

Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13

Protein binding
High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337

Protein–capillary wall interactions
High-efficiency capillary electrophoretic separation of basic proteins using coated capillaries and cationic buffer additives. Evaluation of protein–capillary wall interactions 652(1993)161

Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives 661(1994)305

Protein conformation
Effect of protein conformation on experimental bandwidths in reversed-phase high-performance liquid chromatography 676(1994)33

Protein folding
Capillary electrophoresis as a tool for the analysis of protein folding 652(1993)179

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Protein-immobilized chiral stationary phases
Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223

Protein–ligand binding
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285

Protein–metal interactions
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Protein mutations
Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Protein phosphorylation
Fragmentation and separation of the thylakoid membrane. Effect of light-induced protein phosphorylation on domain composition 668(1994)191

Protein refolding
Protein refolding using aqueous two-phase systems 668(1994)95

Protein sequencing
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227

Protein stability
Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

Protein synthesis
Protein separation techniques in the study of tissue regeneration 698(1995)361

Proteolytic degradation
Liquid chromatographic–mass spectrometric studies on the enzymatic degradation of gonadotropin-releasing hormone 661(1994)55

Pseudomonas aeruginosa
High-performance liquid chromatographic determination of the rhamnolipids produced by *Pseudomonas aeruginosa* 693(1995)7

Pseudostationary phase
Capillary electrokinetic chromatography with a suspension of chromatographic particles 688(1994)283

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Pulp
Determination of carbohydrates in wood, pulp and process liquor samples by high-performance anion-exchange chromatography with pulsed amperometric detection 671(1994)339

Pulp mill effluent
Determination of diethylenetriaminepentaacetic acid in pulp mill effluent by ion-interaction reversed-phase liquid chromatography 688(1994)47

Pulsed amperometric detector
Determination of carbon sources in fermentation media using high-performance anion-exchange liquid chromatography and pulsed amperometric detection 676(1994)287

Pulsed discharge helium ionization detector
Pulsed discharge helium ionization detector. Universal detector for inorganic and organic compounds at the low picogram level 688(1994)135

Pulsed electrochemical detector
Determination of trace levels of cyanamide in a novel potassium channel activator bulk drug by pulsed electrochemical detection 671(1994)367

Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Pulsed field gradient NMR
Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Pulsed lasers
Near-infrared laser-induced fluorescence detection in column liquid chromatography. A comparison of various lasers and detection systems. II. Pulsed lasers 695(1995)175

Purge-and-trap methods
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Influence of dissolved gases in the dynamic headspace analysis of styrene and other volatile organic compounds and improvement of their determination 667(1994)340

Combined solvent extraction–purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Purge gases
Simple device for permeation removal of water vapour from purge gases in the determination of volatile organic compounds in aqueous samples 654(1993)279

Pyrococcus furiosus
Two-dimensional gel electrophoresis mapping of proteins isolated from the hyperthermophile *Pyrococcus furiosus* 698(1995)341

Pyrolysis
Evidence obtained by gas chromatography–mass spectrometry of conversion of alkanes into aromatic compounds during coal pyrolysis 655(1993)155

Determination of sodium polyacrylate by pyrolysis–gas chromatography 677(1994)355

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Pyrolysis–capillary gas chromatography
Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Pyrolysis–gas chromatography–mass spectrometry
Synthesis of novel tellurium containing analogues of choline and acetylcholine and their quantitation by pyrolysis–gas chromatography–mass spectrometry 657(1993)395

Pyrolysis–gas chromatography–mass spectrometry of poly(dialkylsilylenes) 683(1994)115

Thermal decomposition characterization of explosives by pyrolysis–gas chromatography–mass spectrometry 688(1994)231

Pyrolysis oil
Simultaneous gas chromatographic–Fourier transform infrared spectroscopic–mass spectrometric analysis of synthetic fuel derived from used tire vacuum pyrolysis oil, naphtha fraction 683(1994)203

Q

Quadratic isotherm
Selection of competitive adsorption model for modelling displacement chromatography 657(1993)305

Quantitative analysis
Use of chromatographic system peaks for continuous quantitative analysis 691(1995)21

Quantitative structure–bioactivity relationships
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Quantitative structure–migration relationships
Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Quantitative structure–retention relationships
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Quantum chemical calculations, semi-empirical
Gas chromatographic–mass spectrometric determination of α-phenylcinnamic acid isomers: practical and theoretical aspects 668(1994)353

Quantum mechanics
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Quartz capillaries
Characterization of quartz capillaries for capillary electrophoresis 652(1993)309

Quaternary solvent system
Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383

Quenching effects
Quenching-free reactive-flow photometry 694(1995)433

R

Racemization
Investigations on the *in vitro* racemization of thalidomide by high-performance liquid chromatography 666(1994)235

Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Radial compression columns
Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Study of the packing behavior of radial compression columns for preparative chromatography 683(1994)293

High-performance liquid chromatography of cyanine dyes. Multiphase separation, purification, and substitution of the counter ion 689(1995)269

Alkylsulphonic acid ion pairing with radial compression columns for determining plasma or cerebrospinal fluid 1-β-D-arabinofuranosylcytosine in pediatric pharmacokinetic analysis 692(1995)59

Radial distribution
Column efficiency and radial homogeneity in liquid chromatography 679(1994)231

Radioactivity counting
Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35

Simultaneous use of size-exclusion chromatography and photon correlation spectroscopy for the characterization of poly(lactic acid) nanoparticles 675(1994)129

Radioactivity monitor
High-performance liquid chromatographic determination of sulfated peptides in human hemofiltrate using a radioactivity monitor 691(1995)255

Radioimmunoassay
Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E_1 and E_2 in rat embryo incubates 655(1993)85

Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173

Radiolabeling
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Radioligands
High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97

Radioluminography
Application of radioluminography to off-line counting of radioactivity in high-performance liquid chromatographic eluates 663(1994)35

Radiopharmaceutical preparations
High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97

Radius of gyration
On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249

Rain water
Determination of organic acids by ion chromatography in rain water in the State of Zulia, Venezuela 671(1994)193

Simultaneous determination of organic and inorganic anions in the sub-μmol/l range in rain water by capillary zone electrophoresis 689(1995)305

Raspberry cultivars
Enantiomeric and isotopic analysis of flavour compounds of some raspberry cultivars 684(1994)360

Rate constants
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm 660(1994)25

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis 695(1995)279

Rate-equation model
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Rate equations
Interference and heat effects: moment analysis for two-component chromatography 658(1994)355

Rate kinetics
Equilibrium and kinetic parameters of the adsorption of α-chymotrypsinogen A onto hydrophobic porous adsorbent particles 686(1994)21

Reaction cell
Automated on-capillary isotachophoretic reaction cell for fluorescence derivatization of small sample volumes at low concentrations followed by capillary zone electrophoresis 673(1994)255

Reaction kinetics
Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

High-performance liquid chromatographic assay of glycosyltransferases using flavonoids as substrate 691(1995)331

Reaction mixtures
Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356

Reaction products
Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71

Reactive-flow luminescence detector
Reactive-flow luminescence detector for gas chromatography 684(1994)259

Quenching-free reactive-flow photometry 694(1995)433

Reactive-flow luminescence with flame ionization detection 699(1995)183

Reactive solvent modifier
Carbon dioxide supercritical fluid extraction of incinerator fly ash with a reactive solvent modifier 679(1994)319

Real-time drug monitoring
Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Receptor antagonists
Determination of distribution coefficients for some 5-HT_3 receptor antagonists by reversed-phase high-performance liquid chromatography 667(1994)29

Receptor–ligand interactions
Potential of receptor–ligand interactions for sample handling in liquid and gas chromatography 665(1994)233

Affinity capillary electrophoresis applied to the studies of interactions of a member of heat shock protein family with an immunosuppressant 680(1994)395

Determination of antigen–antibody affinity by immuno-capillary electrophoresis 680(1994)405

Receptors
Direct chromatographic separation of the enantiomers of phaclofen, saclofen and hydroxysaclofen. Influence of the anionic moiety 657(1993)213

High-performance liquid chromatographic determination of (4-[^{11}C]methoxyphenyl)-(5-fluoro-2-hydroxyphenyl)-methyleneaminobutyric acid and its benzophenone metabolite 692(1995)97

Recovery
High-performance protein separations with novel strong ion exchangers 679(1994)11

Recycling in preparative liquid chromatography 687(1994)13

Recycling
Recycling in preparative liquid chromatography 687(1994)13

Reduction gas detector
Determination of reactive hydrocarbons by capillary gas chromatography with the reduction gas detector 679(1994)115

Refractive index
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Refractive index detector
Structure elucidation of glykenin glycosidic antibiotics from *Basidiomycetes* sp. V. High-performance liquid chromatographic separation of components of glykenin 664(1994)195

Determination of Methocel A15-LV cellulose ether in blends with microcrystalline cellulose 693(1995)371

Refractive index gradients
Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Regioselectivity
3,5-Dimethylphenylcarbamates of cellulose and amylose regioselectively bonded to silica gel as chiral stationary phases for high-performance liquid chromatography 677(1994)11

Regression models
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Relative retention
Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. III. Ethene-based compounds 686(1994)245

Relaxation
Polarization, relaxation and unrestrictedly linear response in a bipolar, constant-frequency electron-capture detector 689(1995)45

Relaxation times
NMR imaging of the chromatographic process. Migration and separation of bands of gadolinium chelates 696(1995)1

Relay gradient elution
Normal-phase high-performance liquid chromatography with relay gradient elution. I. Description of the method 696(1995)193

Reordering/resolution
Reordering/resolvation studies of alkylamide phases 659(1994)261

Resin-loaded membranes
Methods and materials for solid-phase extraction 691(1995)133

Resins
Choice of a tracer for external porosity measurement in ion-exchange resin beds 679(1994)255

Resin sulfonation
Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Resolution
Dispersion in capillary electrophoresis with external flow control methods 652(1993)283

Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Evaluation of separation quality with a novel threshold criterion 665(1994)3

High-performance protein separations with novel strong ion exchangers 679(1994)11

Calculation of programmed temperature gas chromatography characteristics from isothermal data. V. Prediction of peak asymmetries and resolution characteristics 683(1994)377

Resolution criteria
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Resolution mechanisms
Resolution of non-racemic mixtures in achiral chromatographic systems: a model for the enantioselective effects observed 666(1994)519

Response ratios
Dual-channel response ratios from an integrative algorithm 687(1994)291

Response surface design
High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Restricted access packings
Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Restriction fragment mapping
Molecular size determinations of DNA restriction fragments and polymerase chain reaction products using capillary gel electrophoresis 676(1994)185

Effects of sample matrix and injection plug on dsDNA migration in capillary gel electrophoresis 680(1994)511

Restrictor plugging
Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Restrictors
Supercritical fluid extraction using a new restrictor design 679(1994)147

Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131

Retainers
pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Retention
Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Retention–activity relationships
Relationship between the high-performance liquid and thin-layer chromatographic retention of non-homologous series of pesticides on an alumina support 668(1994)495

Retention behaviour
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Micellar electrokinetic capillary chromatography theory based on conventional chromatography 655(1993)309

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection 657(1993)95

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β-cyclodextrin bonded-phase column 660(1994)339

Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61

Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117

Retention behaviour of barbituric acid derivatives on a β-cyclodextrin polymer-coated silica column 668(1994)395

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

A comparative study of the retention behaviour and stability of cytochrome *c* in reversed-phase high-performance liquid chromatography 676(1994)17

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Separation of homologous aromatic alcohols and carboxylic acids by packed column supercritical fluid chromatography 688(1994)261

Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Micellar liquid chromatographic separation of sulfonamides in physiological samples using direct on-column injection 692(1995)311

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219

Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485

Retention data
Quantitative structure–retention relationships for secondary interactions in cation-exchange liquid chromatography 657(1993)17

Retention enhancement
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227

Retention factors
see also Capacity factors

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Parameters controlling the elution window and retention factors in micellar electrokinetic capillary chromatography 696(1995)273

Retention gap
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Retention indices
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Correlation between gas chromatographic retention indices of linear alkylbenzene isomers and molecular connectivity indices 654(1993)183

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Chromatography of gibberellins (Review) 658(1994)91

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Evaluation of a "Chirasil-Val" capillary for the gas chromatography of volatile oil constituents, including sesquiterpenes in patchouli oil 664(1994)295

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Limitations of additivity of Kováts retention indices 668(1994)435

Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141

Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Reversed-phase high-performance liquid chromatographic database of retention indices and UV spectra of toxicologically relevant substances and its interlaboratory use 674(1994)97

Retrieval of structure information from retention index (Review) 678(1994)189

Real-time controlled multidimensional gas chromatography with electronic pressure control: application to chlorobiphenyl analysis 683(1994)45

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69

Prediction of gas chromatographic retention indices of 2,4-dinitrophenylhydrazones 693(1995)181

Identification of the isomers from mono- and dinitration of α-hydroxydiphenylacetic acid by capillary gas chromatography with Fourier transform infrared and mass spectrometric detection 695(1995)57

Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

Retention maps
Charged fusions for β-galactosidase retention in anion-exchange chromatography 689(1995)227

Retention mechanisms
Control of retention by molecular interactions in reversed-phase chromatography (Review)

Model for the mixed ion-exclusion–adsorption retention mechanism in ion-exclusion chromatography 654(1995)197

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13

Influence of temperature on the mechanism by which compounds are retained in gas–liquid chromatography 664(1994)229

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248

Organic modifiers in the anion-exchange chromatographic separation of sialic acids 676(1994)203

Stationary phase complexation of polyethers: separation of polyethers with amino-bonded silica gel 676(1994)355

Chromatographic behaviour of phenylurea pesticides in high-performance liquid chromatography with nitrile- and amino- bonded stationary phases 684(1994)77

Adsorption effects on retention behaviour of hydrocarbons in gas–liquid and gas–solid chromatography with the use of modified alumina coated with diphenyl phthalate as column packings 686(1994)101

Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1

Comparison of chromatographic behaviour of oligoethylene glycol nonylphenyl ether non-ionic and anionic surfactants in reversed-phase high-performance liquid chromatography 689(1995)255

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187

HPLC of basic drugs and quaternary ammonium compounds on microparticulate strong cation-exchange materials using methanolic or aqueous methanol eluents containing an ionic modifier 693(1995)289

Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57

Complex-forming equilibria in ion chromatography (Review) 699(1995)1

Retention models
Chiral ion-exchange chromatography. Correlation between solute retention and a theoretical ion-exchange model using imprinted polymers 654(1993)17

Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Electrostatic retention model of reversed-phase ion-pair chromatography 668(1994)255

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Ionic strength dependence of protein retention on Superose 12 in SEC–IEC mixed mode chromatography 693(1995)251

Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17

Retention parameters
Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49

Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography 693(1995)315

Retention phase velocity
Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45

Retention prediction
Dependence of retention of ionic solutes on the composition of the mobile phase electrolytes in partition chromatography 655(1993)199

Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Programmed-temperature gas chromatographic retention index (Review) 657(1993)1

Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Retention prediction for β-adrenergic blocking drugs in normal-phase liquid chromatography 673(1994)1

Comparison of the models describing the retention in micellar liquid chromatography with hybrid eluents for a group of benzene derivatives and polycyclic aromatic hydrocarbons 675(1994)1

Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331

Velocity profiles in thermal field-flow fractionation 678(1994)85

Retrieval of structure information from retention index (Review) 678(1994)189

Retention of halocarbons on a hexafluoropropylene epoxide-modified graphitized carbon black. II. Ethane-based compounds 679(1994)123

Prediction of inorganic and organic ion behaviour with polyvalent eluents in ion chromatography 683(1994)355

Qualitative and quantitative determination of illicit heroin street samples by reversed-phase high-performance liquid chromatography: method development by CARTAGO-S 692(1995)121

Comparison of theory-based and empirical modeling for the prediction of chromatographic behavior in the ion-pairing separation of benzodiazepine-derived pharmaceutical compounds 692(1995)183

Theoretical interpretation of the retention of system peaks in partition chromatography with a mobile phase containing electrolytes 696(1995)165

Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71

Prediction of programmed temperature retention indices on capillary columns of different polarities 699(1995)161

Retention processes
Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

Retention times
Correlative retention time peak identification method for glycated haemoglobin in high-performance liquid chromatography 661(1994)143

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Separation of acid, basic and dispersed dyes by a single-gradient elution reversed-phase high-performance liquid chromatography system 674(1994)263

Fast and accurate method for the automatic prediction of programmed-temperature retention times 677(1994)331

Calculation algorithm for the retention times of polychlorinated biphenyls and the control of its efficiency on a non-polar capillary column 699(1995)173

Retention volumes
Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Determination of infinite dilution activity coefficients and second virial coefficients using gas–liquid chromatography. I. The dilute mixtures of water and unsaturated chlorinated hydrocarbons and of water and benzene 673(1994)85

Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

New equation for specific retention volumes in capillary column gas chromatography 697(1995)441

Retentive layer, flowing
Parallel-current open-tubular liquid chromatography with fluorimetric detection 660(1994)187

Reverse-displacement mode
Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259

Reversed-phase liquid chromatography
Control of retention by molecular interactions in reversed-phase chromatography (Review)

UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Quantitative structure–retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Reversed-phase liquid chromatography as a useful probe of hydrophobic interactions involved in protein folding and protein stability 676(1994)3

Reviews
Control of retention by molecular interactions in reversed-phase chromatography (Review)

Polymeric separation media for electrophoresis: cross-linked systems or entangled solutions (Review) 652(1993)17

Current strategies for prediction of retention in high-performance liquid chromatography (Review) 656(1993)3

Distribution isotherms in reversed-phase systems (Review) 656(1993)19

Partition and displacement models in reversed-phase liquid chromatography with mixed eluents (Review) 656(1993)37

General view of molecular interaction mechanisms in reversed-phase liquid chromatography (Review) 656(1993)81

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369

Functional group contributions to the retention of analytes in reversed-phase high-performance liquid chromatography (Review) 656(1993)381

Quantitative structure–retention relationships applied to reversed-phase high-performance liquid chromatography (Review) 656(1993)417

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Modeling oil–water partitioning and membrane permeation using reversed-phase chromatography (Review) 656(1993)469

Hydrophobicity estimations by reversed-phase liquid chromatography. Implications for biological partitioning processes (Review) 656(1993)485

Retention in reversed-phase liquid chromatography as a function of mobile-phase composition (Review) 656(1993)501

Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln k' *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography (Review) 656(1993)549

Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes (Review) 656(1993)577

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Chemistry of zirconia and its use in chromatography (Review) 657(1993)229

Brassinosteroids: distribution in plants, bioassays and microanalysis by gas chromatography–mass spectrometry (Review) 658(1994)3

Liquid chromatographic assay of brassinosteroids in plants (Review) 658(1994)17

Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31

Chromatography of gibberellins (Review) 658(1994)91

Separation of a new type of plant growth regulator, jasmonates, by chromatographic procedures (Review) 658(1994)129

Modeling of preparative liquid chromatography (Review) 658(1994)149

A retrospective on the solution of the ideal model of chromatography (Review) 658(1994)173

Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Gradient elution in preparative reversed-phase liquid chromatography (Review) 658(1994)195

Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Preparative affinity chromatography of proteins (Review) 658(1994)237

Preparative chromatographic separation with moving feed ports (Review) 658(1994)259

Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271

Advances in preparative gas chromatography for hydrogen isotope separation (Review) 658(1994)283

Advances in supercritical fluid chromatographic processes (Review) 658(1994)293

Counter-current chromatography as a preparative tool —applications and perspectives (Review) 658(1994)315

Preparative procedures in isotachophoresis (Review) 658(1994)343

Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3

Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231

Advances in the high-performance liquid chromatographic determination of phenylthiocarbamyl amino acids (Review) 661(1994)43

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Evolution of chiral stationary phase design in the Pirkle laboratories (Review) 666(1994)3

Chiral selectors with chelating properties in liquid chromatography: fundamental reflections and selective review of recent developments (Review) 666(1994)55

Enantiomer separation by gas chromatography on chiral stationary phases (Review) 666(1994)111

Proteins and peptides as chiral selectors in liquid chromatography (Review) 666(1994)167

Enantioselective high-performance liquid affinity chromatography as a probe of ligand–biopolymer interactions: an overview of a different use for high-performance liquid chromatographic chiral stationary phases 666(1994)221

Separation of enantiomers by capillary electrophoretic techniques (Review) 666(1994)295

Chiral separations performed by supercritical fluid chromatography (Review) 666(1994)381

Resolution by high-performance liquid chromatography using polysaccharide carbamates and benzoates as chiral stationary phases (Review) 666(1994)403

Theoretical studies of brush-type chiral stationary phases (Review) 666(1994)493

Contribution of preparative chromatographic resolution to the investigation of chiral phenomena (Review) 666(1994)565

Triton X-114 phase partitioning in plant protein purification (Review) 668(1994)75

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Confirmatory tests for drugs in the workplace by gas chromatography–mass spectrometry (Review) 674(1994)1

Gas chromatography with surface ionization detection in forensic analysis (Review) 674(1994)15

Determination of volatile substances in biological samples by headspace gas chromatography (Review) 674(1994)25

On-line high-performance liquid chromatography–fast atom bombardment mass spectrometry in forensic analysis (Review) 674(1994)127

In-depth chromatographic analyses of illicit cocaine and its precursor, coca leaves (Review) 674(1994)165

High-performance liquid chromatography of food colours and its relevance in forensic chemistry (Review) 674(1994)281

Retrieval of structure information from retention index (Review) 678(1994)189

Mass spectrometric detectors for samples separated by planar electrophoresis (Review) 692(1995)275

Molecular imprinting used for chiral separations (Review) 694(1995)3

Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15

Stereochemical determinants of the nature and consequences of drug metabolism (Review) 694(1995)39

Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91

Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181

Diastereomeric β-lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions (Review) 698(1995)19

Electrophoresis on cellulose acetate and Cellogel: current status and perspectives (Review) 698(1995)33

Biologist's perspective on analytical imaging systems as applied to protein gel electrophoresis (Review) 698(1995)55

Advances in affinity electrophoresis (Review) 698(1995)89

Lectin affinity immunoelectrophoresis of serum glycoproteins (Review) 698(1995)107

Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Electrophoretic recovery of proteins from polyacrylamide gel (Review) 698(1995)145

Clinical applications of two-dimensional electrophoresis (Review) 698(1995)163

Fluorogenic substrates for hydrolase detection following electrophoresis (Review) 698(1995)181

Protein mutations revealed by two-dimensional electrophoresis (Review) 698(1995)203

Analysis of immunoglobulins by two-dimensional gel electrophoresis (Review) 698(1995)225

Non-denaturing gel electrophoresis of biological nanoparticles: viruses (Review) 698(1995)251

Application to plant proteins of gel electrophoretic methods (Review) 698(1995)263

Gel electrophoresis for the identification of plant varieties (Review) 698(1995)281

Polyacrylamide gel electrophoretic methods in the separation of structural muscle proteins (Review) 698(1995)301

Advances in agarose gel electrophoresis of serum lipoproteins (Review) 698(1995)333

Complex-forming equilibria in ion chromatography (Review) 699(1995)1

River sediment

Purge-and-trap injection capillary gas chromatographic determination of volatile aromatic hydrocarbons in river sediment 665(1994)133

River water

Determination of various pesticides using membrane extraction discs and gas chromatography–mass spectrometry 670(1994)135

Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109

Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Automated on-line trace enrichment and determination of phenolic compounds in environmental waters by high-performance liquid chromatography 696(1995)31

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Rolling mill oils
Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

***h*-Root method**
Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396

Rosmarinus officinalis
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Rotating disk electrodes
Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode 691(1995)301

Rotational isomeric state
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Rubber latex
Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Ruggedness criteria
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

R_E values
Bidirectional isotachophoresis. II. Fifteen electrolyte systems covering the pH range 3.5–10 686(1994)158

R_M values
Thin-layer chromatography of N,N-disubstituted dithiocarbamates of nickel(II) and cobalt(II) 655(1993)45

S

Saccharomyces cerevisiae
Lipid analysis of baker's yeast 665(1994)191

Separation of ribonucleotides, ribonucleosides, deoxyribonucleotides, deoxyribonucleosides and bases by reversed-phase high-performance liquid chromatography 673(1994)167

Saffron
Separation of picrocrocin, *cis-trans*-crocins and safranal of saffron using high-performance liquid chromatography with photodiode-array detection 664(1994)55

Salt gradients
High resolution of multiple forms of rabbit reticulocyte hexokinase type I by hydrophobic interaction chromatography 676(1994)51

Salting effects
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299

Salvia officinalis
High-performance liquid chromatographic determination of carnosic acid and carnosol in *Rosmarinus officinalis* and *Salvia officinalis* 679(1994)381

Sample collection/introduction system
Fully automated gas chromatograph–flame ionization detector system for the *in situ* determination of atmospheric non-methane hydrocarbons at low parts per trillion concentration 676(1994)389

Sample concentration methods
Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Sample condensation
Identification of unlawful food dyes by thin-layer chromatography–fast atom bombardment mass spectrometry 674(1994)301

Sample matrix effects
Sample matrix effects in capillary electrophoresis. I. Basic considerations 652(1993)465

Sample matrix effects in capillary electrophoresis. II. Acetonitrile deproteinization 652(1993)471

Sample preparation
Chromatographic procedures for phytoecdysteroids (Review) 658(1994)31

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Determination of pesticides in environmental waters by automated on-line trace-enrichment and liquid chromatography 665(1994)269

On-line and off-line sample preparation of acidic herbicides and bentazone transformation products in estuarine waters 665(1994)283

Qualitative and quantitative carbohydrate analysis of fermentation substrates and broths by liquid chromatographic techniques 665(1994)317

Sample preparation by supercritical fluid extraction for quantification. A model based on the diffusion-layer theory for determination of extraction time 668(1994)285

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Determination of fluoride in feed mixtures by capillary isotachophoresis 670(1994)223

Analysis of dansyl amino acids in feedstuffs and skin by micellar electrokinetic capillary chromatography 680(1994)299

Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75

Gas chromatographic–mass spectrometric, high-performance liquid chromatographic–UV and gas chromatographic–Fourier transform IR responses to an industrial mixture of diisopropylnaphthalenes 688(1994)211

Preparative capillary isotachophoresis as a sample pretreatment technique for complex ionic matrices in high-performance liquid chromatography 689(1995)123

Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

High-performance liquid chromatography of the fluorescent dyes Fura-2 and Mag-Fura. Stability in organic solvents 696(1995)93

Sample solubility
Some specific problems in the practice of preparative high-performance liquid chromatography (Review) 658(1994)179

Sample stacking
Field-amplified sample stacking in micellar electrokinetic chromatography for on-column sample concentration of neutral molecules 673(1994)125

Influence of sample injection time of ions on migration time in capillary zone electrophoresis 677(1994)159

Development of a capillary electrophoresis method for the characterization of enzymatic products arising from the carbamoylase digestion of paralytic shellfish poisoning toxins 688(1994)301

Simultaneous determination of organic and inorganic anions in the sub-μmol/l range in rain water by capillary zone electrophoresis 689(1995)305

Sample volume
Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254

Sample–wall interactions
Wall adsorption in capillary electrophoresis. Experimental study and computer simulation 699(1995)297

Sample zone composition
Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285

Sample zones
Calculation of the composition of sample zones in capillary zone electrophoresis. I. Mathematical model 693(1995)347

Sampling–injection system
Automated in situ gas chromatographic–mass spectrometric analysis of ppt level volatile organic trace gases using multistage solid-adsorbent trapping 677(1994)123

Sampling methods
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363

Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369

Ion chromatographic determination of carboxylic acids in air with on-line liquid membrane pretreatment 655(1993)207

Coupled affinity–reversed-phase high-performance liquid chromatography systems for the measurement of glutathione S-transferases in human tissues 676(1994)65

Automated headspace analysis of fumigants 1,3-dichloropropene and methyl isothiocyanate on charcoal sampling tubes 684(1994)121

Evaluation of Tenax TA for the determination of chlorobenzene and chloronitrobenzenes in air using capillary gas chromatography and thermal desorption 684(1994)133

Determination of low concentrations of trimellitic anhydride in air 684(1994)269

Determination of benzene, aniline and nitrobenzene in workplace air: a comparison of active and passive sampling 688(1994)189

Determination of urea and its thermal decomposition products by high-performance liquid chromatography 689(1995)164

Microdialysis sampling coupled on-line to fast microbore liquid chromatography 691(1995)29

Dual vapor and liquid injector for gas chromatography 696(1995)235

Scrapie
Capillary electrophoresis of the scrapie prion protein from sheep brain 680(1994)447

Screening methods
Thermospray liquid chromatographic–mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples 660(1994)231

Thin-layer chromatography under tropical conditions: impact of high temperatures and high humidities on screening systems for analytical toxicology 664(1994)263

Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139

Analysis of structural specificity in antibody–antigen reactions by capillary electrophoresis with laser-induced fluorescence detection 680(1994)587

Comparison of derivatization procedures for the determination of diuretics in urine by gas chromatography–mass spectrometry 683(1994)195

Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69

Applicability of coupled-column liquid chromatography to the analysis of β-agonists in urine by direct sample injection. I. Development of a single-residue reversed-phase liquid chromatography–UV method for clenbuterol and selection of chromatographic conditions suitable for multi-residue analysis 695(1995)19

Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101

Seafood
Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173

Seawater
Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and GC–MS analysis 662(1994)281

Application of multi-dimensional liquid chromatography to the separation of some transition and heavy metals 671(1994)205

Seaweed
Determination of chlorophylls by reversed-phase high-performance liquid chromatography with isocratic elution and the column-switching technique 693(1995)176

Secondary chemical equilibria
Use of secondary chemical equilibria in liquid chromatography to determine dissociation constants of leukotriene B_4 and prostaglandin B_2 691(1995)225

Second cross virial coefficients
Determination of second cross virial coefficients from gas–liquid chromatographic data. II. Dilute mixtures of water and brominated hydrocarbons 688(1994)117

Second order reactions
Second-order kinetics in the liquid chromatographic reactor 683(1994)279

Sediments
Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83

Combined solvent extraction–purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

Speciation of butyltin compounds in sediments using gas chromatography interfaced with quartz furnace atomic absorption spectrometry 683(1994)51

Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303

Selectivity effects in semi-polar columns. II 688(1994)363

Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Seeds
Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert.*-butyldimethylsilyl derivatives 669(1994)125

Selected ion monitoring
Isotopic ratio of molecular patterns via gas chromatography–mass spectrometry with selected-ion monitoring as a chemometric tool 664(1994)253

Selective detection
N-, O- and P-selective on-column atomic emission detection in capillary gas chromatography 686(1994)109

Selectivity
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Correlation of retention and selectivity of separation in reversed-phase high-performance liquid chromatography with interaction indices and with lipophilic and polar structural indices (Review) 656(1993)437

Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion 660(1994)17

Factor analysis in ion chromatography of carboxylate ions 670(1994)51

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Multiple-buffer-additive strategies for enhanced capillary electrophoretic separation of peptides 680(1994)341

Selectivity effects in semi-polar columns. II 688(1994)363

Nano-scale design of novel stationary phases to enhance selectivity for molecular shape and size in liquid chromatography 691(1995)91

Selectivity due to conformational differences between helical and non-helical peptides in reversed-phase chromatography 695(1995)205

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Selectivity optimization
Selectivity optimization of reversed-phase high-performance liquid chromatographic peptide and protein separations by varying bonded-phase functionality 691(1995)337

Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3

Selectivity reversal
Effect of feed concentration on the preparative separation of systems having reversed selectivity 683(1994)311

Selectivity surfaces
Effects of pH and hydroxypropyl β-cyclodextrin concentration on peak resolution in the capillary electrophoretic separation of the enantiomers of weak bases 688(1994)273

Self-consistent field lattice theory
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Semiconductor particles, colloidal
Analysis of colloidal particles. V. Size-exclusion chromatography of colloidal semiconductor particles 670(1994)89

Semiconductors processing
Capillary electrophoresis methods for the trace cation analysis of semiconductor grades of hydrogen peroxide 657(1993)185

Senecio
Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Sensitivity
Appropriate calibration functions for capillary electrophoresis I. Precision and sensitivity using peak areas and heights 700(1995)1

Sensitivity enhancement
Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209

Sensors, substrate-selective
Molecular imprinting used for chiral separations (Review) 694(1995)3

Separation compartment, hydrodynamically closed
Determination of sorbic acid in food products by capillary zone electrophoresis in a hydrodynamically closed separation compartment 677(1994)179

Separation efficiency
Influence of the capillary edge on the separation efficiency in capillary electrophoresis 684(1994)323

Separation factor
Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Separation quality
Evaluation of separation quality with a novel threshold criterion 665(1994)3

Separation selectivity model
Capillary electrophoretic chiral separations using β-cyclodextrin as resolving agent. II. Bases: chiral selectivity as a function of pH and the concentration of β-cyclodextrin 652(1993)233

Sephacryl
Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephacryl gel chromatography 685(1994)172

Sequencing
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227

Two-dimensional electrophoresis as a complementary method of isolating peptide fragments of cleaved proteins for internal sequencing 676(1994)233

Sequencing of antisense DNA analogues by capillary gel electrophoresis with laser-induced fluorescence detection 700(1995)137

Sequential chromatogram ratio
Analysis of unresolved chromatograms by the absorbance ratio and sequential chromatogram ratio techniques coupled with peak suppression 663(1994)135

Sewage sludge
Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Determination of polychlorinated biphenyls in sewage sludges from Catalonia (N.E. Spain) by high-resolution gas chromatography with electron-capture detection 684(1994)289

Shale oil
Polycyclic aromatic sulfur heterocycles. IV. Determination of polycyclic aromatic compounds in a shale oil with the atomic emission detector 693(1995)325

Shape selectivity
Affinity gel electrophoresis of nucleic acids. Nucleobase-selective separation of DNA and RNA on agarose-poly(9-vinyladenine) conjugated gel 654(1993)151

Affinity gel electrophoresis of nucleic acids. Specific base- and shape-selective separation of DNA and RNA on polyacrylamide–nucleobase conjugated gel 654(1993)159

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Direct enantiomeric resolution of monoterpene hydrocarbons via reversed-phase high-performance liquid chromatography with an α-cyclodextrin bonded stationary phase 666(1994)445

Chemometric categorization of octadecylsilyl bonded-phase silica columns using test mixtures and confirmation of results with pharmaceutical compound separations 692(1995)147

Sheath-flow detection
Detection of DNA fragments separated by capillary electrophoresis based on their native fluorescence inside a sheath flow 680(1994)491

Sheath-flow interface
Capillary electrophoresis–matrix-assisted laser-desorption ionization mass spectrometry of proteins 680(1994)353

Shell fish
Homologue distributions of polychlorinated terphenyls by high-resolution gas chromatography and high-resolution mass spectrometry 675(1994)205

Speciation of organomercurials in biological and environmental samples by gas chromatography with microwave-induced plasma atomic emission detection 683(1994)245

Shock layer thickness
Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15

Shoe polish
On-line liquid backflush of an uncoated precolumn for automated gas chromatographic analysis of complex mixtures 654(1993)287

Shrimp
Determination of saccharin in shrimp by ion chromatography and capillary gas chromatography–mass spectrometry 671(1994)323

Siberian fir oil
Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495

Sieving additives
Separation of transfer RNA and 5S ribosomal RNA using capillary electrophoresis 700(1995)125

Sieving matrices
Movement of DNA fragments during capillary zone electrophoresis in liquid polyacrylamide 652(1993)31

Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis 661(1994)315

Sodium dodecyl sulfate capillary electrophoresis of proteins in entangled solutions of poly(vinyl alcohol) 689(1995)85

Fluidified polyacrylamides as molecular sieves in capillary zone electrophoresis of DNA fragments 689(1995)97

Injection bias of DNA fragments in capillary electrophoresis with sieving 698(1995)375

Sieving polymer network
High-performance capillary electrophoresis of proteins using sodium dodecyl sulfate–poly(ethylene oxide) 676(1994)209

Sigmoid transformation
Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Signal-to-noise ratio
Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247

Maximizing signal-to-noise ratio in direct current and pulsed amperometric detection 671(1994)109

Silane chains
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

Silanol groups
The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Silanophilic index
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Silanophilic interactions
Determination of the hydrophobicity parameter R_{M_W} by reversed-phase thin-layer chromatography 673(1994)113

Enantiomer separation by high-performance liquid chromatography on polysiloxane-based chiral stationary phases 679(1994)23

Silica
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Chromatographic stability of glucose-silica 653(1993)130

The influence of silica structure on reversed-phase retention (Review) 656(1993)353

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Structural inhomogeneities in wide-pore silica gels 665(1994)33

Binaphthyl-based amphiphile as a reagent for dynamically modified silica and fluorescence detection in high-performance liquid chromatography 668(1994)313

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

High-performance liquid chromatography of some alkaloids on unmodified silica gel with aqueous–organic solvent mixtures 686(1994)85

Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33

Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213

29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Chiral separation retention mechanisms in high-performance liquid chromatography using bare silica stationary phase and β-cyclodextrin as a mobile phase additive 691(1995)187

Determination of polycarboxylic acids by capillary electrophoresis with copper complexation 692(1995)267

Silica, bare
Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Silica, bonded
Chromatographic evaluation of alkyl-bonded phases prepared through olefin hydrosilylation on a hydride–silica intermediate 688(1994)31

Silica, calcium modified
Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153

Silica, C_{18}-bonded
Characterisation of C_{18}-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253

Silica columns, bonded
Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Silica-containing mixed oxides
Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Silica dissolution
High pH mobile phase effects on silica-based reversed-phase high-performance liquid chromatographic columns 691(1995)3

Silica, bonded
Diol-bonded silica gel as a restricted access packing forming a binary-layered phase for direct injection of serum for the determination of drugs 689(1995)203

Silica, borate-gelled guaran impregnated
Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360

Silica, N-benzoylthiourea modified
Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93

Silicone gum
Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93

Silicone oils
Supercritical fluid chromatography–mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Silicone rubbers
Supercritical fluid chromatography–mass spectrometry and matrix-assisted laser-desorption ionisation mass spectrometry of cyclic siloxanes in technical silicone oils and silicone rubbers 683(1994)105

Silicon wafers
Application of capillary zone electrophoresis with an isotachophoretic initial state to determine anionic impurities on as-polished silicon wafer surfaces 696(1995)321

Siloxane bonds
29-Silicon NMR evidence for the improved chromatographic siloxane bond stability of bulky alkylsilane ligands on a silica surface 688(1994)25

Silver ion liquid chromatography
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15

Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25

Silver ion high-performance liquid chromatography of esters of isomeric octadecenoic fatty acids with short-chain monounsaturated alcohols 693(1995)235

Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

Silver loaded columns
Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375

SIMCA
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89

Simian immunodeficiency virus
Purification of simian immunodeficiency virus, SIV_{MAC251}, and of its external envelope glycoprotein, gp148 675(1994)89

Simplex optimization
Preconcentration of samples by steam distillation–solvent extraction at low temperature 655(1993)141

Simulated electrophoresis
Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417

Calculation of the composition of sample zones in capillary zone electrophoresis. II. Simulated electropherograms 696(1995)285

Simulated moving-bed chromatography
Comparing steady counterflow separation with differential chromatography 654(1993)1

Simulated moving-bed chromatography for continuous separation of two components and its application to bioreactors (Review) 658(1994)271

Theoretical analysis of band profiles in non-linear ideal countercurrent chromatography 688(1994)1

Simulation
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403

Size-exclusion chromatography
Universal calibration of size-exclusion chromatography for proteins in guanidinium hydrochloride including the high-molecular-mass proteins titin and nebulin 654(1993)229

Solution properties of polyelectrolytes. IX. Quantitative dependence on eluent ionic strength of elution volumes in aqueous size-exclusion chromatography 655(1993)3

Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples 673(1994)55

Chromatographic separation of continuous mixtures in distributed pores 697(1995)533

Skin permeability
Hydrophobicity parameter from high-performance liquid chromatography on an immobilized artificial membrane column and its relationship to bioactivity 692(1995)83

Slab gel systems
Electrophoretic separation of DNA sequencing extension products using low-viscosity entangled polymer networks 663(1994)219

Slope, plot of *k'* *vs.* mobile phase composition
Extra-thermodynamic relationships in chromatography — study of the relationship between the slopes and intercepts of plots of ln *k'* *vs.* mobile phase composition in reversed-phase chromatography (Review) 656(1993)521

Smoke dyes
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359

Snow
Ion chromatographic determination of anions and cations at ultra-low concentrations in Alpine snow 671(1994)225

Soft drinks
Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507

Software
Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour 660(1994)47

High-performance liquid chromatography of amino acids, peptides and proteins. CXXXIII. Peak tracking of peptides in reversed-phase high-performance liquid chromatography 661(1994)61

Soil
Development of an analytical procedure to study linear alkylbenzenesulphonate (LAS) degradation in sewage sludge-amended soils 657(1993)25

Evaluation of drying agents for off-line supercritical fluid extraction 657(1993)413

High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117

Effects of parameters on supercritical fluid extraction of triazines from soil by use of multiple linear regression 683(1994)125

Structural elucidation and trace analysis with combined hyphenated chromatographic and mass spectrometric methods. Potential of using hybrid sector mass spectrometry–time-of-flight mass spectrometry for pesticide analysis 683(1994)141

Optimization of supercritical fluid extraction of organochlorine pesticides from real soil samples 683(1994)167

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Soil pollution
Influence of ageing on the supercritical fluid extraction of pollutants in soils 693(1995)101

α-Solanine
Determination of glycoalkaloids in potato tubers by reversed-phase high-performance liquid chromatography 661(1994)169

Solid-phase extraction
Supercritical fluid extraction of tributyltin and its degradation products from seawater via liquid–solid phase extraction 655(1993)51

Determination of organophosphorous and nitrogen-containing pesticides in water samples by solid phase extraction with gas chromatography and nitrogen–phosphorus detection 655(1993)127

On-line *versus* off-line solid-phase extraction in the determination of organic contaminants in water. Advantages and limitations 655(1993)163

Isotachophoretic desorption of anionic compounds from solid-phase adsorbents 655(1993)325

Solid-phase extraction of soluble proteins in grape musts 655(1993)336

Purification of fresh cassava root polyphenols by solid-phase extraction with Amberlite XAD-8 resin 657(1993)445

Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry 658(1994)77

Extraction of Triton X-100 and its determination in virus-inactivated human plasma by the solvent–detergent method 658(1994)475

Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337

Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction 660(1994)219

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction 660(1994)319

On-line solid-phase extraction with automated cartridge exchange for liquid chromatographic determination of lipophilic antioxidants in plasma 661(1994)153

Knowledge-based system for the automated solid-phase extraction of basic drugs from plasma coupled with their liquid chromatographic determination. Application to the biodetermination of β-receptor blocking agents 665(1994)87

Automatic solid-phase extraction and high-performance liquid chromatographic determination of quinidine in plasma 665(1994)101

On-line sample handling of water-soluble organic pollutants in aqueous samples using porous graphitic carbon 665(1994)243

Characterisation of C_{18}-bonded silicas for solid-phase extraction by solid-state NMR spectroscopy 665(1994)253

Application of on-line solid-phase extraction followed by liquid chromatography–thermospray mass spectrometry to the determination of pesticides in environmental waters 665(1994)295

Stereoselective high-performance liquid chromatographic assay of (±)-delmopinol in plasma using solid-phase extraction, a chiral derivatizing agent and electrochemical detection 666(1994)275

Determination of N-methylcarbamate pesticides in environmental water samples using automated on-line trace enrichment with exchangeable cartridges and high-performance liquid chromatography 667(1994)155

Determination of organophosphorus and triazine pesticides in ground- and drinking water by solid-phase extraction and gas chromatography with nitrogen–phosphorus or mass spectrometric detection 667(1994)241

Determination of alpidem, an imidazopyridine anxiolytic, and its metabolites by column-switching high-performance liquid chromatography with fluorescence detection 668(1994)403

Rapid sample preparation technique for the determination of pyrrolizidine alkaloids in plant extracts 668(1994)427

Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59

Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75

Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119

Toxicological analysis of whole blood samples by means of Bond-Elut Certify columns and gas chromatography with nitrogen–phosphorus detection 674(1994)87

Evaluation of improved methods for the recovery and detection of organic and inorganic cartridge discharge residues 674(1994)319

Determination of phenoxyalkanoic acids and other acidic herbicides at the low ppt level in water applying solid-phase extraction with RP-C_{18} material 677(1994)63

Orthogonal array designs for the optimization of solid-phase extraction 677(1994)255

Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289

Combined solvent extraction–mass spectrometry determination of free phenol traces in poly(vinyl chloride) products 679(1994)133

Extraction, purification by solid-phase extraction and high-performance liquid chromatographic analysis of taxanes from ornamental *Taxus* needles 679(1994)269

Capillary liquid chromatography–mass spectrometry and micellar electrokinetic chromatography as complementary techniques in environmental analysis 680(1994)635

Identification of thermal oxidation products of cholesteryl acetate 683(1994)75

Studies on the retention behaviour of a group of organic anions of biochemical interest on quaternary bonded silica columns equilibrated with a functionally coherent series of counterions. Use of 2-(N-morpholino)ethanesulphonate as a counterion and N-tris(hydroxymethyl)methyl-3-aminopropanesulphonate as an eluent 684(1994)221

Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53

Gas chromatographic determination of organochlorine and pyrethroid pesticides of horticultural concern 686(1994)263

Liquid chromatographic determination of sulfonylurea herbicides in natural waters after automated sample pretreatment using supported liquid membranes 688(1994)75

Synthesis and use of pentadeuteroethyl ethofumesate as an internal standard for the determination of ethofumesate and its metabolites in water by gas chromatography–mass spectrometry 688(1994)243

Determination of atrazine and simazine in drinking and surface waters by solid-phase extraction and high performance thin layer chromatography 688(1994)383

Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Use of Sep-Pak C_{18} cartridges to clean up free amino acids from coniferous needles 690(1995)226

Effect of resin sulfonation on the retention of polar organic compounds in solid-phase extraction 691(1995)123

Methods and materials for solid-phase extraction 691(1995)133

Optimization of automated solid-phase extraction for quantitation of polycyclic aromatic hydrocarbons in aqueous media by high-performance liquid chromatography–UV detection 692(1995)21

Liquid chromatographic determination of the macrolide antibiotics roxithromycin and clarithromycin in plasma by automated solid-phase extraction and electrochemical detection 692(1995)161

Simultaneous determination of granisetron and its 7-hydroxy metabolite in human plasma by reversed-phase high-performance liquid chromatography utilizing fluorescence and electrochemical detection 692(1995)195

A simple method for the determination of capacity factor on solid-phase extraction cartridges. I 693(1995)217

The role of capacity factor in method development for solid-phase extraction of phenolic compounds. II 693(1995)227

Solid-phase extraction on C_{18} in the trace determination of selected polychlorinated biphenyls in milk 693(1995)339

Directly coupled sample treatment–high-performance liquid chromatography for on-line automatic determination of liposoluble vitamins in milk 694(1995)399

Multi-residue matrix solid-phase dispersion method for the determination of six synthetic pyrethroids in vegetables followed by gas chromatography with electron capture detection 695(1995)75

Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101

Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123

Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131

Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137

Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185

Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203

Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345

Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389

Masking as a mechanism for evaporative loss of trace analyte, especially after solid-phase extraction 699(1995)395

Detection and quantitation of sulfonylurea herbicides in soil at the ppb level by capillary electrophoresis 700(1995)201

Solid-phase extraction disks
Elimination of matrix interferences in ion chromatography by the use of solid-phase extraction disks 671(1994)159

Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375

Solid-phase microextraction
Analysis of the petroleum components benzene, toluene, ethyl benzene and the xylenes in water by commercially available solid-phase microextraction and carbon-layer open tubular capillary column gas chromatography 677(1994)201

Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313

Element-selective detection of pesticides by gas chromatography–atomic emission detection and solid-phase microextraction 683(1994)175

Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133

Determination of methylmercury in fish and river water samples using in situ sodium tetraethylborate derivatization following by solid-phase microextraction and gas chromatography–mass spectrometry 696(1995)113

Solubility
Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43

Solubility parameters
Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Solubilization
Effect of pH, ion type and ionic strength on partitioning of proteins in reverse micelle systems 668(1994)55

Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245

Solute collection
Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113

Solute discrimination
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Solute distribution
Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Solute interference
Experimental study of band broadening and solute interferences in preparative supercritical fluid chromatography 670(1994)173

Solute–matrix interaction
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Solute partitioning
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267

Solute–solvent interactions
UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography 656(1993)69

Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269

Concept of additivity for a non-polar solute–solvent criterion log L^{16}. Non-aromatic compounds 677(1994)319

Solute–stationary phase intractions
Factors affecting retention of basic solutes in ion-exclusion chromatography using an anion-exchange column 671(1994)3

Property–structure relationship of solute–stationary phase complexes occurring in a molecular mechanism by penetration of eluite in bonded alkyl chains in reversed-phase liquid chromatography 684(1994)175

Multivariate visualization in the size-exclusion chromatography and pattern recognition of biological samples 691(1995)67

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Solute trapping
Solute trapping in off-line supercritical fluid extraction using controlled modifier condensation 683(1994)407

Solvation
Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199

Lattice models for the description of partitioning/adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects (Review) 656(1993)135

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Chemical composition separation of synthetic polymers by reversed-phase liquid chromatography (Review) 656(1993)591

Solvation enthalpy
Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367

Solvation interactions
Influence of temperature on the mechanism by which compounds are retained in gas–liquid chromatography 664(1994)229

Solvation parameter model
Sampling characteristics of octadecylsiloxane-bonded silica particle-embedded glass fiber discs for solid-phase extraction 695(1995)267

Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89

Solvatochromic parameters
Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Effect of mobile phase composition on the enantioselectivity of chromatographic separation on a quinine-bonded silica stationary phase 667(1994)19

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327

Linear solvation energy relationships in micellar liquid chromatography and micellar electrokinetic capillary chromatography 692(1995)301

Solvent annealing
Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227

Solvent classification
Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Solvent effects
Effect of the sample solvent and instrument design on the reproducibility of retention times and peak shapes in packed-column supercritical fluid chromatography 670(1994)161

Solvent elimination
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472

Solvent evaporation
Quantitative polymer composition characterization with a liquid chromatography–Fourier transform infrared spectrometry–solvent-evaporation interface 661(1994)227

Analytical characteristics of sample evaporation with the micro-Kuderna–Danish concentrator 695(1995)41

Solvent extraction
Combined solvent extraction–purge and trap method for the determination of volatile organic compounds in sediments 675(1994)177

High-performance liquid chromatographic determination of vanadium in crude petroleum oils using bis(salicylaldehyde)tetramethylethylenediimine 689(1995)39

Extraction–gas chromatographic method for the determination of organophosphorus compounds as lubricating oil additives 696(1995)257

High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Solvent modulation
Solvent modulation in liquid chromatography: extension to serially coupled columns 691(1995)171

Solvent partitioning
Chromatography of gibberellins (Review) 658(1994)91

Solvents
Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123

Residual solvent analysis by headspace gas chromatography 667(1994)235

Solvent selectivity
Solvatochromically based solvent-selectivity triangle (Review) 656(1993)537

Chromatographic behaviour of diastereoisomers. XII. Effects of alumina on separations of esters of maleic and fumaric acids 670(1994)181

Solvent–stationary phase interactions
Control of retention by molecular interactions in reversed-phase chromatography (Review)

Solvent strength
Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands 660(1994)67

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246

Overpressured layer chromatography in comparison with thin-layer and high-performance liquid chromatography for the determination of coumarins with reference to the composition of the mobile phase 670(1994)191

Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography 677(1994)1

Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases 691(1995)151

Solvent systems
Selectivity in the high-performance liquid chromatography of ecdysteroids 658(1994)55

Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341

Solvent trapping
Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Solvent traps
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107

Solvophobic driving forces
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography 656(1993)113

Sorbents
see also Adsorbents

Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Separation of transition and heavy metals on an amidoxime complexing sorbent 671(1994)51

Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223

Sorbents, solid-phase
Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101

Sorbent trapping
Comparison of sorbent and solvent trapping after supercritical fluid extraction of volatile petroleum hydrocarbons from soil 699(1995)265

Sorption effects
High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597

Sorption isotherm
Slow change in the electrical potential at glass and silica surfaces due to Na^+ sorption in the hydrated layer 693(1995)205

Sorption kinetics
Sorption kinetics and breakthrough curves for pepsin and chymosin using pepstatin A affinity membranes 686(1994)179

Southern blotting
Monitoring and analysis of antisense DNA by high-performance capillary gel electrophoresis 663(1994)105

Soxhlet extraction
Instability of tetryl to Soxhlet extraction 662(1994)178

Supercritical fluid extraction of polychlorinated biphenyls from lyophilized fish tissue 675(1994)189

Comparison of supercritical fluid extraction and Soxhlet extraction for the analysis of native polycyclic aromatic hydrocarbons in soils 699(1995)253

Soybean
Analysis of isoflavones by capillary electrophoresis 680(1994)181

Soybean oil
Determination of phylloquinone in intravenous fat emulsions and soybean oil by high-performance liquid chromatography 664(1994)189

Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49

Soybean seeds
Analysis of isoflavones by capillary electrophoresis 680(1994)181

Soy protein
Rapid characterization of soy protein and hydrolysates by capillary electrophoresis 680(1994)413

Spacer length
Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length 660(1994)275

Spacers
Retention and enantioselectivity of 2-arylpropionic acid derivatives on an avidin-bonded silica column. Influence of base materials, spacer type and protein modification 677(1994)229

Speciation
Speciation of inorganic and organotin compounds in biological samples by liquid chromatography with inductively coupled plasma mass spectrometric detection 654(1993)261

Supercritical fluid extraction of organotins from biological samples and speciation by liquid chromatography and inductively coupled plasma mass spectrometry 655(1993)340

Interfacing ion chromatography with inductively coupled plasma atomic emission spectrometry for the determination of chromium(III) and chromium(VI) 683(1994)253

Determination and speciation of organotin compounds by gas chromatography–microwave induced plasma atomic emission spectrometry 683(1994)269

Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Simultaneous determination of Cr(III), Fe(III), Cu(II) and Pb(II) as UV-absorbing EDTA complexes by capillary zone electrophoresis 695(1995)103

Specific hydrophobic surface area
Reversed-phase retention characteristics of some bioactive heterocyclic compounds 668(1994)485

Specific retention volume
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177

New equation for specific retention volumes in capillary column gas chromatography 697(1995)441

Spectral mapping
Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59

Spectral overlay
Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81

Spectral response ratio
Constancy of spectral response ratios in the flame photometric detector 667(1994)191

Spectroscopic monitoring
Ampholytic dyes for spectroscopic determination of pH in electrofocusing 695(1995)113

Spermatozoa
Revealing surface changes associated with maturation of ram spermatozoa by centrifugal counter-current distribution in an aqueous two-phase system 668(1994)173

Spinach
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Split injection
Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Split-peak effect
Kinetic study of the adsorption of human serum albumin on immobilized antibody using the split-peak effect in immunochromatography 661(1994)35

Split ratio
Matrix effects and solute discrimination when injecting dirty samples in capillary columns. Comparative study between classical split and splitless injections 655(1993)257

Split vent
Simple method for preventing unsuitable solvents from entering gas chromatographic detectors 663(1994)123

Spontaneous fluid displacement injection
Microcolumn sample injection by spontaneous fluid displacement 680(1994)99

Squalane columns
Comparison of uncorrected retention data on a capillary and a packed hexadecane column with corrected retention data on a packed squalane column 688(1994)125

Stability constants
Study of complex-forming equilibria between divalent metal cations and some inorganic anions using ion chromatography 657(1993)435

Ionophoretic technique in the study of Cu(II), Ni(II), Co(II) and Mn(II)–hydrazine–nitrilotriacetate mixed-ligand complexes 667(1994)371

Stability-indicating methods
Stability-indicating method for the determination of levodopa, levodopa–carbidopa and related impurities 667(1994)175

High-performance liquid chromatographic stability-indicating determination of zopiclone in tablets 677(1994)87

High-performance liquid chromatographic method for potency determination of cephalexin in commercial preparations and for stability studies 692(1995)67

Stability studies
Chromatographic stability of glucose-silica 653(1993)130

High-performance liquid chromatography in stability studies of an organophosphorus insecticide in free form and after formulation as emulsifiable concentrate. Response surface design correlation of kinetic data and parameters 677(1994)53

Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71

Stabilizers
Sulphite stabilizer in ion chromatography 663(1994)255

Stacking
Enhancement of selectivity and concentration sensitivity in capillary zone electrophoresis by on-line coupling with column liquid chromatography and utilizing a double stacking procedure allowing for microliter injections 693(1995)131

Staining methods
Staining methods in gel electrophoresis, including the use of multiple detection methods (Review) 698(1995)123

Basic proteins and basic membranes. Adjusting blotting and staining conditions to Immobilon CD 698(1995)351

Standard addition
Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159

Matrix effects during standard addition quantitation of a trace volatile impurity in a drug substance sample 673(1994)211

Staphylococcus aureus
Hydrophobic interaction chromatography for the purification of cytolytic bacterial toxins 667(1994)131

Starburst dendrimers
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Structural selectivity provided by starburst dendrimers as pseudostationary phase in electrokinetic chromatography 699(1995)331

Static coating
Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers 652(1993)149

Static headspace sampler
Automated static headspace sampler for gas chromatography 686(1994)235

Stationary phases, CE
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63

Stationary phases, GC
Potential of three different α-cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354

Thermodynamic characterization of Superox 20M by inverse gas chromatography 655(1993)11

Characterization of capillary column stationary phases by statistical analysis of retention data 657(1993)103

Chemistry of zirconia and its use in chromatography (Review) 657(1993)229

Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477

Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203

Gas–liquid chromatographic study of thermodynamics of solution of some alkanes on liquid crystal stationary phases 664(1994)71

Influence of temperature on the mechanism by which compounds are retained in gas–liquid chromatography 664(1994)229

Evaluation of shape selectivity of liquid crystals in capillary gas chromatography 665(1994)111

Separation of C_{11}–C_{14} branched-chain alcohols by high-resolution gas chromatography on a modified β-cyclodextrin stationary phase 665(1994)163

Relationship between structure and chromatographic behaviour of secondary alcohols and their derivatives separated by high-resolution gas chromatography with a modified β-cyclodextrin stationary phase 665(1994)175

Application of a fused-silica column to the determination of very volatile amines by gas–solid chromatography 667(1994)334

Use of esterified and unesterified dipentylated γ-, β- and α-cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Silicone gum of OV-225 type for open-tubular gas chromatography 673(1994)93

Pair-wise interactions by gas chromatography. IV. Interaction free enthalpies of solutes with trifluoromethyl-substituted alkanes 673(1994)181

Capillary gas chromatography method for the analysis of the *trans* isomers of ceralure, a medfly attractant 673(1994)295

Highly selective liquid crystalline polysiloxane stationary phase for gas chromatographic separation of isomers 677(1994)197

Gas chromatographic retention behaviour of polychlorinated naphthalenes on non-polar, polarizable, polar and smectic capillary columns 683(1994)385

Gas chromatography of Titan's atmosphere. V. Determination of permanent gases in the presence of hydrocarbons and nitriles with a molecular sieve micropacked column and optimization of the GC parameters using a Doehlert experimental design 688(1994)161

Selectivity effects in semi-polar columns. II 688(1994)363

Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83

Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93

Comparison of four homologous retention index standard series for gas chromatography of basic drugs 693(1995)69

Preparation of 4-vinylpyridine and divinylbenzene porous-layer open tubular columns by in situ copolymerization 693(1995)79

Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415

Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429

Pair-wise interactions by gas chromatography. V. Interaction free enthalpies of solutes with primary chloro- and bromoalkanes 699(1995)131

Separation of low-boiling pyridine bases by gas chromatography 699(1995)403

Stationary phases, LC
Control of retention by molecular interactions in reversed-phase chromatography (Review)

Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1

Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Chromatographic stability of glucose-silica 653(1993)130

Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189

Characterization and application of strong ion-exchange membrane adsorbers as stationary phases in high-performance liquid chromatography of proteins 654(1993)29

Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography (Review) 656(1993)197

Conformational changes and molecular dynamics of simple silica immobilized systems (Review) 656(1993)217

Nuclear magnetic resonance and electron spin resonance spectroscopic investigations of reversed-phase liquid chromatographic retention mechanisms: stationary phase structure (Review) 656(1993)231

Stationary phase effects in reversed-phase liquid chromatography (Review) 656(1993)265

Bonded phase conformation and solvation effects on the stationary phase structure in reversed-phase liquid chromatography (Review) 656(1993)289

Phase transitions of reversed-phase stationary phases. Cause and effects in the mechanism of retention (Review) 656(1993)317

Shape selectivity in reversed-phase liquid chromatography for the separation of planar and non-planar solutes (Review) 656(1993)335

Polymer-coated reversed-phase packings in high-performance liquid chromatography (Review) 656(1993)369

Chemistry of zirconia and its use in chromatography (Review) 657(1993)229

Advanced sorbents for preparative protein separation purposes (Review) 658(1994)207

Predictable and consistent performance of angular packing in axial compression columns 658(1994)381

Hydroxyethyl methacrylate-based sorbents for high-performance liquid chromatography of proteins 658(1994)391

Operating characteristics of a preparative-scale radial compression chromatograph in isocratic and gradient elution 658(1994)407

Process-scale evaluation of a fast-flowing anion-exchange cellulose 658(1994)419

Study of the irreversible adsorption of proteins on polybutadiene-coated zirconia 658(1994)465

Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43

Reordering/resolvation studies of alkylamide phases 659(1994)261

Structure–retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics 660(1994)3

High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents 660(1994)75

Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure 660(1994)85

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods 660(1994)97

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography 660(1994)131

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics 660(1994)327

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β-cyclodextrin bonded-phase column 660(1994)339

Analytical study of polyoxyethylene surfactants of high degree of condensation by normal-phase liquid chromatography on *p*-nitrophenyl-bonded silica 661(1994)207

Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37

High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95

Characterization of adsorbents by high-performance liquid chromatography using aromatic hydrocarbons. Porous graphite and its comparison with silica gel, alumina, octadecylsilica and phenylsilica 663(1994)151

Polyvinylpyrroiidone-coated silica packings for chromatography of proteins and peptides 663(1994)163

Fluorinated bonded stationary phases in micellar liquid chromatography 664(1994)1

Immobilized metal affinity membrane adsorbers as stationary phases for metal interaction protein separation 664(1994)13

Effect of functional groups on the retention behaviour of anions in ion chromatography using a coated silica column 664(1994)117

Characterization of some silica-based reversed-phase liquid chromatographic columns based on linear solvation energy relationships 664(1994)149

Structural features affecting chiral discrimination of terpene derivatives on a carbamated amylose stationary phase 664(1994)159

Separations of high-molecular-mass polystyrenes on different pore size and particle size reversed-phase columns in dichloromethane–acetonitrile 664(1994)221

Structural inhomogeneities in wide-pore silica gels 665(1994)33

Dextran-grafted silica gel for high-performance size-exclusion chromatography of proteins 665(1994)37

Reproducibility of physical characteristics, protein immobilization and chromatographic performance of 3M Emphaze Biosupport Medium AB 1 667(1994)1

Separation of lactose, lactobionic acid and lactobionolactone by high-performance liquid chromatography 667(1994)67

Supports for liquid–liquid partition chromatography in aqueous two-phase systems: a comparison of LiChrospher and LiParGel 668(1994)65

Influence of eluent composition on retention and selectivity of alkylamide phases under reversed-phase conditions 668(1994)293

Characterization of stationary phases used in reversed-phase and hydrophobic interaction chromatography 668(1994)301

Effect of the characteristics of the phase system on the retention of proteins in hydrophobic interaction chromatography 668(1994)337

Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1

Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9

Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene–co-divinylbenzene) 669(1994)230

Preparation and evaluation of polyacrylate-coated fused-silica capillaries for reversed-phase open-tubular liquid chromatography 670(1994)25

Ion chromatographic separation of alkali metal and ammonium cations on a C_{18} reversed-phase column 670(1994)99

Centrally localized ion exchangers as separating sorbents for ion chromatography. Theory and application 671(1994)33

Ion chromatographic separation of transition metals on a polybutadiene maleic acid-coated stationary phase 671(1994)43

Anion separations on columns based on transition metal–macrocycle complex exchange sites 671(1994)55

Practical aspects on the use of organic solvents in ion chromatography 671(1994)63

Use of combined sodium hydroxide and carbonate–bicarbonate eluents with various anion-exchange columns 671(1994)83

Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

Studies of physicochemical and chromatographic properties of mixed amino-alkylamide bonded phases 673(1994)11

Imprinted dispersion polymers: a new class of easily accessible affinity stationary phases 673(1994)133

Purification of lipases, phospholipases and kinases by heparin-Sepharose chromatography (Review) 673(1994)149

Adsorption and separation of proteins on composite anion exchangers with poly(N-diethylaminoethylacrylamide) bonded phases 673(1994)159

Synthesis and characterization of silica-based aliphatic ion exchangers 675(1994)29

Retention characteristics of some selected halogenated environmental pollutants in silica and bonded normal-phase liquid chromatography 675(1994)55

Direct isomeric separation of a 3-hydroxyproline-containing prodrug, L-693 989, by high-performance liquid chromatography with a porous graphitic carbon column 675(1994)248